

FULASEAL 770 SANITARY MID GREY 840203PM

SAFETY DATA SHEET

REVISION DATE: 08-11-2016

SUPERSEDES: None

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: PRODUCT DESCRIPTION: INTENDED USE: PRODUCT IDENTIFIER: FULASEAL 770 SANITARY MID GREY Silicone Industrial adhesive 840203PM

COMPANY INFORMATION

H.B. Fuller Company Australia Pty. Ltd. 16 - 22 Red Gum Drive Dandenong South, VIC 3175 Telephone: (03) 9797 6222 Emergency telephone No: 1800 033 111

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Symbols:



GHS Symbol name(s):	Exclamation mark
GHS Signal Word:	Warning
GHS Classification:	Skin Sensitisation Category 1
GHS Hazard Phrases:	May cause an allergic skin reaction.
GHS Precautions:	
Safety Precautions:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	Contaminated work clothing should not be allowed out of the workplace.
	Wear protective gloves/protective clothing/eye protection/face protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs:
	Get medical advice/attention. Wash contaminated clothing before reuse.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	PERCENT	Classification	Note
Mineral oil	64742-46-7	10 - 30	Acute Tox. 4; H332	Note N
Amorphous silica	7631-86-9	5 - 10		* (see below)
Silanes	Proprietary	1 - 5	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317	
Iron oxide	1309-37-1	0.1 - 1		* (see below)
Propiconazole	60207-90-1	0.1 - 1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	



FULASEAL 770 SANITARY MID GREY

840203PM

SAFETY DATA SHEET

			Acute Tox. 4; H302 Skin Sens. 1; H317	
Titanium dioxide	13463-67-7	0.1 - 1	Carc. 2; H351	* (see below)
Methyl ethyl ketoxime	96-29-7	0.1 - 1	Acute Tox. 4; H312 Acute Tox. 4; H302 Carc. 2; H351 Eye Dam. 1; H318 Skin Sens. 1; H317	
Carbon black	1333-86-4	0.1 - 1	Carc. 2; H351	* (see below)
Silane	2224-33-1	0.1 - 1	Eye Dam. 1; H318 Skin Irrit. 2; H315 Skin Sens. 1; H317	
Ingredients determined to be not hazardous		80		

*This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

SECTION 4: FIRST AID MEASURES

IF IN EYES: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: UNUSUAL FIRE AND EXPLOSION HAZARDS:	Use water spray, foam, dry chemical or carbon dioxide. Material will burn in a fire.
SPECIAL FIRE FIGHTING INSTRUCTIONS:	Persons exposed to products of combustion should wear self- contained breathing apparatus and full protective equipment.
HAZARDOUS COMBUSTION PRODUCTS:	Carbon dioxide, Carbon monoxide Silicon dioxide Nitrogen containing gases

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

SECTION 7: HANDLING AND STORAGE

Handling:	Avoid unnecessary exposure.
	This product contains an ingredient that may release formaldehyde at heated cure
	temperatures.
	This product contains an ingredient that may react with water or humidity to
	release methyl ethyl ketoxime (MEKO), CAS#96-29-7. The AIHA WEEL TWA
	for MEKO is 10 ppm.
	This product contains an ingredient that may react with water or humidity to
	release ethanol (64-17-5). The TWA for ethanol is 1000 ppm.
Storage:	Store in a cool, dry place.



FULASEAL 770 SANITARY MID GREY 840203PM

SAFETY DATA SHEET

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION EXPOSURE LIMITS:

Chemical Name	Note	AUSTRALIAN EXPOSURE LIMITS	ACGIH EXPOSURE LIMITS
Amorphous silica	* (see below)	2 mg/m3 TWA (respirable dust, listed under Fumed silica) None	No data available.
Iron oxide	* (see below)	5 mg/m3 TWA (fume, as Fe); 10 mg/m3 TWA (containing no asbestos and <1% crystalline silica, inhalable dust, listed under Rouge) None	5 mg/m3 TWA (respirable fraction)
Titanium dioxide	* (see below)	10 mg/m3 TWA (containing no asbestos and <1% crystalline silica, inhalable dust) None	10 mg/m3 TWA
Carbon black	* (see below)	3 mg/m3 TWA None	3 mg/m3 TWA (inhalable fraction)

*This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

Biological Limit Values (ACGIH)

Chemical Name	ACGIH Biological Exposure Index (BEI)
No data available.	

ENGINEERING CONTROL METHODS:

VENTILATION:	General room ventilation might be required under normal conditions of use.
EYE PROTECTION:	Wear safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eye wash station available.
SKIN PROTECTION:	Avoid skin contact by wearing chemically resistant gloves.
GLOVES:	Nitrile
RESPIRATORY PROTECTION:	No respiratory protection required under normal conditions of use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Solid
COLOR:	Gray
ODOR:	Characteristic
ODOR THRESHOLD:	Not established
pH:	Not established
FREEZING/MELTING POINT (deg. C):	Not established
BOILING POINT (deg. C):	Not established
FLASH POINT:	> 204°C (400°F) COC
EVAPORATION RATE:	Not established
FLAMMABILITY:	Not a flammable solid or gas
UPPER EXPLOSIVE LIMIT (% in air):	Not established



FULASEAL 770 SANITARY MID GREY

840203PM

SAFETY DATA SHEET

LOWER EXPLOSIVE LIMIT (% in air): VAPOR PRESSURE (mm Hg): VAPOR DENSITY: WEIGHT PER GALLON (lbs.): SPECIFIC GRAVITY: SOLUBILITY: **OCTANOL/WATER COEFFICIENT:** AUTOIGNITION TEMPERATURE: **DECOMPOSITION TEMPERATURE:** VISCOSITY: SOLIDS (% by weight):

Not established Not established Not established 8.10 0.970 Not established Not established Not established Not established No data available. 80.0

VOC, weight percent

Not determined

SECTION 10: STABILITY AND REACTIVITY

STABILITY: CHEMICAL INCOMPATIBILITY: HAZARDOUS POLYMERIZATION:

Stable under normal conditions. Water Will not occur. HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Silicon dioxide Nitrogen containing gases

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:

Joinpolient Toxicity / Toxicology Data.		
COMPONENT NAME	LD50/LC50	
Mineral oil	Inhalation LC50 Rat 4.60 mg/l	
Amorphous silica	INHALATION LC50-1H Rat > 2.20 mg/l	
Propiconazole	Oral LD50 Rat 1,517 mg/kg	
Silane	Oral LD50 Rat 1,780 mg/kg	
Methyl ethyl ketoxime	Oral LD50 Rat 930 mg/kg	

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: No irritation hazard in normal industrial use.

Serious eye damage / irritation: No irritation hazard in normal industrial use.

Respiratory / skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that is suspected of causing cancer.

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: No data available.

Specific target organ toxicity-single exposure: No data available.

Target organs potentially affected by exposure: Lungs Blood Skin

Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: Lung disease, Skin disease including eczema and sensitisation, Blood disorders (like anemia)



FULASEAL 770 SANITARY MID GREY 840203PM

SAFETY DATA SHEET

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW:	No ecological information available for this product.
MOBILITY:	No data available.
PERSISTENCE:	No data available.
BIOACCUMULATION:	No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
Mineral oil	Acute Toxicity (Fish): 96 Hr LC50 Pimephales promelas: 35 mg/L [flow-through]
	Acute Toxicity (Daphnia): Not established
	Acute Toxicity (Algae): Not established
Methyl ethyl ketoxime	Acute Toxicity (Fish): Not established
	Acute Toxicity (Daphnia): Not established
	Acute Toxicity (Algae): 72 Hr EC50 Desmodesmus subspicatus: 83 mg/L

SECTION 13: DISPOSAL CONSIDERATIONS

This product is a prescribed waste and may only be disposed of in accordance with applicable State and local regulations. These regulations vary from jurisdiction to jurisdiction and hence the user is counselled to seek advice from the local authority and classify the waste before considering disposal. The disposal information given below is a general guide and does not replace the requirement of the local regulations.

DISPOSAL: If possible recycle, otherwise dispose strictly in accordance with local industrial waste or environmental protection regulations. This substance may, if permitted by local authorities, be disposed of in an approved incineration facility or be considered for landfill.

SPECIAL PRECAUTIONS: Do not allow this material to contaminate soil, sewerage systems or surface or ground water.

When large amounts of this product need to be disposed of the services of a registered, professional waste disposal organisation is highly recommended.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

ADG:	NOT REGULATED
IATA:	NOT REGULATED
HazChem Code:	Not applicable

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS AUSTRALIA AICS:

AUSTRALIA AICS:	All ingredients in this mixture are listed in the Australian Inventory of Chemical Substances.
U.S. EPA TSCA:	The product contains a substance that is not listed on the TSCA inventory.
CANADIAN CEPA DSL:	This product contains one or more components which have not been determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and notification information.
EUROPEAN REACH:	As a result of the introduction of REACH into Europe, this product



FULASEAL 770 SANITARY MID GREY

840203PM

SAFETY DATA SHEET

	cannot be imported into Europe unless the REACH requirements are
	met.
CCL:	This product is in compliance with the Korean Existing Chemicals List

KOREAN TCCL:

requirements.

If you need more information about the inventory status of this product call 1+ 651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Exempt

SECTION 16: OTHER INFORMATION

SDS Date of Issue:	11-08-2016
Replaces:	None
Changes made to previous issue:	Conversion to GHS format

ACRONYMS and DEFINITIONS:

ACGIH ADG Code	American Conference of Governmental Industrial Hygienists Australian Code for the Transport of Dangerous Goods by Road and Rail
AICS	Australian Inventory of Chemical Substances
BEI	Biological Exposure Index
CAS Number	Chemical Abstracts Service Registry Number
CNS	Central nervous system
DG	Dangerous Goods
Hazchem Code	An emergency action code of numbers and letters, which gives information to emergency services.
IARC	International Agency for Research on Cancer
IATA Code	International Air Transport Association Code
IMDG Code	International Maritime Dangerous Goods Code
N.O.S.	Not otherwise specified
NOHSC	National Health and Safety Commission
PPE	Personal protection equipment
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
UN Number	United Nations Number

Prepared by: The Global Regulatory DepartmentPhone: 1-651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.