

PLUMBING SILICONE GREY 841663PM

SAFETY DATA SHEET

REVISION DATE: 07-25-2016

SUPERSEDES: None

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: PRODUCT DESCRIPTION: INTENDED USE: PRODUCT IDENTIFIER: PLUMBING SILICONE GREY Silicone sealant Industrial adhesive 841663PM

COMPANY INFORMATION

H.B. Fuller Company Australia Pty. Ltd. 16 - 22 Red Gum Drive Dandenong South, VIC 3175 Telephone: (03) 9797 6222 Emergency telephone No: 1800 033 111

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Symbols:



GHS Symbol name(s):	Exclamation mark
GHS Signal Word:	Warning
GHS Classification:	Skin Sensitisation Category 1; Serious Eye Damage/Eye Irritation Category 2A
GHS Hazard Phrases:	May cause an allergic skin reaction.
	Causes serious eye irritation.
GHS Precautions:	
Safety Precautions:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
-	Wash thoroughly after handling.
	Contaminated work clothing should not be allowed out of the workplace.
	Wear protective gloves/protective clothing/eye protection/face protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with
	water for several minutes. Remove contact lenses, if present and easy to do. Continue
	rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation
	persists: Get medical advice/attention. Wash contaminated clothing before reuse.
D'an a la	1 E
Disposal:	Dispose of contents/container in accordance with local/regional/national/international
	regulation for hazardous wastes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	PERCENT	Classification	Note
Mineral oil	64742-46-7	10 - 30	Acute Tox. 4; H332	Note N
Silanes	Proprietary	1 - 5	Eye Irrit. 2; H319	
			Skin Irrit. 2; H315	
			Skin Sens. 1; H317	
Ingredients determined to be not hazardous		80		



PLUMBING SILICONE GREY 841663PM

SAFETY DATA SHEET

SECTION 4: FIRST AID MEASURES

IF IN EYES: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:	Use water spray, foam, dry chemical or carbon dioxide.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Material will burn in a fire.
SPECIAL FIRE FIGHTING INSTRUCTIONS:	Persons exposed to products of combustion should wear self- contained breathing apparatus and full protective equipment.
HAZARDOUS COMBUSTION PRODUCTS:	Carbon dioxide, Carbon monoxide

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred.

SECTION 7: HANDLING AND STORAGE

Handling:	Avoid contacting and avoid breathing the material. Use only in a well ventilated
	area.
	This product contains an ingredient that may react with water or humidity to
	release methyl ethyl ketoxime (MEKO), CAS#96-29-7. The AIHA WEEL TWA
	for MEKO is 10 ppm.
Storage:	Store in a cool, dry place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

EAR OBORE ENGINE:			
Chemical Name	Note	AUSTRALIAN EXPOSURE LIMITS	ACGIH EXPOSURE LIMITS
No data available.			

Biological Limit Values (ACGIH)

Biological Ellinit Values (110	, only
Chemical Name	ACGIH Biological Exposure Index (BEI)
No data available.	

ENGINEERING CONTROL METHODS:

VENTILATION:

General room ventilation might be required under normal conditions



PLUMBING SILICONE GREY

841663PM

SAFETY DATA SHEET

	of use.
EYE PROTECTION:	Wear safety glasses with side shields when handling this product.
	Wear additional eye protection such as chemical splash goggles
	and/or face shield when the possibility exists for eye contact with
	splashing or spraying liquid, or airborne material. Have an eye wash
	station available.
SKIN PROTECTION:	Avoid skin contact by wearing chemically resistant gloves and long
	sleeved shirt. An apron may be appropriate if splashing can occur.
GLOVES:	Nitrile
RESPIRATORY PROTECTION:	No respiratory protection required under normal conditions of use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Semi-solid
COLOR:	Gray
ODOR:	Solvent
ODOR THRESHOLD:	Not established
pH:	Not established
FREEZING/MELTING POINT (deg. C):	Not established
BOILING POINT (deg. C):	Not established
FLASH POINT:	> 204°C (400°F) COC
EVAPORATION RATE:	Not established
FLAMMABILITY:	Not a flammable solid or gas
UPPER EXPLOSIVE LIMIT (% in air):	Not established
LOWER EXPLOSIVE LIMIT (% in air):	Not established
VAPOR PRESSURE (mm Hg):	Not established
VAPOR DENSITY:	Not established
WEIGHT PER GALLON (lbs.):	11.68
SPECIFIC GRAVITY:	1.400
SOLUBILITY:	Not established
OCTANOL/WATER COEFFICIENT:	Not established
AUTOIGNITION TEMPERATURE:	Not established
DECOMPOSITION TEMPERATURE:	Not established
VISCOSITY:	No data available.
SOLIDS (% by weight):	80.0
VOC, weight percent	Not determined

SECTION 10: STABILITY AND REACTIVITY

STABILITY:Stable under normal conditions.CHEMICAL INCOMPATIBILITY:Not establishedHAZARDOUS POLYMERIZATION:Will not occur.HAZARDOUS DECOMPOSITION PRODUCTS:Carbon monoxide, carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:		
COMPONENT NAME	LD50/LC50	
Mineral oil	Inhalation LC50 Rat 4.60 mg/l	



PLUMBING SILICONE GREY

841663PM

SAFETY DATA SHEET

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: No irritation hazard in normal industrial use.
Serious eye damage / irritation: Can cause moderate irritation, tearing and reddening.
Respiratory / skin sensitization: May cause an allergic skin reaction.
Germ cell mutagenicity: No data available.
Carcinogenicity: No data available.
Reproductive toxicity: No data available.
Specific target organ toxicity-single exposure: No data available.
Target organs potentially affected by exposure: No organs known to be damaged from exposure to this product.
Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: No medical conditions affected by exposure.

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW:	No ecological information available for this product.
MOBILITY:	No data available.
PERSISTENCE:	No data available.
BIOACCUMULATION:	No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
Mineral oil	Acute Toxicity (Fish): 96 Hr LC50 Pimephales promelas: 35 mg/L [flow-through]
	Acute Toxicity (Daphnia): Not established
	Acute Toxicity (Algae): Not established

SECTION 13: DISPOSAL CONSIDERATIONS

This product is a prescribed waste and may only be disposed of in accordance with applicable State and local regulations. These regulations vary from jurisdiction to jurisdiction and hence the user is counselled to seek advice from the local authority and classify the waste before considering disposal. The disposal information given below is a general guide and does not replace the requirement of the local regulations.

DISPOSAL: If possible recycle, otherwise dispose strictly in accordance with local industrial waste or environmental protection regulations. This substance may, if permitted by local authorities, be disposed of in an approved incineration facility or be considered for landfill.

SPECIAL PRECAUTIONS: Do not allow this material to contaminate soil, sewerage systems or surface or ground water.

When large amounts of this product need to be disposed of the services of a registered, professional waste disposal organisation is highly recommended.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

ADG:NOT REGULATEDIATA:NOT REGULATEDHazChem Code:Not applicable



841663PM

PLUMBING SILICONE GREY

SAFETY DATA SHEET

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS	
AUSTRALIA AICS:	All ingredients in this mixture are listed in the Australian Inventory of Chemical Substances.
U.S. EPA TSCA:	This product is in compliance with the Toxic Substances Control Act's Inventory requirements.
CANADIAN CEPA DSL:	This product contains one or more components which have not been determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and notification information.
EUROPEAN REACH:	As a result of the introduction of REACH into Europe, this product cannot be imported into Europe unless the REACH requirements are met.
KOREAN TCCL:	This product is in compliance with the Korean Existing Chemicals List requirements.
PHILIPPINES:	This product is in compliance with the Philippine Inventory of Chemicals and Chemical Substances requirements.
CHINA IECSC INVENTORY:	This product is in compliance with the Inventory of Existing Chemical Substances in China (IECSC) requirements.
If you need more information about	$\frac{1}{1000}$ the inventory status of this product call $1+651,236,5858$

If you need more information about the inventory status of this product call 1+ 651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not a scheduled poison

Not a scheduled poison

SECTION 16: OTHER INFORMATION

SDS Date of Issue:

25-07-2016





Print Date: 07-25-2016

PLUMBING SILICONE GREY

841663PM

SAFETY DATA SHEET

Replaces:	None
Changes made to previous issue:	Conversion to GHS format

ACRONYMS and DEFINITIONS:

ACGIH	American Conference of Governmental Industrial Hygienists
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail
AICS	Australian Inventory of Chemical Substances
BEI	Biological Exposure Index
CAS Number	Chemical Abstracts Service Registry Number
CNS	Central nervous system
DG	Dangerous Goods
Hazchem Code	An emergency action code of numbers and letters, which gives information to emergency services.
IARC	International Agency for Research on Cancer
IATA Code	International Air Transport Association Code
IMDG Code	International Maritime Dangerous Goods Code
N.O.S.	Not otherwise specified
NOHSC	National Health and Safety Commission
PPE	Personal protection equipment
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
UN Number	United Nations Number

Prepared by: The Global Regulatory DepartmentPhone: 1-651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.