OZSTRUT

Product Catalogue

Delivering Solutions

OZSTRUT

OZSTRUT

Delivering Solutions

About us

Ozstrut is a Sydney based construction hardware supplier. We provide high quality plumbing, electrical, HVAC, fire products and services to the Australian construction industry

Since established in 2013, our client base has grown steadily year by year. We are the selected supplier for numerous large scale projects in Sydney, Wollongong, Newcastle and Canberra

Our team take pride in being recognised as a business partner that our clients can trust and rely on. We have built our reputation by consistently demonstrating our commitment to ensuring our clients are provided with the best products and customer service

Comprehensive Product Range

We offer a comprehensive product range for an endless variety of needs and requirements. Enabling us to be the ultimate one stop shop. Cant find what you're looking for? Our customer service team is always available to source the right product for you

Industry Compliant - High Quality Products

Product safety and quality is not negotiable for us. Ozstrut has partnered with leading global brands to provide the best products possible. Our products meet and exceed Australian Industry Standards

Competitive Pricing

Our competitive advantage is that we have direct business relationships with our manufacturers and the success of our business is built on maintaining competitive pricing without comprising on quality

Industry Expertise

Our client service team have over 40 years of experience and their industry expertise will help identify the most suitable products for your projects and find solutions for your challenges

Fast & Reliable Delivery

With our own in-house delivery team and fleet of specialised vehicles, no job is too big or small - we deliver on time, every time

(02) 9620 9999
sales@ozstrut.com.au
ozstrut.com.au

OZSTRUT CHANNEL + ACCESSORIES — Oz Strut Channel · Cantilever Bracket · Slotted Angle · Threaded Rod · Oz Strut Channel Fittings · Threaded Hangers · Clevis + Beam Hanger

PLUMBING CLIPS + ACCESSORIES — Oz Strut Clip · Welded Nut Clip · All Thread Clip · Stand Off Clamps · Saddles · Clip Head · Pear Band · Double Bolted Clamp · Metal Strapping · Pex Clip · Stud Punch + Grommets · Gas Nailer Gun · Apolo Channel · Wood Ferrule · Poly Ferrule · Poly Block · Poly Lagging · Pipe Identification Markers · Roof Flashing

CABLE TRAY + ELECTRICAL — Economic Cable Tray · LT3 Cable Tray · LT5 Cable Tray · Cable Tray Cover · Perforated Cable Tray · Conduit + Fittings · Stud Punch + Grommets

HVAC — Tape · Duct Strap + Saddle · Cable Ties · Duct Sealer · HVAC Hardware · Anti-Vibration · Roof Top Support Bases · Structural Bracing Strap

INSULATION — Poly Lagging · Foam Sleeve Lagging · Acoustic Lagging · Fyre Wrap · Rockwool Insulation · Abel Flex · Tapes

FASTENERS — Threaded Fasteners · Hex Nuts · Washers · ETA Approved Anchoring · Threaded Hangers · Masonry Anchors · Chemical Anchors · Light Duty Anchoring · Wall Toggles + Plugs · Screws

SILICONES + CONSUMABLES — Silicones · Polyurethane Sealant · Speciality Sealants · Fire Rated Sealants · Application Guns · Consumables · Tapes · Markers · Marking Paint · Technical Aerosols · Cable Ties + Tensioner

PERSONAL PROTECTIVE EQUIPMENT — Head Protection · Eye Protection · Respiratory + Ear Protection · Hand Protection · Accessories

TOOLS + ACCESSORIES — SDS Plus Masonry Drill Bits · Chisels · HSS Drill Bit · Glass + Tile Drill Bit · Hole Saw · Step Drill · Hole Cutter · Spade Bit · Drivers · Cutting Blades · Consumables · Setting Tools + Tensioners · Threaded Rod Cutter · Stud Punch · Gas Gun Application Guns · Platform Ladders

INDEX — Product Index · Pipe Sizing · Measurement Conversion Chart

1:1 - 1:11
2:1 - 2:14
3:1 - 3:6
4:1 - 4:4
5:1 - 5:2
6:1 - 6:26
7:1 - 7:8
8:1 - 8:2
9:1 - 9:8
10:1 - 10:4

OZSTRUT CHANNEL + ACCESSORIES

Oz Strut Slotted	1:1
Oz Strut Solid	1:2
Cantilever Bracket	1:3
Slotted Angle	1:3
Threaded Rod	1:3
Strut End Cap + Closure Strip	1:4
Oz Strut Nut	1:4
Plate Fitting	1:5-1:6
Angle Bracket	1:7-1:8
Wing Fitting	1:9
Base Plate	1:9
Oz Strut Joiner	1:9
Z Bracket + Off Tee	1:10
Beam Clamp	1:10
Window Bracket	1:10
Mounting Plate	1:11
Clevis + Beam Hangers	1:11

• Universal Steel Framing System • Easy Assembly and Disassembly • Comes in a Variety of Finishes and Profiles Including; Galvabond, Hot Dipped Galvanised, 316 Grade Stainless Steel and can be Powder Coated to Order • Endless Applications and Fittings for any need

Slotted Channel 41 × 22mm

• 30mm Wide Slots. 50mm Centre to Centre

CODE	PROFILE	FINISH
OZ01A3300T	41 × 21 × 2.5 × 6m	Galvabond
OZ01A3300THDG	41 × 21 × 2.5 × 6m	Hot Dipped Galvanised
OZ01A3300TSS	41 × 21 × 2.5 × 6m	Stainless Steel 316

LIGHT GAUGE		
OZ01A4000T	41 × 21 × 1.6 × 6m	Galvabond

Slotted Channel 41 × 41mm

• 30mm Wide Slots. 50mm Centre to Centre

CODE	PROFILE	FINISH
OZ01A1000T3	41 × 41 × 2.5mm x 3m	Galvabond
OZ01A1000T	41 × 41 × 2.5mm x 6m	Galvabond
OZ01A1000THDG	41 × 41 × 2.5mm x 6m	Hot Dipped Galvanised
OZ01A1000TSS	41 × 41 × 2.5mm x 6m	Stainless Steel 316

LIGHT GAUGE		
OZ01A2000T	41 × 41 × 1.6 × 6m	Galvabond

Slotted Channel 41 × 62mm

• 30mm Wide Slots. 50mm Centre to Centre

CODE	PROFILE	FINISH
OZ01A5500T	41 × 62 × 2.5mm x 6m	Galvabond
OZ01A5500THDG	41 × 62 × 2.5mm x 6m	Hot Dipped Galvanised

OZSTRUT CHANNEL + ACCESSORIES

Solid Channel 41 × 22mm

CODE	PROFILE	FINISH
OZ01A3300	41 × 21 × 2.5mm x 6m	Galvabond
OZ01A3300HDG	41 × 21 × 2.5mm x 6m	Hot Dipped Galvanised
OZ01A3300SS	41 × 21 × 2.5mm x 6m	Stainless Steel 316

LIGHT GAUGE		
OZ01A4000	41 × 21 × 1.6mm x 6m	Galvabond

Solid Channel 41 × 41mm

CODE	PROFILE	FINISH
OZ01A1000	41 × 41 × 2.5mm 6m	Galvabond
OZ01A1000HDG	41 × 41 × 2.5mm 6m	Hot Dipped Galvanised
OZ01A1000SS	41 × 41 × 2.5mm 6m	Stainless Steel 316

LIGHT GAUGE		
OZ01A2000	41 × 41 × 1.6mm 6m	Galvabond

Solid Channel 41 × 62mm

CODE	PROFILE	FINISH
OZ01A5500	41 × 62 × 2.5mm x 6m	Galvabond
OZ01A5500HDG	41 × 62 × 2.5mm x 6m	Hot Dipped Galvanised



• A1000 Channel Precisely Welded Together

Solid Channel 41 × 82mm Back To Back

CODE	PROFILE	FINISH
OZ01A1001	41 × 82 × 2.5mm x 6m	Hot Dipped Galvanised

Cantilever Bracket

• All Cantilever variations are Hot Dipped Galvanised as standard • Made from OZ01A1000 Ozstrut • Stainless Steel and other variations also available

UNBRACED			
CODE	LENGTH	FINISH	Qty
OZ01CBU300	300mm	HDG	Each
OZ01CBU450	450mm	HDG	Each
OZ01CBU600	600mm	HDG	Each
OZ01CBU700	700mm	HDG	Each
OZ01CBU1000	1000mm	HDG	Each

BRACED			
CODE	LENGTH	FINISH	Qty
OZ01CBB320	320mm	HDG	Each
OZ01CBB470	470mm	HDG	Each
OZ01CBB635	635mm	HDG	Each
OZ01CBB780	780mm	HDG	Each
OZ01CBB900	900mm	HDG	Each

Slotted Angle

• For Use With Threaded Components • Used Commonly to Support HVAC Services • 90° Angle

• 27mm centre to centre slots

CODE	PROFILE	FINISH
OZ08ASL3030	30 × 30 × 2.5mm x 3m	Galvabond

• 50mm centre to centre slots

CODE	PROFILE	FINISH
OZ08ASL5050	50 × 50 × 4.5mm x 3m	Galvabond

Threaded Rod

• 3m Standard length • Metric Thread as Standard • Other variations also available • Can Be Easily Cut to Any Required Length • Countless Applications

SIZE	Zinc Plated	Qty	Galvanised	Qty	Stainless 304	Qty	Stainless 316	Qty
M6	OZ10TRZM063	20	OZ10TRGM063	20	OZ10TR304M063	20	OZ10TR316M063	20
M8	OZ10TRZM083	10	OZ10TRGM083	10	OZ10TR304M083	10	OZ10TR316M083	10
M10	OZ10TRZM103	10	OZ10TRGM103	10	OZ10TR304M103	10	OZ10TR316M103	10
M12	OZ10TRZM123	10	OZ10TRGM123	5	OZ10TR304M123	5	OZ10TR316M123	5
M16	OZ10TRZM163	5	OZ10TRGM163	5	OZ10TR304M163	5	OZ10TR316M163	5
M20	OZ10TRZM203	2	OZ10TRGM203	1	OZ10TR304M203	1	OZ10TR316M203	1
M24	OZ10TRZM243	1	OZ10TRGM243	1				

Oz Strut End Cap + Closure Strip

• End Cap Covers Cut Ends to Avoid Damage and Injury
• Closure Strip Used To Enclose Open Face of Oz Strut For a Cleaner Look

Strut End Cap

• Suits A1000 + A2000 Channel Profiles

CODE	PROFILE	FINISH
OZ01SEC40	41 × 41mm	Grey Plastic

Strut End Cap

• Suits A3000 + A4000 Channel Profiles



CODE	PROFILE	FINISH
OZ01SEC20	41 × 22mm	Grey Plastic

Closure Strip

• Suits All Channel Variations

CODE	PROFILE	FINISH
OZ01SEC	41mm x 3m	Grey Plastic

Oz Strut Nut

• Used with Threaded Components to Fasten + Hang Multiple Different Fittings and Clips

No Spring Strut Nut

• Suits all Channel Profiles

SIZE	Zinc Plated	Galvanised	SS 316	Qty
M8	OZ01SNN08	OZ01SNN08G	OZ01SNN08SS	100
M10	OZ01SNN10	OZ01SNN10G	OZ01SNN10SS	100
M12	OZ01SNN12	OZ01SNN12G	OZ01SNN12SS	100

Butterfly Nut

• Suits all Channel Profiles

SIZE	CODE	FINISH	Qty
M6	OZ01BFM06	Zinc Plated	100
M6	OZ01BFM06G	HDG	100
M6	OZ01BFM06SS	SS 316	100

Short Spring Strut Nut

• Suits A3000 + A4000 Channel Profiles

SIZE	Zinc Plated	Galvanised	SS 316	Qty
M8	OZ01SNS06	OZ01SNS08H	OZ01SNS08SS	100
M10	OZ01SNS08	OZ01SNS10H	OZ01SNS10SS	100
M12	OZ01SNS10	OZ01SNS12H	OZ01SNS12SS	100

Long Spring Strut Nut

• Suits A1000 + A2000 Channel Profiles

SIZE	Zinc Plated	Galvanised	SS 316	Qty
M8	OZ01SNL08	OZ01SNL08G	OZ01SNL08SS	100
M10	OZ01SNL10	OZ01SNL10G	OZ01SNL10SS	100
M12	OZ01SNL12	OZ01SNL12G	OZ01SNL12SS	100

Quick Strut Nut w/ Spring - Zinc Plated

• Suits all Channel Profiles

SIZE	CODE	Qty
M10	OZ01QNM10	100

Stud Nut - Zinc Plated

SIZE	CODE	Qty
M10 No Spring	OZ01STNS10	100
M10 w/ Spring	OZ01STS10	100
M10 w/ Nut + Washer	OZ01STW10	100

Plate Fitting

• All Plate Fittings Come Hot Dipped Galvanised as Standard with 13mm Holes • Used With Any Channel Variant + Oz Strut Nuts + Threaded Components
• Stainless Steel Also Available in some Variants • Can Be used in Multiple Applications

Square Plate 1 Hole			
CODE	PROFILE	FINISH	Qty
OZ01AB1063	40 × 40 × 6mm - M10 (11mm Hole)	HDG	100
OZ01AB1064	40 × 40 × 6mm - M12 (13mm Hole)	HDG	200
OZ01AB1064SS	40 × 40 × 6mm - M12 (13mm Hole)	SS 316	50

2 Hole Plate			
CODE	PROFILE	FINISH	Qty
OZ01AB1065	90 × 40 × 6mm	HDG	100
OZ01AB1065SS	90 × 40 × 6mm	SS 316	50

3 Hole Plate			
CODE	PROFILE	FINISH	Qty
OZ01AB1066	138 × 40 × 6mm	HDG	50
OZ01AB1066SS	138 × 40 × 6mm	SS 316	50

4 Hole Plate			
CODE	PROFILE	FINISH	Qty
OZ01AB1067	186 × 40 × 6mm	HDG	50
OZ01AB1067SS	186 × 40 × 6mm	SS 316	50

OZSTRUT CHANNEL + ACCESSORIES

Plate Fitting

3 Hole Adjustable Plate			
CODE	PROFILE	FINISH	Qty
OZ01AB2324	181 × 40 × 6mm	HDG	50

Right Angle Plate			
CODE	PROFILE	FINISH	Qty
OZ01AB1036	40 × 90 × 90 × 6mm	HDG	100

Tee Plate			
CODE	PROFILE	FINISH	Qty
OZ01AB1031	138 × 90 × 40 × 6mm	HDG	50

Wide Tee Plate			
CODE	PROFILE	FINISH	Qty
OZ01AB1358	90 × 138 × 40 × 6mm	HDG	100

Angle Bracket

- All Angle Brackets Come Hot Dipped Galvanised as Standard with 13mm Holes • Used With Any Channel Variant + Oz Strut Nuts + Threaded Components
- Stainless Steel Also Available in some Variants • Can Be used in Multiple Applications

90° 2 Hole Angle Bracket			
CODE	PROFILE	FINISH	Qty
OZ01AB1026	41 × 51 × 48 × 6mm	HDG	100
OZ01AB1026SS	41 × 51 × 48 × 6mm	SS 316	50

90° 3 Hole Angle Bracket			
CODE	PROFILE	FINISH	Qty
OZ01AB1326	41 × 48 × 105 × 6mm	HDG	50
OZ01AB1326SS	41 × 48 × 105 × 6mm	SS 316	50

90° 4 Hole Angle Bracket			
CODE	PROFILE	FINISH	Qty
OZ01AB1325	41 × 90 × 105 × 6mm	HDG	50
OZ01AB1325SS	41 × 90 × 105 × 6mm	SS 316	50

90° 4 Hole Angle Bracket - Braced			
CODE	PROFILE	FINISH	Qty
OZ01AB2484	41 × 102 × 102 × 6mm	HDG	10

OZSTRUT CHANNEL + ACCESSORIES

Angle Bracket

90° Wide Tee Angle Bracket			
CODE	PROFILE	FINISH	Qty
OZ01AB1359	41 × 90 × 105 × 6mm	HDG	10

45° External Angle Bracket			
CODE	PROFILE	FINISH	Qty
OZ01AB1546	41 × 76 × 60 × 6mm	HDG	50
OZ01BB45	Bracing Bracket	HDG	100

45° Internal Angle Bracket			
CODE	PROFILE	FINISH	Qty
OZ01AB1186	41 × 63 × 80 × 6mm	HDG	50

45° Angle Brace			
CODE	PROFILE	FINISH	Qty
OZ01AB2452	41 × 346 × 346 × 6mm	HDG	10

• All Oz Strut Fittings Come Hot Dipped Galvanised as Standard with 13mm Holes • Used With Oz Strut + Oz Strut Nuts + Threaded Components
• Stainless Steel Also Available in some Variants • Can Be used in Multiple Applications

Wing Fitting

2 Way 90° Wing Fitting - HDG

CODE	PROFILE	Qty
OZ01AB2224	41 × 98 × 46 × 6mm	10

2 Way 180° Wing Fitting - HDG

CODE	PROFILE	Qty
OZ01AB2346	46 × 98 × 137 × 6mm	10

3 Way Wing Fitting - HDG

CODE	PROFILE	Qty
OZ01AB2228	46 × 137 × 98 × 6mm	10

Base Plate

Base Plate 100 × 100 - HDG

• 40mm 2 Sided Collar with 2 Fastening Holes
• 1 Hole Base

CODE	PROFILE	Qty
OZ01AB2072S1	100 × 100 × 40 × 6mm	25

Base Plate 150 × 150 - HDG

• 89mm 3 Sided Collar with 6 Fastening Holes
• 4 Hole Base

CODE	PROFILE	Qty
OZ01AB2072ASQ	150 × 150 × 89 × 6mm	10

Base Plate 150 × 150 - HDG

• 40mm 3 Sided Collar with 4 Fastening Holes
• For Use with A1001 Channel / Two Lengths A1000 / A2000 • 4 Hole Base

CODE	PROFILE	Qty
OZ01AB2073	150 × 150 × 40 × 6mm	10

Ozstrut Joiner

Internal Ozstrut Joiner - Zinc Plated

• Suits A1000 & A2000 Channel • Suits A3000 & A4000 Channel

CODE	PROFILE	Qty
OZ01SJ922	185 × 38 × 1.6mm	10
OZ01SJ422	185 × 15 × 1.6mm	10

External Ozstrut Joiner U Fitting - HDG

• Suits A1000 & A1000 Channel

CODE	PROFILE	Qty
OZ01AB1377	41 × 186 × 6mm	10

OZSTRUT CHANNEL + ACCESSORIES

Z Bracket + Off Tee Bracket

Z Bracket - HDG

• Suits A1000 & A2000 Channel • Suits A3000 & A4000 Channel



CODE	PROFILE	Qty
OZ01AB1045	41 × 41 × 41 × 6 - 3 Hole 13mm	10
OZ01AB4045	41 × 22 × 41 × 6 - 2 Hole 13mm	10

Off Tee Bracket - HDG

• Suits A1000 & A2000 Channel • Suits A3000 & A4000 Channel

CODE	PROFILE	Qty
OZ01AB1047	41 × 41 × 137 × 6 - 5 Hole 13mm	10
OZ01AB4047	41 × 22 × 137 × 6 - 3 Hole 13mm	10

Beam Clamp

End Beam Clamp - HDG

• Comes With Bolt • To Be used In Pairs

CODE	SIZE	Qty
OZ01AB1272	40 × 40 × 6mm	10

Locking Beam Clamp - HDG

• Comes With Bolt • To Be used In Pairs

CODE	PROFILE	Qty
OZ01AB1386	41 × 55mm	10

Internal I Beam Set - HDG

• For Use With A1000 or A2000 • Comes With Bolt
• To Be used In Pairs

CODE	PROFILE	Qty
OZ01AB3087	100 × 43 × 6mm	10

Window Bracket

Window Bracket - HDG

• For Use With A1000 or A2000 • Comes With Bolt • To Be used In Pairs



CODE	PROFILE	Qty
OZ01AB1796	45 × 89 × 6mm	10

U-Bolt Adjustable Bracket - HDG

• For Use With A1000 or A2000 • Comes With U Bolt + Nuts • To Be used In Pairs

CODE	PROFILE	Qty
OZ01AB2785	52 × 6mm	10

OZSTRUT CHANNEL + ACCESSORIES

Mounting Plate

• For use with Threaded Components • Fasten with Screws

Mounting Plate - Centre

CODE	SIZE	FINISH	Qty
OZ24MPC10	M10	Zinc	100
OZ24MPC12	M12	Zinc	100
OZ24MPC10H	M10	HDG	100

Mounting Plate - Vertical

CODE	SIZE	FINISH	Qty
OZ24MPV10	M10	Zinc	100
OZ24MPV12	M12	Zinc	100

Mounting Plate - Horizontal

CODE	SIZE	FINISH	Qty
OZ24MPH10	M10	Zinc	100
OZ24MPH12	M12	Zinc	100

Clevis + Beam Hangers

Clevis Hanger - HDG

• Heavy Duty • Easy Height Adjustment
• Fasten From Clamp to Threaded Component

CODE	SIZE	Qty
OZ88CLEM10	M10 (12 + 10mm Hole)	100
OZ88CLEM12	M12 (14 + 14mm Hole)	50
OZ88CLEM16	M16 (18 + 14mm Hole)	10

Cleat Hanger - HDG

CODE	SIZE	Qty
OZ882200H	M12 (14mm Hole) 40 × 6mm	100

Beam Clamp

• Heavy Duty Applications
• For Use with Threaded Components



CODE	SIZE	FINISH	Qty
OZ24BCH10	M10	Zinc	100
OZ24BCH12	M12	Zinc	50
OZ24BCH16	M16	Zinc	25
OZ24BCH10H	M10	HDG	100
OZ24BCH12H	M12	HDG	50
OZ24BCH16H	M16	HDG	25

V Purlin Hanger - Zinc Plated

• Light Duty • Self Locking Barbs



CODE	SIZE	Qty
OZ24VFC	1.6 - 2.5mm	100

D Purlin Hanger - Zinc Plated

• Light Duty • 4mm Flange Thickness
• For Use with Threaded Components

CODE	SIZE	Qty
OZ24PCEI-M10	M10 (11mm Hole)	100

Purlin Hanger - Zinc Plated

• Medium Duty For Use with Threaded Components and Most Purlin Profiles

CODE	SIZE	Qty
OZ24PCH08	M8	100
OZ24PCH10	M10	100



PLUMBING CLIPS + ACCESSORIES

Strut Clip	2:1
Insulated Strut Clip	2:2
Strut Clip Isolation	2:2
Welded Nut Clip	2:3-2:4
Acoustic Welded Nut Clip	2:3-2:4
All Thread + Yoke Clamp	2:5
Stand Off Saddle + Bracket	2:5
Saddles	2:6
Clip Head + Accessories	2:7
Pear Band	2:8
Double Bolted Clamp + U-Bolt	2:8
Metal Strapping	2:9
Pex Clips	2:9
Adjustable Metal Noggin	2:9
Stud Punch + Grommets	2:9
Gas Nailer Gun + Accessories	2:10
Apolo Channel + Accessories	2:10
Wood Ferrule	2:11-2:12
Wood Ferrule Strut Clip	2:11
Wood Ferrule Welded Nut Clip	2:11
Poly Ferrule	2:13
Poly Block	2:13
Poly Lagging	2:13
Pipe Identification Markers	2:14
Roof Flashing	2:14

Copper Strut Clip

- Used to Clamp Pipework Perpendicular to Oz Strut
- Comes with Bolt + Nut • Also Available in Stainless steel + HDG

Copper Strut Clip - Zinc Plated

- Used in Conjunction With OZ01RUB-FLAT / OZ01RUB-LIP

CODE	SUITS	OD	Qty
OZ01SC-017	15 CU	17mm	100
OZ01SC-021	20 CU	21mm	100
OZ01SC-027	25 CU	27mm	100
OZ01SC-034	32 CU	34mm	50
OZ01SC-043	40 CU	43mm	50
OZ01SC-054	50 CU	54mm	50
OZ01SC-067	65 CU	67mm	50
OZ01SC-079	80 CU	79mm	25
OZ01SC-105	100 CU	105mm	25
OZ01SC-127	125 CU	133mm	25
OZ01SC-152	150 CU	156mm	25
OZ01SC-203	200 CU	203mm	20
OZ01SC-228	225 CU	228mm	20
OZ01SC-254	250 CU	254mm	20
OZ01SC-305	300 CU	305mm	10

Copper Strut Clip - Powder Coated Brown

- Used in Conjunction With OZ01BS

CODE	SUITS	OD	Qty
OZ01SCBR-015	15 CU	12.7mm	100
OZ01SCBR-020	20 CU	19.1mm	100
OZ01SCBR-025	25 CU	25.4mm	100
OZ01SCBR-032	32 CU	31.8mm	50
OZ01SCBR-040	40 CU	38.1mm	50
OZ01SCBR-050	50 CU	50.8mm	50
OZ01SCBR-065	65 CU	63.5mm	50
OZ01SCBR-080	80 CU	76.2mm	25
OZ01SCBR-100	100 CU	101.6mm	25
OZ01SCBR-125	125 CU	127mm	25
OZ01SCBR-150	150 CU	152.4mm	25
OZ01SCBR-200	200 CU	203.2mm	20
OZ01SCBR-225	225 CU	228mm	20

PVC Strut Clip

- Used to Clamp Pipework Perpendicular to Oz Strut
- Comes with Bolt + Nut • Also Available in Stainless steel + HDG

PVC Strut Clip - Zinc Plated

CODE	SUITS	OD	Qty
OZ01SC-043	40 PVC	43mm	50
OZ01SC-056	50 PVC	56mm	50
OZ01SC-070	65 PVC	70mm	50
OZ01SC-083	80 PVC	83mm	25
OZ01SC-110	100 PVC	110mm	25
OZ01SC-160	150 PVC	160mm	25
OZ01SC-250	225 PVC	250mm	20
OZ01SC-315	300 PVC	315mm	20
OZ01SC-400	375 PVC	400mm	10

PVC Strut Clip - Powder Coated White

CODE	SUITS	OD	Qty
OZ01SCWH-043	40 PVC	43mm	50
OZ01SCWH-056	50 PVC	56mm	50
OZ01SCWH-070	65 PVC	70mm	50
OZ01SCWH-083	80 PVC	83mm	25
OZ01SCWH-110	100 PVC	110mm	25
OZ01SCWH-160	150 PVC	160mm	25
OZ01SCWH-250	225 PVC	250mm	20
OZ01SCWH-315	300 PVC	315mm	20
OZ01SCWH-400	375 PVC	400mm	10

- Full list of strut clips available at ozstrut.com.au

Steel GWIR Strut Clip

- Used to Clamp Pipework Perpendicular to Oz Strut
- Comes with Bolt + Nut • Also Available in S/s

Steel GWIR Strut Clip - Zinc Plated

CODE	SUITS	OD	Qty
OZ01SC-021	15 GWIR	21mm	100
OZ01SC-027	20 GWIR	27mm	100
OZ01SC-034	25 GWIR	34mm	100
OZ01SC-043	32 GWIR	43mm	50
OZ01SC-048	40 GWIR	48mm	50
OZ01SC-060	50 GWIR	60mm	50
OZ01SC-076	65 GWIR	76mm	50
OZ01SC-089	80 GWIR	89mm	25
OZ01SC-115	100 GWIR	115mm	25
OZ01SC-140	125 GWIR	140mm	25
OZ01SC-168	150 GWIR	168mm	25
OZ01SC-220	200 GWIR	220mm	20

Steel GWIR Strut Clip - HDG

CODE	SUITS	OD	Qty
OZ01SCH-021	15 GWIR	21mm	100
OZ01SCH-027	20 GWIR	27mm	100
OZ01SCH-034	25 GWIR	34mm	100
OZ01SCH-043	32 GWIR	43mm	50
OZ01SCH-048	40 GWIR	48mm	50
OZ01SCH-060	50 GWIR	60mm	50
OZ01SCH-076	65 GWIR	76mm	50
OZ01SCH-089	80 GWIR	89mm	25
OZ01SCH-115	100 GWIR	115mm	25
OZ01SCH-140	125 GWIR	140mm	25
OZ01SCH-168	150 GWIR	168mm	25
OZ01SCH-220	200 GWIR	220mm	20

Insulated Strut Clip

CODE	ID - mm	ID - Inch	Qty
OZ26INS06	6mm	1/4	100
OZ26INS09	9.53mm	3/8	100
OZ26INS12	12.7mm	1/2	100
OZ26INS15	15.87mm	5/8	100
OZ26INS19	19.05mm	3/4	100
OZ26INS22	22.22mm	7/8	100
OZ26INS25	25mm	1	100
OZ26INS28	28.57mm	1-1/8	50

CODE	ID - mm	ID - Inch	Qty
OZ26INS31	31.7mm	1-1/4	50
OZ26INS34	34.93mm	1-3/8	50
OZ26INS41	41.27mm	1-5/8	50
OZ26INS48	48mm	1-7/8	50
OZ26INS53	53.97mm	2-1/8	50
OZ26INS66	66.5mm	2-5/8	50
OZ26INS79	79.37mm	3-1/8	50

- Zinc Yellow finish
- Used to Clamp Refrigeration Pipework Perpendicular to Oz Strut
- Comes with Plastic Insert + Nyloc Nut

Strut Clip Isolation

Flat Isolation Rubber

- Used in Conjunction With Copper Zinc Strut Clip

CODE	SIZE
OZ01RUB-FLAT	40mm x 25m
OZ01RUB-FLATM	40mm x 1m

Barrier Strip

- Used in Conjunction With Copper Brown Strut Clip

CODE	Qty
OZ01BS	200

Ozstrut Lip Rubber

- Used in Conjunction With Copper Zinc Strut Clip

CODE	SIZE
OZ01RUB-LIP	25m

Welded Nut Clip

- Used to Clamp + Suspend Pipework when used in Conjunction with Threaded Components
- 2 Piece Clip Comes with Cuphead Bolt + Nut • Also available in Stainless steel + HDG

Copper - Powder Coated Brown

CODE	SUITS	OD	Qty
	M10		
OZ88NCBR-015	15 CU	12.7mm	50
OZ88NCBR-020	20 CU	19.1mm	50
OZ88NCBR-025	25 CU	25.4mm	50
OZ88NCBR-032	32 CU	31.8mm	50
OZ88NCBR-040	40 CU	38.1mm	50
OZ88NCBR-050	50 CU	50.8mm	50
OZ88NCBR-065	65 CU	63.5mm	50
OZ88NCBR-080	80 CU	76.2mm	25
OZ88NCBR-100	100 CU	101.6mm	25
OZ88NCBR-125	125 CU	127mm	25
OZ88NCBR-150	150 CU	152.4mm	25

HDPE - Powder Coated Black

CODE	SUITS	OD	Qty
	M10		
OZ88NCB-050	50 HDPE	50mm	50
OZ88NCB-056	56 HDPE	56mm	50
OZ88NCB-063	63 HDPE	63mm	50
OZ88NCB-075	75 HDPE	75mm	50
OZ88NCB-090	90 HDPE	90mm	25
OZ88NCB-110	110 HDPE	110mm	25
OZ88NCB-125	125 HDPE	125mm	25
OZ88NCB-160	160 HDPE	160mm	25
	M12		
OZ88NCB-12512	125 HDPE	125mm	25
OZ88NCB-16012	160 HDPE	160mm	25
OZ88NCB-20012	200 HDPE	200mm	10
OZ88NCB-30012	300 HDPE	300mm	10

PVC - Powder Coated White

CODE	SUITS	OD - mm	Qty
	M10		
OZ88NCW-043	40 PVC	43mm	50
OZ88NCW-056	50 PVC	56mm	50
OZ88NCW-070	65 PVC	70mm	50
OZ88NCW-083	80 PVC	83mm	25
OZ88NCW-110	100 PVC	110mm	25
OZ88NCW-160	150 PVC	160mm	20
OZ88NCW-250	225 PVC	250mm	5
OZ88NCW-315	300 PVC	315mm	5
	M12		
OZ88NCW-25012	225 PVC	250mm	5
OZ88NCW-31512	300 PVC	315mm	5
	PRESSURE		
OZ88NCW-060	50 PPVC	60mm	50
OZ88NCW-076	65 PPVC	76mm	50
OZ88NCW-089	80 PPVC	89mm	25
OZ88NCW-115	100 PPVC	115mm	25

Welded Nut Clip Rubber Lined - Double Bolted

• Used to Clamp + Suspend Pipework when used in Conjunction with Threaded Components • Acoustically and Temperature Rated • 2 Piece Clip Comes with Combination Drive Bolts • Also available in Stainless steel

CODE	SUITS	SIZE	Qty
	M8 / M10		
OZ88M596460	15 CU	12 - 14mm	100
OZ88M596480	22 SS	20 - 24mm	100
OZ88M596510	40 PVC	40 - 45mm	100
OZ88M595870	50 PVC	54 - 58mm	50
OZ88M596450	65 PVC	68 - 73mm	50
OZ88M595930	100 PVC	108 - 116 mm	25
OZ88M595960	150 PVC	159 - 162mm	20

Welded Nut Clip

- Used to Clamp + Suspend Pipework when used in Conjunction with Threaded Components
- 2 Piece Clip Comes with Cuphead Bolt + Nut • Also available in Stainless steel

GWIR Steel - Zinc Plated

CODE	SUITS	OD	Qty
	M10		
OZ88NC-021	15 GWIR	21mm	50
OZ88NC-027	20 GWIR	27mm	50
OZ88NC-034	25 GWIR	34mm	50
OZ88NC-043	32 GWIR	43mm	50
OZ88NC-048	40 GWIR	48mm	50
OZ88NC-060	50 GWIR	60mm	50
OZ88NC-076	65 GWIR	76mm	50
OZ88NC-089	80 GWIR	89mm	25
OZ88NC-1155	100 GWIR	115mm	25
OZ88NC-140	125 GWIR	140mm	25
OZ88NC-1685	150 GWIR	168mm	25
	M12		
OZ88NC-115512	100 GWIR	115mm	25
OZ88NC-168512	150 GWIR	168mm	25

GWIR Steel - HDG

CODE	SUITS	OD	Qty
	M10		
OZ88NCH-021	15 GWIR	21mm	50
OZ88NCH-027	20 GWIR	27mm	50
OZ88NCH-034	25 GWIR	34mm	50
OZ88NCH-043	32 GWIR	43mm	50
OZ88NCH-048	40 GWIR	48mm	50
OZ88NCH-060	50 GWIR	60mm	50
OZ88NCH-076	65 GWIR	76mm	50
OZ88NCH-089	80 GWIR	89mm	25
OZ88NCH-1155	100 GWIR	115mm	25
OZ88NCH-140	125 GWIR	140mm	25
OZ88NCH-1685	150 GWIR	168mm	25
	M12		
OZ88NCH-115512	100 GWIR	115mm	25
OZ88NCH-168512	150 GWIR	168mm	25

Accoustic Welded Nut Clip

• Used to Clamp + Suspend Pipework when used in Conjunction with Threaded Components • 2 Piece Clip Comes with Combination Drive Bolt • Acoustically and Temperature Rated • Also Available in Stainless steel

Welded Nut Clip Rubber Lined - Hinged

CODE	SUITS	SIZE	Qty
	M8 / M10		
OZ88S400063	15 CU	12 - 15mm	150
OZ88S400064	20 CU	15 - 19mm	150
OZ88S400066	25 CU	26 - 28mm	100
OZ88S400067	32 CU	32 - 35mm	75
OZ88S400068	40 CU	40 - 43mm	50
OZ88S400070	50 CU	48 - 52mm	50
OZ88S400072	65 CU	63 - 67mm	50
OZ88S400074	80 CU	74 - 80mm	50
OZ88S400076	100 CU	101 - 106mm	25

Welded Nut Clip Rubber Lined - Hinged

CODE	SUITS	SIZE	Qty
	M8 / M10		
OZ88S400068	40 PVC	40 - 43mm	50
OZ88S400071	50 PVC	54 - 58mm	50
OZ88S400073	65 PVC	70 - 73mm	50
OZ88S400075	80 PVC	83 - 91mm	50
OZ88S400077	100 PVC	108 - 114mm	25

PVC All Thread + Yoke Clamp

• Used to Clamp + Suspend Pipework when used in Conjunction with Threaded Components • 2 Piece Clip Comes with Bolt + Nut • Available in SS + HDG

PVC All Thread Clip - Powder Coated White

• Height Adjustable • Medium Duty

CODE	SUITS	OD	Qty
OZ88PVC040	40 PVC	43mm	25
OZ88PVC050	50 PVC	56mm	25
OZ88PVC065	65 PVC	70mm	25
OZ88PVC100	100 PVC	110mm	25
OZ88PVC150	150 PVC	160mm	20
Rubber Lined			
OZ88AATC100	100 PVC	110mm	20

PVC Yoke Clamp

• Height Adjustable • Heavy Duty

CODE	SUITS	OD	SIZE - mm	Qty
Powder Coated White				
OZ88YCM-250W	225 PVC	250mm	40 × 6mm M12	5
OZ88YCM-315W	300 PVC	315mm	40 × 6mm M12	5
OZ88YCM-400W	375 PVC	400mm	40 × 6mm M12	5
Hot Dipped Galvanised				
OZ88YCM-250H	225 PVC	250mm	40 × 6mm M12	5
OZ88YCM-315H	300 PVC	315mm	40 × 6mm M12	5

GWIR Yoke Clamp - HDG

CODE	SUITS	OD	SIZE	Qty
OZ88YC-027H	20 GWIR	27mm	25 × 3mm M12	50
OZ88YC-034H	25 GWIR	34mm	25 × 3mm M12	50
OZ88YC-043H	32 GWIR	43mm	25 × 3mm M12	50
OZ88YC-048H	40 GWIR	48mm	25 × 3mm M12	50
OZ88YC-060H	50 GWIR	60mm	25 × 3mm M12	50
OZ88YC-076H	65 GWIR	76mm	25 × 3mm M12	25
OZ88YC-089H	80 GWIR	89mm	25 × 3mm M12	25
OZ88YC-115H	100 GWIR	115mm	25 × 3mm M12	25
OZ88YC-168H	150 GWIR	168mm	25 × 3mm M12	25

• Used to Clamp + Suspend Pipework when used in Conjunction with Threaded Components • 2 Piece Clip Comes with Bolt + Nut
• Height Adjustable • Heavy Duty

PVC Stand Off Saddle + Stand off Bracket

Stand Off Saddle

• Used to Clamp Pipework Parallel Structural Member • 1 Piece Clamp • Light Duty

CODE	SUITS	OD	Qty
Powder Coated White			
OZ88SADSO040	40 PVC	43mm	100
OZ88SADSO050	50 PVC	56mm	100
OZ88SADSO065	65 PVC	70mm	50
OZ88SADSO100	100 PVC	110mm	50

Stand Off Bracket

• Used to Clamp Pipework Parallel to Structural Member • Comes with Bolt + Nut
• Also Available in SS • Medium Duty / Heavy Duty • 2 Piece Clip

CODE	SUITS	OD	Qty
Powder Coated White			
OZ88SOB100	100 PVC	110mm	25
OZ88SOB150	150 PVC	160mm	25
OZ88SOB225	225 PVC	250mm	5
OZ88SOB300	300 PVC	315mm	5
Hot Dipped Galvanised			
OZ88SOB225H	225 PVC	250mm	5
OZ88SOB300H	300 PVC	300mm	5

Copper Saddle - Nylon Coated Brown

• Used to Clamp Pipework Parallel to Structural Member
• 1 Piece Clip

CODE	SUITS	Qty
OZ88SADCU015	15 CU (1/2)	200
OZ88SADCU018	18 CU(5/8)	200
OZ88SADCU020	20 CU (3/4)	200
OZ88SADCU025	25 CU (1)	200
OZ88SADCU032	32 CU (1 1/4)	20
OZ88SADCU040	40 CU (1 1/2)	20
OZ88SADCU050	50 CU (2)	20

PVC Saddle - Powder Coated White

• Used to Clamp Pipework Parallel to Structural Member
• 1 Piece Clip

CODE	SUITS	OD	Qty
OZ88SADPVC040	40 PVC	43mm	100
OZ88SADPVC050	50 PVC	56mm	100
OZ88SADPVC065	65 PVC	70mm	50
OZ88SADPVC100	100 PVC	110mm	50
OZ88SADPVC150	150 PVC	110mm	25
OZ88SADPVC225	225 PVC	250mm	5
OZ88SADPVC300	300 PVC	315mm	5

GWIR Saddle - Zinc Plated

• Used to Clamp Pipework Parallel to Structural Member
• 1 Piece Clip • HDG also available

CODE	SUITS	OD	Qty
OZ88SAD027	20 GWIR	27mm	50
OZ88SAD034	25 GWIR	34mm	50
OZ88SAD043	32 GWIR	43mm	50
OZ88SAD048	40 GWIR	48mm	50
OZ88SAD060	50 GWIR	60mm	50
OZ88SAD076	65 GWIR	76mm	50
OZ88SAD115	100 GWIR	115mm	25
OZ88SAD168	150 GWIR	168mm	25

PVC Pressure Saddle - Powder Coated White

• Used to Clamp Pipework Parallel to Structural Member
• 1 Piece Clip

CODE	SUITS	OD	Qty
OZ88SADPRE021	15 PPVC	21mm	20
OZ88SADPRE027	20 PPVC	27mm	20
OZ88SADPRE034	25 PPVC	34mm	20
OZ88SADPRE043	32 PPVC	43mm	20
OZ88SADPRE048	40 PPVC	48mm	20
OZ88SADPRE060	50 PPVC	60mm	20

Clip Head + Accessories

• Used to Clamp + Suspend Pipework when used in Conjunction with Below Components
• 1 Piece Clip • Light Duty • Available in Stainless steel

Copper Clip Head - Powder Coated Brown

CODE	SIZE	OD	Qty
OZ88CHBR-013	15 CU	12.7mm	20
OZ88CHBR-019	20 CU	19.1mm	20
OZ88CHBR-025	25 CU	25.4mm	20
OZ88CHBR-032	32 CU	31.8mm	20
OZ88CHBR-038	40 CU	38.1mm	20
OZ88CHBR-051	50 CU	50.8mm	20
OZ88CHBR-064	65 CU	63.5mm	20
OZ88CHBR-076	80 CU	76.2mm	20
OZ88CHBR-102	100 CU	101.6mm	20

PVC Clip Head - Powder Coated White

CODE	SIZE	OD	Qty
OZ88CHW-043	40 PVC	43mm	20
OZ88CHW-056	50 PVC	56mm	20
OZ88CHW-070	65 PVC	70mm	20
OZ88CHW-083	80 PVC	83mm	20
OZ88CHW-110	100 PVC	110mm	20
OZ88CHW-160	150 PVC	160mm	20

HDPE Clip Head - Powder Coated Black

CODE	SIZE	OD	Qty
OZ88CHB-050	50 HDPE	50mm	20
OZ88CHB-056	56 HDPE	56mm	20
OZ88CHB-063	63 HDPE	63mm	20
OZ88CHB-075	75 HDPE	75mm	20
OZ88CHB-090	90 HDPE	90mm	20
OZ88CHB-110	110 HDPE	110mm	20

PVC Pressure Clip Head - Powder Coated White

CODE	SIZE	OD	Qty
OZ88CHW-021	15 PP	21mm	20
OZ88CHW-027	20 PP	27mm	20
OZ88CHW-034	25 PP	34mm	20
OZ88CHW-042	32 PP	42mm	20
OZ88CHW-048	40 PP	48mm	20
OZ88CHW-060	50 PP	60mm	20
OZ88CHW-076	65 PP	76mm	20
OZ88CHW-089	80 PP	89mm	20
OZ88CHW-115	100 PP	115mm	20

Stand Off T

• Fixed Position • Comes With Cuphead Bolt + Nut

CODE	FINISH	Qty
OZ88ABT	Zinc Plated	50
OZ88ABTSS	SS 316	50

Adjustable Stand Off T

• Adjustable Position 30-60mm
• Comes With Cuphead Bolt + Nut

CODE	FINISH	Qty
OZ88AABT	Zinc Plated	50
OZ88AABTSS	SS 316	50

No. 7 Bracket

• Comes With Cuphead Bolt + Nut + x2 M10 Nuts

CODE	FINISH	Qty
OZ880061M	Zinc Plated	50
OZ880061MSS	SS 316	50

PLUMBING CLIPS + ACCESSORIES

Pear Band

• Used to Clamp + Suspend Pipework when used in Conjunction Threaded Components
• 1 Piece Clip • Height Adjustable • Medium Duty • Available in Stainless steel

PVC Pear Band - Powder Coated White

CODE	SUITS	OD	Qty
OZ88PHW-043	40 PVC	43mm	50
OZ88PHW-056	50 PVC	56mm	50
OZ88PHW-070	65 PVC	70mm	50
OZ88PHW-100	100 PVC	110mm	25
OZ88PHW-160	150 PVC	160mm	25
OZ88PHW-250	225 PVC	250mm	5
OZ88PHW-315	300 PVC	315mm	5
OZ88PHW-400	375 PVC	400mm	5

GWIR Steel Pear Band - Zinc Plated

• Also available in HDG

CODE	SIZE	OD	Qty
OZ88PH034	25 GWIR	34mm	50
OZ88PH043	32 GWIR	43mm	50
OZ88PH048	40 GWIR	48mm	50
OZ88PH060	50 GWIR	60mm	50
OZ88PH076	65 GWIR	76mm	50
OZ88PH089	80 GWIR	89mm	25
OZ88PH115	100 GWIR	115mm	25
OZ88PH168	150 GWIR	168mm	25
OZ88PH220	200 GWIR	220mm	5

Double Bolted Clamp + U Bolt

Double Bolted Clamp - HDG

• Used to Clamp + Suspend Pipework when used in Conjunction Threaded Components + OZ88CLEM
• 2 Piece Clip • Heavy Duty • Comes with M12 × 40 Bolt + Nut

CODE	SUITS	OD	SIZE	Qty
COPPER				
OZ26TPC406152	150 CU	152mm	40 × 6mm	25
OZ26TPC406203	200 CU	203mm	40 × 6mm	5
OZ26TPC406228	225 CU	228mm	40 × 6mm	5
OZ26TPC406254	250CU	254mm	40 × 6mm	5
PVC				
OZ26TPC406160	150 PVC	160mm	40 × 6mm	25
OZ26TPC406250	225 PVC	250mm	40 × 6mm	5
OZ26TPC406315	300 PVC	315mm	40 × 6mm	5
OZ26TPC406400	375 PVC	400mm	40 × 6mm	5
GWIR				
OZ26TPC406048	40 GWIR	48mm	40 × 6mm	50
OZ26TPC406060	50 GWIR	60mm	40 × 6mm	50
OZ26TPC406076	65 GWIR	76mm	40 × 6mm	25
OZ26TPC406089	80 GWIR	89mm	40 × 6mm	25
OZ26TPC406115	100 GWIR	115mm	40 × 6mm	25
OZ26TPC406140	125 GWIR	140mm	40 × 6mm	25
OZ26TPC406168	150 GWIR	168mm	40 × 6mm	25
OZ26TPC406220	200 GWIR	220mm	40 × 6mm	5
OZ26TPC406273	250 GWIR	273mm	40 × 6mm	5
OZ26TPC406324	300 GWIR	324mm	40 × 6mm	5

U-Bolt - HDG

• Used with Steel Pipe Services

CODE	SIZE	OD	Qty
OZ88UB10034	25NB M10	34mm	50
OZ88UB10043	32NB M10	43mm	50
OZ88UB10048	40NB M10	48mm	50
OZ88UB10060	50NB M10	60mm	50
OZ88UB12076	65NB M12	76mm	25
OZ88UB12089	80NB M12	89mm	25
OZ88UB12102	90NB M12	102mm	25
OZ88UB12114	100NB M12	114mm	10

Metal Strapping

Punched Hanging Strap

• Multi Purpose • Heavy Duty

SIZE	CODE	Finish	Qty
25 × 0.7 × 15m 60kg	OZ24MS2560	Galvabond	1 Roll
25 × 0.7 × 15m 60kg	OZ24MS2560SS	SS 316	1 Roll
30 × 0.8 × 20m	OZ24MS300820	HDG	1 Roll

Flat Strap - Stainless Steel

• Used with S/s Clamps to Suspend Beneath Slab Work

SIZE	CODE	Qty
300mm	OZ88CHS300SS	Each
450mm	OZ88CHS450SS	Each
600mm	OZ88CHS600SS	Each
800mm	OZ88CHS800SS	Each
1000mm	OZ88CHS1000SS	Each
1200mm	OZ88CHS1200SS	Each
6-20mm Hole Sizes and custom lengths available		

Pex Clip

Masonry Pex Clip

• Quick Installation • Single Saddle • Comes with Masonry Nail

SIZE	CODE	QTY
16mm (5/8”)	OZ7211160	100 Bag (2000 Box)
20mm (3/4”)	OZ7211161	100 Bag (2000 Box)
25mm (1”)	OZ7211162	100 Bag (1000 Box)

Metal Pex Clip

• Quick Installation • Single Saddle • Comes with SDS Screw

SIZE	CODE	QTY
16mm (5/8”)	OZ7211104	100 Bag (2000 Box)
20mm (3/4”)	OZ7211105	100 Bag (2000 Box)
25mm (1”)	OZ7211106	100 Bag (1000 Box)

Stud Punch + Grommets + Noggin

Stud Punch + Grommets

• Used to Punch Circular Holes Through Metal Stud Work
• Comes with 22 + 34mm Blades in a Hardened Plastic Carry Case
• Encloses Raw Metal Edges cut with Stud Punch
• Prevents Damage + Conduction from Vibrations and disturbances • Easy Clip Installation

ITEM	SIZE	CODE	Qty
Stud Punch	22mm + 34mm	OZ57SP2234	1
Grommets	34mm	OZ57SPG	100 Bag - 1000 Box
Replacement Blades	34mm	OZ57SPT	1 Set

Adjustable Metal Noggin

• All Metal Construction • Adjustable 330-600mm
• Quick Installation • Pre Assembled



SIZE	CODE	Qty
92 × 1mm	OZ05BAR	10

PLUMBING CLIPS + ACCESSORIES

Gas Nailer Gun + Accessories

Gas Gun

• Gas Actuated Nail Gun for Hard Concrete • Comes with batteries, charger and PPE

DESCRIPTION	CODE	Qty
GT6 Gas Gun Kit	OZ2355002	1 Kit

Pin + Gas

CODE	DESCRIPTION	Qty
OZ2355017HC	GT3/6 Pin + Gas 17mm	1000 + 1
OZ2355010	GT3/6 Gas Only	1
OZ2355317HC	C5 Pin + Gas 17mm	800 + 1
OZ2355301	C5 Gas Only	1
OZ23GTP1	Trade Pack: GT3/6 Gas x1 + 17mm Pin x1000 + Cable Mount x 1000 + 200×4.8mm Cable Tie x1000	

Apolo Channel + Accessories

Apolo Channel Metal

• For use with Gas Nailer Gun or Screws • Use with Self Locking Pipe Clamps

SIZE	CODE	Qty
W 20mm x D 8mm x L 2m	OZ23ACS-2	Each

Apolo Channel PVC

• For use with Gas Nailer Gun or Screws • Use with Self Locking Pipe Clamps

SIZE	CODE	Qty
W 20mm x D 8mm x L 1m	OZ23ACS-1	Each

Self Locking Pipe Clamp

• For use with Apolo Channel and Gas Nailer Gun or Screws

SIZE	CODE	Qty
14-18mm	OZ23GC1418	100
20-25mm	OZ23GC2025	50
26-32mm	OZ23GC2632	50
35-42mm	OZ23GC3542	50

Cable Tie Mount

• For use with Gas Nailer Gun or Screws
• Easy Cable Management when used with Cable Ties

CODE	Qty
OZ2355075	100

Double Shot Rod Hanger

• For use with Gas Nailer Gun

SIZE	CODE	Qty
M10	OZ23DSRH-M10	500

• For use with Corresponding Clamps to Insulate Pipework Clamps • Made from AS/NZ2269-2008 Compliant Structural Radiata Pine Plywood
• VOC + Green Star Compliant • Custom sizes available upon request • No minimum order quantity

Wood Ferrule 25mm Wall - Copper

CODE	SUITS	ID	OD	WIDTH
OZ88WF25013	15 CU	12.7mm	64mm	40mm
OZ88WF25019	20 CU	19.1mm	70mm	40mm
OZ88WF25025	25 CU	25.4mm	76mm	40mm
OZ88WF25032	32 CU	31.8mm	83mm	40mm
OZ88WF25038	40 CU	38.1mm	89mm	40mm
OZ88WF25051	50 CU	51.2mm	102mm	40mm
OZ88WF25063	65 CU	63.5mm	114mm	40mm
OZ88WF25076	80 CU	76.2mm	127mm	40mm
OZ88WF25102	100 CU	101.6mm	152mm	40mm
OZ88WF25127	125 CU	127mm	176mm	40mm
OZ88WF25152	150 CU	152.4mm	203mm	40mm
OZ88WF25203	200 CU	203.2m	254mm	40mm
Custom Sizes Made to Order				

Strut Clip to suit 25mm Wall - Copper

Strut Clip to Suit			
CODE	SUITS	OD	FINISH
OZ01SC-064	15 CU WF	64mm	Zinc Plated
OZ01SC-070	20 CU WF	70mm	Zinc Plated
OZ01SC-076	25 CU WF	76mm	Zinc Plated
OZ01SC-083	32 CU WF	83mm	Zinc Plated
OZ01SC-089	40 CU WF	89mm	Zinc Plated
OZ01SC-102	50 CU WF	102mm	Zinc Plated
OZ01SC-114	65 CU WF	114mm	Zinc Plated
OZ01SC-127	80 CU WF	127mm	Zinc Plated
OZ01SC-152	100 CU WF	152mm	Zinc Plated
OZ01SC-176	125 CU WF	176mm	Zinc Plated
OZ01SC-203	150 CU WF	203mm	Zinc Plated
OZ01SC-254	200 CU WF	254mm	Zinc Plated

• Used to Clamp Pipework Perpendicular to Oz Strut
• Comes with Bolt + Nut

Welded Nut Clip to suit 25mm Wall - Copper

Welded Nut Clip to Suit			
CODE	SUITS	OD	FINISH
OZ88NC-064	15 CU WF	64mm	Zinc Plated
OZ88NC-070	20 CU WF	70mm	Zinc Plated
OZ88NC-076	25 CU WF	76mm	Zinc Plated
OZ88NC-083	32 CU WF	83mm	Zinc Plated
OZ88NC-089	40 CU WF	89mm	Zinc Plated
OZ88NC-102	50 CU WF	102mm	Zinc Plated
OZ88NC-114	65 CU WF	114mm	Zinc Plated
OZ88NC-127	80 CU WF	127mm	Zinc Plated
OZ88NC-152	100 CU WF	152mm	Zinc Plated
OZ88NC-176	125 CU WF	176mm	Zinc Plated
OZ88NC-203	150 CU WF	203mm	Zinc Plated
OZ88NC-254	200 CU WF	254mm	Zinc Plated

• Used to Clamp + Suspend Pipework when used in Conjunction with Threaded Components
• 2 Piece Clip Comes with Cuphead Bolt + Nut

PLUMBING CLIPS + ACCESSORIES

• For use with Corresponding Clamps to Insulate Pipework Clamps • Made from AS/NZ2269-2008 Compliant Structural Radiata Pine Plywood
• VOC + Green Star Compliant • Custom sizes available upon request • No minimum order quantity

Wood Ferrule 38mm Wall - Copper

CODE	SUITS	ID	OD	WIDTH
OZ88WF38013	15CU	12.7mm	89mm	40mm
OZ88WF38019	20CU	19.1mm	95mm	40mm
OZ88WF38025	25CU	25.4mm	102mm	40mm
OZ88WF38032	32CU	31.8mm	108mm	40mm
OZ88WF38038	40CU	38.1mm	114mm	40mm
OZ88WF38051	50CU	51.2mm	127mm	40mm
OZ88WF38063	65CU	63.5mm	140mm	40mm
OZ88WF38076	80CU	76.2mm	152mm	40mm
OZ88WF38102	100CU	101.6mm	178mm	40mm
OZ88WF38127	125CU	127mm	203mm	40mm
OZ88WF38152	150CU	152.4mm	228mm	40mm
OZ88WF38203	200CU	203.2m	280mm	40mm
Custom Sizes Made to Order				

Wood Ferrule 50mm Wall - Copper

Other Variations Available
• 63mm Wall
• 80mm Width
• 80mm Width Foiled Outer

CODE	SUITS	ID	OD	WIDTH
OZ88WF50013	15CU	12.7mm	114mm	40mm
OZ88WF50019	20CU	19.1mm	121mm	40mm
OZ88WF50025	25CU	25.4mm	127mm	40mm
OZ88WF50032	32CU	31.8mm	133mm	40mm
OZ88WF50038	40CU	38.1mm	140mm	40mm
OZ88WF50051	50CU	51.2mm	152mm	40mm
OZ88WF50063	65CU	63.5mm	165mm	40mm
OZ88WF50076	80CU	76.2mm	178mm	40mm
OZ88WF50102	100CU	101.6mm	203mm	40mm
OZ88WF50127	125CU	127mm	228mm	40mm
OZ88WF50152	150CU	152.4mm	252mm	40mm
OZ88WF50203	200CU	203.2m	302mm	40mm
Custom Sizes Made to Order				

Poly Ferrule 25mm Wall - Copper

CODE	SUITS	ID	OD	WIDTH
OZ88PF25013	15 CU	12.7mm	64mm	50mm
OZ88PF25020	20 CU	19.1mm	70mm	50mm
OZ88PF25025	25 CU	25.4mm	76mm	50mm
OZ88PF25032	32 CU	31.8mm	83mm	50mm
OZ88PF25038	40 CU	38.1mm	89mm	50mm
OZ88PF25051	50 CU	51.2mm	102mm	50mm
OZ88PF25064	65 CU	63.5mm	114mm	50mm
OZ88PF25076	80 CU	76.2mm	127mm	50mm
OZ88PF25102	100 CU	101.6mm	152mm	50mm
Custom Sizes Made to Order				

- Made From Physically Crosslinked Polyolefin Foam • 4 Zero FR AS1530.3
- When Taped + Installed, LOC System is Airtight • VOC + Green Star Compliant
- Acid, Alkalis, Detergent + Fungi Resistant • No minimum order quantity

Poly Ferrule 25mm Wall - Refrigeration Pipe

CODE	SUITS	ID	OD	WIDTH
OZ88PF25013	1/2 REF	12.7mm	64mm	50m
OZ88PF25016	5/8 REF	15.87mm	67mm	50m
OZ88PF25020	3/4 REF	19.05mm	70mm	50m
OZ88PF25022	7/8 REF	22.22mm	73mm	50m
OZ88PF25025	1 REF	25mm	76mm	50m
OZ88PF25032	1 1/4 REF	31.7mm	83mm	50m
OZ88PF25034	1 3/8 REF	34.93mm	86mm	50m
OZ88PF25042	1 5/8 REF	41.27mm	92mm	50m
OZ88PF25048	1 7/8 REF	48mm	98mm	50m
OZ88WF25054	2 1/8 REF	53.97mm	103mm	50m
OZ88WF25067	2 5/8 REF	66.5mm	115mm	50m
Custom Sizes Made to Order				

Poly Block 25mm Wall - Copper

CODE	SUITS	ID	OD	LENGTH
OZ88PB25013	15 CU	12.7mm	64mm	1.2m
OZ88PB25020	20 CU	19.1mm	70mm	1.2m
OZ88PB25025	25 CU	25.4mm	76mm	1.2m
OZ88PB25032	32 CU	31.8mm	83mm	1.2m
OZ88PB25038	40 CU	38.1mm	89mm	1.2m
OZ88PB25051	50 CU	51.2mm	102mm	1.2m
OZ88PB25064	65 CU	63.5mm	114mm	1.2m
OZ88PB25076	80 CU	76.2mm	127mm	1.2m
OZ88PB25102	100 CU	101.6mm	152mm	1.2m
Custom Sizes Made to Order				

- Alternative to Wood Ferrules + Poly Ferrules • High Density • Foil Faced
- 1.2 Supplied Length - Can be Cut to suit • No minimum order quantity



Poly Lagging - Copper

CODE	SUITS	ID	OD	LENGTH
OZ88PL01325	15 CU	12.7mm	64mm	2m
OZ88PL01925	20 CU	19.1mm	70mm	2m
OZ88PL02525	25 CU	25.4mm	76mm	2m
OZ88PL03225	32 CU	31.8mm	83mm	2m
OZ88PL04025	40 CU	38.1mm	89mm	2m
OZ88PL05025	50 CU	51.2mm	102mm	2m
OZ88PL06525	65 CU	63.5mm	114mm	2m
OZ88PL08025	80 CU	76.2mm	127mm	2m
OZ88PL10225	100 CU	101.6mm	152mm	2m
OZ88PL15025	150 CU	152.4mm	203mm	2m
19, 38, 50mm Wall Also Available Upon Request				

- Closed Cell Physically Crosslinked Polyolefin foam • UV Resistant
- Green Star VOC Compliant • 4 Zero Fire Rating AS1530.3
- Conforms to ISO 5659-2 “Smoke Density & Toxicity” • No minimum order quantity

Pipe Identification Markers

• Flow Directional Chevron • Self Adhesive Long Lasting Vinyl





CODE	TYPE	SIZE	QTY
GREEN - WATER			
Chilled Water	OZ5510120	30 × 380mm	10
Cold Water	OZ5516720	30 × 380mm	10
Hot Water	OZ5511420	30 × 380mm	10
Hot Water Flow	OZ5516320	30 × 380mm	10
Hot Water Return	OZ5516520	30 × 380mm	10
Non Potable Water	OZ5511520	30 × 380mm	10
Potable Water	OZ5511720	30 × 380mm	10
Rain Water	OZ5516620	30 × 380mm	10
Storm Water	OZ5516220	30 × 380mm	10
Storm Water Pump Out	OZ5516221	30 × 380mm	10
Warm Water	OZ5516420	30 × 380mm	10
Warm Water Flow	OZ5511820	30 × 380mm	10
Warm Water Return	OZ5516920	30 × 380mm	10
Waste Water	OZ5516020	30 × 380mm	10
PURPLE - RECYCLED WATER			
Recycled Water	OZ5516120-P	30 × 380mm	10
RED - FIRE			
Fire Hose Reel	OZ5514820	30 × 380mm	10
Fire Hydrant	OZ5514920	30 × 380mm	10
Fire Service	OZ5514020	30 × 380mm	10
Fire Sprinklers	OZ5514620	30 × 380mm	10
BLACK - MISC			
Grease Pump Out	OZ5514120	30 × 380mm	10
Sewage	OZ5513920	30 × 380mm	10
Sewer Pump Out	OZ5513820	30 × 380mm	10
Sewer Vent	OZ5512020	30 × 380mm	10
Trade Waste	OZ5513620	30 × 380mm	10
Trade Waste Vent	OZ5513120	30 × 380mm	10
Vent	OZ5513720	30 × 380mm	10
CREAM - GAS			
Natural Gas	OZ5513520	30 × 380mm	10
Natural Gas 7 Kpa	OZ5513320	30 × 380mm	10
Natural Gas 100 Kpa	OZ5513220	30 × 380mm	10
Natural Gas 210 Kpa	OZ5513420	30 × 380mm	10

Roof Flashing

• Provides Watertight Seal Around Roof Pipe Vents

SIZE	CODE	Qty
5 - 45mm	OZ11RF005045	20
25 - 70mm	OZ11RF025070	20
50 - 100mm	OZ11RF050100	10
90 - 150mm	OZ11RF090150	5
125 - 200mm	OZ11RF125200	5
200 - 300mm	OZ11RF200300	5
Retrofit Clips		
Aluminium	OZ11RFC	50

CABLE TRAY + ELECTRICAL

Economic Cable Tray + Accessories	3:1
LT3 Cable Tray + Accessories	3:2
LT5 Cable Tray + Accessories	3:3
Cable Tray Cover	3:4
Perforated Cable Tray	3:4
Conduit + Fittings	3:5-3:6
Conduit + Fittings	3:5-3:6
Stud Punch + Grommets	3:6

Economic Cable Tray + Accessories

SIZE	CODE	OVERALL WIDTH	LENGTH
Galvabond			
150mm	OZ68KTE150	150mm	3m
300mm	OZ68KTE300	300mm	3m
450mm	OZ68KTE450	450mm	3m
600mm	OZ68KTE600	600mm	3m
Overall Height 45mm. Cable Laying Depth 40mm			

• Use to Support and Route Wiring + Cabling • Cost Efficient + Versatile
• Can be Hung using Threaded Components + Oz Strut to make a Trapeze or Mounted Directly onto Walls and Flooring

Splice Plate

• Used to Join Lengths of Cable Tray
• 2 Squared Holes • Used in Pairs

CODE	SIZE	FINISH	Qty
OZ68KTESP	180mm	GB	100

Hold Down Bracket

• Used to Secure Cable Tray onto Support
• 2 Oval Holes for Adjustability • Lipped Edge
• Used in Pairs

CODE	SIZE	FINISH	Qty
OZ68KTEHDB	45 × 35mm	GB	100

Riser Link

• Used to Create Vertical Bend (Riser)
• 2 Squared Holes • Used in Pairs

CODE	SIZE	FINISH	Qty
OZ68KTERL	120mm	GB	100

Radius Plate

• Used to Create a Bend (Radius) • Oval Perforations

CODE	SIZE	FINISH	Qty
OZ68KTERP	3m	GB	Each

Barrier Strip Segregation

• Used to Divide Cable Tray for Multiple Services

CODE	SIZE	FINISH	Qty
OZ68KTEBSS	3m	GB	Each

T-X Bracket

• Used to Make a 90° Tee or Turn

CODE	FINISH	Qty
OZ68KTETXB	HDG	5

Cable Tray Bolt

• Universal Fastener for All Cable Tray + Accessories
• Squared Locking Neck

CODE	SIZE	FINISH	Qty
OZ68KTBOLT	M10	Zinc	100

Cable Tray Nut

• Universal Fastener for All Cable Tray + Accessories
• Flanged with Serrations

CODE	SIZE	FINISH	Qty
OZ68KTNUT	M10	Zinc	100

Fittings per Length of Tray			
	90° Tee	90° Riser	90° Bend
150mm	4	5	5
300mm	3	5	5
450mm	2	5	5
600mm	2	5	5

LT3 Cable Tray + Accessories

• Use to Support and Route Wiring + Cabling • Cost Efficient + Versatile
• Can be Hung using Threaded Components + Oz Strut to make a Trapeze or Mounted Directly onto Walls and Flooring

SIZE	CODE	OVERALL WIDTH	LENGTH
Galvabond			
150mm	OZ68KT3150	172mm	3m
300mm	OZ68KT3300	322mm	3m
450mm	OZ68KT3450	472mm	3m
600mm	OZ68KT3600	622mm	3m
Hot Dipped Galvanised			
150mm	OZ68KT3150H	172mm	3m
300mm	OZ68KT3300H	322mm	3m
450mm	OZ68KT3450H	472mm	3m
600mm	OZ68KT3600H	622mm	3m
Overall Height 50mm. Cable Laying Depth 40mm			

Splice Plate

• Used to Join Lengths of Cable Tray
• 2 Squared Holes • Used in Pairs

CODE	SIZE	FINISH	Qty
OZ68KT3SP	180mm	GB	100
OZ68KT3SPH	180mm	HDG	100

Hold Down Bracket

• Used to Secure Cable Tray onto Support
• 2 Oval Holes for Adjustability • Lipped Edge
• Used in Pairs

CODE	SIZE	FINISH	Qty
OZ68KT3HDB	50 × 30mm	GB	100
OZ68KT3HDBH	50 × 30mm	HDG	100

Riser Link

• Used to Create Vertical Bend (Riser)
• 2 Squared Holes • Used in Pairs

CODE	SIZE	FINISH	Qty
OZ68KT3RL	190mm	GB	100
OZ68KT3RLH	190mm	HDG	100

Radius Plate

• Used to Create a Bend (Radius) • Oval Perforations

CODE	SIZE	FINISH	Qty
OZ68KT3RP	3m	GB	Each
OZ68KT3RPH	3m	HDG	Each

90° Bends per Radius Plate	
150mm	4
300mm	3
450mm	2
600mm	2

Barrier Strip Segregation

• Used to Divide Cable Tray for Multiple Services

CODE	SIZE	FINISH	Qty
OZ68KT3BSS	3m	GB	Each

T-X Bracket

• Used to Make a 90° Tee or Turn

CODE	FINISH	Qty
OZ68KT3TXB	HDG	5

Cable Tray Bolt

• Universal Fastener for All Cable Tray + Accessories
• Squared Locking Neck

CODE	SIZE	FINISH	Qty
OZ68KTBOLT	M10	Zinc	100
OZ68KTBOLTH	3/8”	HDG	100

Cable Tray Nut

• Universal Fastener for All Cable Tray + Accessories
• Flanged with Serrations

CODE	SIZE	FINISH	Qty
OZ68KTNUT	M10	Zinc	100
OZ68KTNUTH	3/8”	HDG	100

LT5 Cable Tray + Accessories

SIZE	CODE	OVERALL WIDTH	LENGTH
Galvabond			
150mm	OZ68KT5150	174mm	3m
300mm	OZ68KT5300	324mm	3m
450mm	OZ68KT5450	474mm	3m
600mm	OZ68KT5600	624mm	3m
Hot Dipped Galvanised			
150mm	OZ68KT5150H	174mm	3m
300mm	OZ68KT5300H	324mm	3m
450mm	OZ68KT5450H	474mm	3m
600mm	OZ68KT5600H	624mm	3m
Overall Height 85mm. Cable Laying Depth 80mm			

- Use to Support and Route Wiring + Cabling • Cost Efficient + Versatile
- Can be Hung using Threaded Components + Oz Strut to make a Trapeze or Mounted Directly onto Walls and Flooring

Splice Plate

- Used to Join Lengths of Cable Tray
- 2 Squared Holes • Used in Pairs



CODE	SIZE	FINISH	Qty
OZ68KT5SP	180mm	GB	100
OZ68KT5SPH	180mm	HDG	100

Hold Down Bracket

- Used to Secure Cable Tray onto Support
- 2 Oval Holes for Adjustability • Lipped Edge
- Used in Pairs

CODE	SIZE	FINISH	Qty
OZ68KT5HDB	82 × 30mm	GB	50
OZ68KT5HDBH	82 × 30mm	HDG	50

Riser Link

- Used to Create Vertical Bend (Riser)
- 2 Squared Holes • Used in Pairs

CODE	SIZE	FINISH	Qty
OZ68KT5RL	190mm	GB	50
OZ68KT5RLH	190mm	HDG	50

Radius Plate

- Used to Create a Bend (Radius) • Oval Perforations

CODE	SIZE	FINISH	Qty
OZ68KT5RP	3m	GB	Each
OZ68KT5RPH	3m	HDG	Each

Barrier Strip Segregation

- Used to Divide Cable Tray for Multiple Services

CODE	SIZE	FINISH	Qty
OZ68KT5BSS	3m	GB	Each

T-X Bracket

- Used to Make a 90° Tee or Turn

CODE	FINISH	Qty
OZ68KT5TXB	HDG	5

Cable Tray Bolt

- Universal Fastener for All Cable Tray + Accessories
- Squared Locking Neck

CODE	SIZE	FINISH	Qty
OZ68KTBOLT	M10	Zinc	100
OZ68KTBOLTH	3/8"	HDG	100

Cable Tray Nut

- Universal Fastener for All Cable Tray + Accessories
- Flanged with Serrations

CODE	SIZE	FINISH	Qty
OZ68KTNUT	M10	Zinc	100
OZ68KTNUTH	3/8"	HDG	100

90° Bends per Radius Plate	
150mm	4
300mm	3
450mm	2
600mm	2

Fittings per Length of Tray			
	90° Tee	90° Riser	90° Bend
150mm	4	5	5
300mm	3	5	5
450mm	2	5	5
600mm	2	5	5

Cable Tray Cover - Flat

- Used to Cover Cable Tray for a Neater Appearance
- Made from Moulded Sheet Metal
- Fasten with Tech Screws

Economic Tray - Flat Cover			
SIZE	CODE	OVERALL WIDTH	LENGTH
Galvabond			
150mm	OZ68KTE150TFC	150mm	3m
300mm	OZ68KTE300TFC	300mm	3m
450mm	OZ68KTE450TFC	450mm	3m
600mm	OZ68KTE600TFC	600mm	3m

LT3 & LT5 Flat Cover			
SIZE	CODE	OVERALL WIDTH	LENGTH
Galvabond			
150mm	OZ68KT3150TFC	174mm	3m
300mm	OZ68KT3300TFC	324mm	3m
450mm	OZ68KT3450TFC	474mm	3m
600mm	OZ68KT3600TFC	624mm	3m
Hot Dipped Galvanised			
150mm	OZ68KT3150TFCH	174mm	3m
300mm	OZ68KT3300TFCH	324mm	3m
450mm	OZ68KT3450TFCH	474mm	3m
600mm	OZ68KT3600TFCH	624mm	3m

Cable Tray Cover - Peaked

- Used to Cover Cable Tray for a Neater Appearance
- 30° Peak in the Centre for Cabling Larger than the Standard Laying Depth • Made from Moulded Sheet Metal
- Fasten with Tech Screws

LT3 & LT5 - Peaked Cover			
SIZE	CODE	OVERALL WIDTH	LENGTH
Galvabond			
150mm	OZ68KT3150TPC	174mm	3m
300mm	OZ68KT3300TPC	324mm	3m
450mm	OZ68KT3450TPC	474mm	3m
600mm	OZ68KT3600TPC	624mm	3m
Hot Dipped Galvanised			
150mm	OZ68KT3150TPCH	174mm	3m
300mm	OZ68KT3300TPCH	324mm	3m
450mm	OZ68KT3450TPCH	474mm	3m
600mm	OZ68KT3600TPCH	624mm	3m

Perforated Tray

- Flared Self Splicing Ends • Reverse Punched • Low Profile
- 14mm Depth • Fasten with Machine Screws + Nuts

SIZE	CODE	FINISH	LENGTH
75mm	OZ68OAPT075	Galvabond	2.4m
100mm	OZ68OAPT100	Galvabond	2.4m
150mm	OZ68OAPT150	Galvabond	2.4m
225mm	OZ68OAPT225	Galvabond	2.4m
300mm	OZ68OAPT300	Galvabond	2.4m
450mm	OZ68OAPT450	Galvabond	2.4m
600mm	OZ68OAPT600	Galvabond	2.4m

Conduit

• To route and protect cabling • Flared end for easy connection to bends and accessories

SIZE	CODE	Qty
25mm x 4m	OZ68RC25	20
32mm x 4m	OZ68RC32	10
40mm x 4m	OZ68RC40	10
50mm x 4m	OZ68RC50	5

Corrugated Conduit

• Corrugations allow for flexibility whilst being crush resistant

SIZE	CODE	Qty
25mm x 25m	OZ68BWG2525	1
32mm x 25m	OZ68BWG3225	1
40mm x 25m	OZ68BWG4025	1

Sweep Bend 90°

• 90° turns when using OZ68RC • Flared ends for easy connections conduit

SIZE	CODE	RADIUS	Qty
25mm	OZ68SB25	180	140
32mm	OZ68SB30532	180	140
32mm	OZ68SB32	305	90

Inspection Fittings

• Junction fittings with inspection door

ITEM	SIZE	CODE	Qty
Inspection Elbow	20mm	OZ68INEL20	10
	25mm	OZ68INEL25	10
	32mm	OZ68INEL32	10
Inspection Tee	20mm	OZ68INT20	10
	25mm	OZ68INT25	10
	32mm	OZ68INT32	10

Straight Coupling

• Used to connect or extend two pieces of OZ68RC

SIZE	CODE	Qty
20mm	OZ68HCC20	20
25mm	OZ68HCC25	20
32mm	OZ68HCC32	20

Solid Elbow Grey

• Used to make a 90° turn with OZ68RC

SIZE	CODE	Qty
20mm	OZ68EL90120	20
25mm	OZ68EL90130	20

Elbow Grey 90°

• Suited to air conditioner installations

SIZE	CODE	Qty
20mm	OZ68EL9020	20
25mm	OZ68EL9025	20

Cable Gland

• Resists dust and moisture

SIZE	CODE	Qty
16mm	OZ68MFT16	50
20mm	OZ68MFT20	50
25mm	OZ68MFT25	50
32mm	OZ68MFT32	50

Locating Flange

• Secures the conduit to framework firmly in place during concrete pouring and for easy identification and retrieval after the pour

SIZE	CODE	Qty
20mm	OZ68CF20	20
25mm	OZ68CF25	20
32mm	OZ68CF32	20

Screw Adaptor Plain

SIZE	CODE	Qty
20mm	OZ68SA20	20
25mm	OZ68SA25	20

Half Saddle

• Fastens conduit to various base materials

SIZE	HOLE	CODE	Finish	Qty
16mm	5mm	OZ68HS16-5	Zinc Plated	100
20mm	5mm	OZ68HS20-5	Zinc Plated	100
20mm	6.5mm	OZ68HS20-65	Zinc Plated	100
25mm	5mm	OZ68HS25-5	Zinc Plated	100
25mm	6.5mm	OZ68HS25-65	Zinc Plated	100
32mm	6.5mm	OZ68HS32-65	Zinc Plated	100
40mm	6.5mm	OZ68HS40-65	Zinc Plated	100

Stud Punch + Grommets

• Used to Punch Circular Holes Through Metal Stud Work
• Comes with 22 + 34mm Blades in a Hardened Plastic Carry Case

• Encloses Raw Metal Edges cut with Stud Punch
• Prevents Damage + Conduction from Vibrations and disturbances • Easy Clip Installation

ITEM	SIZE	CODE	Qty
Stud Punch	22mm + 34mm	OZ57SP2234	1
Grommets	34mm	OZ57SPG	100

Replacement Blades

SIZE	CODE	Qty
34mm	OZ57SPT	1 Set

Tapes	4:1
Duct Strap + Saddle	4:1
Cable Ties	4:1
Cable Tie Tensioner	4:1
Duct Sealer	4:2
HVAC Hardware	4:2
Anti-Vibration	4:3
Roof Top Support Bases	4:4
Structural Bracing Strap	4:4

OZSTRUT OZSTRUT

Tape

Duct Tape
• General purpose

COLOUR	CODE	SIZE	Qty
Grey	OZ16DTG	48mm x 30m	36
Black	OZ16DTB	48mm x 30m	60

Reinforced Foil Tape
• High Tensile • Low VOC Green Star
• CETEC Certified • AS4254.2 Compliant



SIZE	CODE	Qty
48mm x 50m	OZ12AFT48-R	24
72mm x 50m	OZ12AFT72-R	16
96mm x 50m	OZ12AFT96-R	12

Linerless Foam Tape
• Single Side Adhesive • Low VOC Green Star
• AS4254.2 Compliant



SIZE	CODE	Qty
5 × 18mm x 15m	OZ16PET518	20
5 × 35mm x 15m	OZ16PET535	10

Duct Strap + Saddle

Duct Strap
• For Hanging Flexible Ductwork • High Tensile • Low VOC Green Star
• Low Elongation • AS4254.2 2012 Compliant

SIZE	CODE	Qty
25mm x 100m	OZ12DS25100	48

Duct Saddle
• For Hanging Flexible Ductwork in Conjunction with Duct Strap • Fire Resistant
• Low VOC Green Star • AS4254.2 2012 Compliant

SIZE	CODE	Qty
75mm x 20m	OZ12DS2075	16

Cable Ties

• Multi-Purpose • UV Resistant Black Nylon • High Tensile Stainless Steel • Cable Tie Tensioner on Page 9:8

SIZE	CODE	Max Bundle Dia.	QTY
Nylon - Black			
200 × 4.8mm	OZ20TIE020048	49.5mm	100
300 × 4.8mm	OZ20TIE030048	81mm	100
300 × 7.6mm	OZ20TIE030076	81mm	100
370 × 7.6mm	OZ20TIE037076	103.5mm	100
550 × 7.6mm	OZ20TIE055076	162.5mm	100
810 × 9.0mm	OZ20TIE081090	245mm	100
920 × 9.0mm	OZ20TIE092090	280mm	100
1168 × 9.0mm	OZ20TIE116890	340mm	100
1220 × 9.0mm	OZ20TIE122090	375mm	100
Stainless Steel			
200 × 4.5mm	OZ20CTSS20045	49.5mm	50
300 × 8.0mm	OZ20CTSS30080	81mm	50
360 × 4.6mm	OZ20CTSS36046	100mm	50
521 × 12.0mm	OZ20CTSS52112	150mm	25
Tensioner Tool	OZ20TIE-TOOL	4.8 - 9mm	1
Wall Plug Mount	OZ20PM6	4.0 - 9.0mm	100

Duct Sealer

MR Duct Sealer - Standard
• 2.2m Coverage per 4L • Water Based Non Toxic
• Chemical + UV Resistant • Grey

SIZE	CODE	Qty
4L	OZ12DS4L	Each

MR Duct Sealer - Fire Rated
• Fire Rated • Complies to AS4254 • Water Based
• Grey

SIZE	CODE	Qty
4L	OZ12DS4L-FR	Each

Fosters Duct Sealer
• Fire Rated • Low VOC • Interior + Exterior Applications
• Water Based • Suitable for High Velocity Ductwork
• Grey

SIZE	CODE	Qty
4L	OZ12DS4LF	Each

HVAC Hardware

• Used to Hang Duct Work • To Be Used in Pairs

Z Bracket Hanger - Zinc Plated

PROFILE	CODE	Qty
25mm x 100m	OZ22DSZ	50

Duct Ear Hanger - Zinc Plated

CODE	Qty
OZ22DSE	50

Hex Duct Nut Hanger - Zinc Plated

SIZE	CODE	Qty
M10	OZ22DN10	100

HVAC Screw + Cuphead Bolt & Nut - Zinc Plated

ITEM	SIZE	CODE	Qty
HVAC Screw	M10 × 25mm	OZ18HHS10025	500
Cuphead	M10 × 30mm	OZ18CBNM10030	200

Register Spring
• Linear Spring for Securing Air Conditioner Vents + Grilles



SIZE	CODE	FINISH	Qty
10 × 75mm Body	OZ22SPR1075U	Unplated	100
10 × 75mm Body	OZ22SPR1075P	Plated	100

Hose Clamp - Worm Drive
• Smooth Band with Rolled Edges for Maximum Hose Protection • General purpose

SIZE	CODE	FINISH	Qty
16 - 27mm	OZ15HC1627W12	Zinc Plated	10
25 - 40mm	OZ15HC2540W12	Zinc Plated	10
30 - 45mm	OZ15HC3045W12	Zinc Plated	10
60 - 80mm	OZ15HC6080W12	Zinc Plated	10
140 - 160mm	OZ15HC140160W12	Zinc Plated	10
230 - 250mm	OZ12HC230250W12	Zinc Plated	10
Stainless Steel Also Available			

Paint Brush

CODE	SIZE
OZ34PB025	25mm

Anti Vibration

• Used in Conjunction with Threaded Components to Reduce Vibrations when Suspending Pipework, Duct work, Fans • Heavy Duty Steel Construction • Colour coded dots for easy identification

Hanger Box + Spring

Max Load	Colour	CODE	Qty
15kg	Brown	OZ22HBSP15	10
30kg	Blue	OZ22HBSP30	10
50kg	Black	OZ22HBSP50	10
75kg	Red	OZ22HBSP75	10
125kg	Green	OZ22HBSP125	10

Hanger Box + Rubber Mount

Max Load	Colour	CODE	Qty
17kg	Blue	OZ22HBR17	10
25kg	White	OZ22HBR25	10
40kg	Red	OZ22HBR40	10
55kg	Green	OZ22HBR55	10

Hanger Spring Mount

Max Load	Colour	CODE	Qty
15kg	Brown	OZ22SPM15	10
30kg	Blue	OZ22SPM30	10
50kg	Black	OZ22SPM50	10
75kg	Red	OZ22SPM75	10
125kg	Green	OZ22SPM125	10

Hanger Rubber Element

Max Load	Colour	CODE	Qty
17kg	Blue	OZ22HRE17	10
25kg	White	OZ22HRE25	10
40kg	Red	OZ22HRE40	10
55kg	Green	OZ22HRE55	10

Rubber Floor Mount

Max Load	Colour	CODE	Qty
17kg	Blue	OZ22RFM17	10
40kg	Red	OZ22RFM40	10
55kg	Green	OZ22RFM55	10
80kg	Yellow	OZ22RFM80	10

Mount Stud

SIZE	CODE	Qty
M6 × 19mm 25kg	OZ22RSM06	10
M8 × 19mm 25kg	OZ22RSM08	10
M10 × 23mm 110kg	OZ22RSM10	10

Mount Foot

SIZE	CODE	Qty
M8 × 20mm 80kg	OZ22RFM08	10
M12 × 50mm 100kg	OZ22RFM12	10

Rubber EPDM Washer

SIZE	CODE	Qty
M8 × 40mm	OZ22RWM084004	50
M10 × 40mm	OZ22RWM100404	50
M12 × 50mm	OZ22RWM125004	50

Waffle Pad

• Used as a Cushion Between Units and Surfaces to Dampen Vibrations

SIZE	CODE	Qty
450 × 450 × 8mm	OZ22WP08	10

Rooftop Support Bases

• Provides Excellent Load Distribution • UV Stabilised Thermoplastic • HDG Hardware • Low Abrasion Foam Base

Universal Support

SIZE: L x W	Static Load	CODE	Qty
203.0 × 152mm M10	1,334 N	OZ22US203	1
315.5 × 203mm M10	4,450 N	OZ22US315	1
483.0 × 203mm M10	6,670 N	OZ22US483	1

Fixed Strut Support

SIZE: Strut L x Base H	Static Load	CODE	Qty
152 × 122mm	1,334 N	OZ22FSS1512	1
254 × 122mm	4,450 N	OZ22FSS2512	1
254 × 163mm	4,450 N	OZ22FSS2516	1
406 × 122mm	4,470 N	OZ22FSS4012	1
406 × 163mm	6,670 N	OZ22FSS4016	1

H-Frame Post Base

SIZE	Static Load	CODE	Base Material	Qty
117 × 314mm^2	3,335 N	OZ22HFF117	Foam	1
118 × 314 mm^2	3,335 N	OZ22HFR118	Rubber	1

Structural Bracing Strap

• G300 Grade Steel • AS1684 Compliant

Metal Strapping Galvanised - Unpunched

SIZE	CODE	Qty
30mm x 0.8mm x 30m	OZ24MSU300830	1

Metal Strapping Galvanised - Punched

SIZE	CODE	Qty
30mm x 0.8mm x 20m	OZ24MS300820	1

INSULATION

Poly Lagging	5:1
Foam Sleeve Lagging	5:1
Acoustic Lagging	5:1
Fyre Wrap	5:1
Stainless Steel Cable Ties	5:1
Rockwool	5:2
Abel Flex	5:2
Tapes	5:2

Poly Lagging - Copper

CODE	SUITS	ID	OD	LENGTH
OZ88PL01325	15 CU	12.7mm	64mm	2m
OZ88PL01925	20 CU	19.1mm	70mm	2m
OZ88PL02525	25 CU	25.4mm	76mm	2m
OZ88PL03225	32 CU	31.8mm	83mm	2m
OZ88PL04025	40 CU	38.1mm	89mm	2m
OZ88PL05025	50 CU	51.2mm	102mm	2m
OZ88PL06525	65 CU	63.5mm	114mm	2m
OZ88PL08025	80 CU	76.2mm	127mm	2m
OZ88PL10225	100 CU	101.6mm	152mm	2m
OZ88PL15025	150 CU	152.4mm	203mm	2m
19, 38, 50mm Wall Also Available Upon Request				

- Closed Cell Physically Crosslinked Polyolefin foam.
- UV Resistant • Green Star VOC Compliant
- Conforms to ISO 5659-2 "Smoke Density & Toxicity"
- 4 Zero Fire Rating AS1530.3

Foam Sleeve Lagging

SIZE	CODE	SUITS	Qty
54mm x 10mm x 6m	OZ12AF54	50mm PVC	1 (6m Roll)
114mm x 10mm x 6m	OZ12AF114	100mm PVC	1 (6m Roll)
168mm x 10mm x 6m	OZ12AF160	150mm PVC	1 (6m Roll)

- Closed Cell, Physically crosslinked Polyolefin Foam with Outer skin
- Non-absorbent with a high level of chemical resistance
- Green Star VOC Compliant

Acoustic Lagging

SIZE	CODE	Qty
675mm x 5m	OZ88SL0675	1 (5m Roll)
1350mm x 5m	OZ88SL13505	1 (5m Roll)

- Green Star VOC Compliant • Convoluted Foam
- Class O Aluminium Foil Faced • Easy to Cut + Install

Fyre Wrap

SIZE	CODE	Qty
W 450mm x L 7.62m x T 38mm	OZ28FWR450	1 Roll (7.62m Roll)
W 610mm x L 7.62m x T 38mm	OZ28FWR610	1 Roll (7.62m Roll)
W 1220mm x L 7.62m x T 38mm	OZ28FWR1220	1 Roll (7.62m Roll)

- AS1530.4 & NCC Compliant • Can be Retrofit • Foil Faced Finish
- 1 Layer = 2hr Fire Resistance • 2 Layers = 3hr Fire Resistance

Stainless Steel Cable Ties			
SIZE	CODE	Max Bundle Dia.	QTY
200 × 4.5mm	OZ20CTSS20045	49.5mm	50
300 × 8.0mm	OZ20CTSS30080	81.0mm	50
360 × 4.6mm	OZ20CTSS36046	100.0mm	50
521 × 12.0mm	OZ20CTSS52112	150.0mm	25

Rockwool

- For Use in High temperature + passive fire protection applications up to 650°C
- Fibrous material with HD foil facing
- Non-combustible material

CODE	SUITS	ID	OD	LENGTH
OZ88PRW1525	15 CU	12.7mm	64mm	1m
OZ88PRW2025	20 CU	19.1mm	70mm	1m
OZ88PRW2525	25 CU	25.4mm	76mm	1m
OZ88PRW3225	32 CU	31.8mm	83mm	1m
OZ88PRW3825	40 CU	38.1mm	89mm	1m
OZ88PRW5025	50 CU	51.2mm	102mm	1m
OZ88PRW6525	65 CU	63.5mm	114mm	1m
OZ88PRW7625	80 CU	76.2mm	127mm	1m
OZ88PRW10225	100 CU	101.6mm	152mm	1m
OZ88PRW15025	150 CU	152.4mm	203mm	1m
19, 38, 50mm Wall + Blanket Also Available				

Abel Flex

Abel Flex

- For Use in Expansion Joints or Slots • 10mm Ziptop for Sealant
- Non-absorbent • Closed Cell • UV Resistant • No Laminations or Joints

SIZE	CODE	Qty
150mm x 25m	OZ12AF15025	1 (Roll)
200mm x 25m	OZ12AF20025	1 (Roll)
300mm x 25m	OZ12AF30025	1 (Roll)

Abel Flex - Sticky Back

- For Use in Expansion Joints or Slots • One-sided Acrylic Adhesive
- 10mm Ziptop for Sealant • Non-absorbent • Closed Cell • UV Resistant
- No Laminations or Joints

SIZE	CODE	Qty
75mm x 25m	OZ12AAF07525	1 (Roll)
100mm x 25m	OZ12AAF10025	1 (Roll)
150mm x 25m	OZ12AAF15025	1 (Roll)
200mm x 25m	OZ12AAF20025	1 (Roll)
300mm x 25m	OZ12AAF30025	1 (Roll)

Tapes

Duct Tape

- General purpose



COLOUR	CODE	SIZE	Qty
Grey	OZ16DTG	48mm x 30m	36
Black	OZ16DTB	48mm x 30m	60

Reinforced Foil Tape

- High Tensile • Low VOC Green Star
- CETEC Certified • AS4254.2 Compliant



SIZE	CODE	Qty
48mm x 50m	OZ12AFT48-R	24
72mm x 50m	OZ12AFT72-R	16
96mm x 50m	OZ12AFT96-R	12

Linerless Foam Tape

- Single Side Adhesive • Low VOC Green Star
- AS4254.2 Compliant



SIZE	CODE	Qty
5 × 18mm x 15m	OZ16PET518	20
5 × 35mm x 15m	OZ16PET535	10

FASTENERS

Set Screw	6:1-6:2
Hex Bolts + Nuts	6:3
Cuphead Bolts + Nuts	6:4
Hex Nuts	6:5-6:6
Hex Coupler	6:6
Flat Washers	6:7
Spring Washers	6:7
Mudguard Washers	6:8
Nylon Shoulder + Square Washers	6:8
ETA Approved Anchoring	6:9-6:12
Drop In Anchor	6:13
Banger Hangers	6:14
Vertigo Hanger	6:14
Sleeve Anchor	6:15
Through Bolt	6:16
Screw Bolt	6:17
Chemical Anchor	6:17
Rivet	6:18
Socket Screw + Headless Screw	6:18
Machine Screw	6:19
Self Tapping Screws	6:19
Coach Screw	6:20
Fasteners	6:20
Pin Anchors	6:21
MSL + MKD Anchor	6:21
Hollow Wall Anchor	6:21
Toggles	6:22
Wall Mates	6:22
Plastic Plugs	6:22
Screws	6:23-6:26

Set Screw

• Fully threaded bolt • 6-sided hex head

SIZE	Zinc Plated	Galvanised	Qty
M6			
M6×16mm	OZ18SM06016	-	200
M6×20mm	OZ18SM06020	OZ18SMG06020	200
M6×25mm	OZ18SM06025	OZ18SMG06025	200
M6×30mm	OZ18SM06030	OZ18SMG06030	200
M6×40mm	OZ18SM06040	OZ18SMG06040	200
M6×45mm	OZ18SM06045	OZ18SMG06045	200
M6×50mm	OZ18SM06050	OZ18SMG06050	200
M8			
M8×16mm	OZ18SM08016	OZ18SMG08016	200
M8×20mm	OZ18SM08020	OZ18SMG08020	200
M8×25mm	OZ18SM08025	OZ18SMG08025	200
M8×30mm	OZ18SM08030	OZ18SMG08030	200
M8×35mm	OZ18SM08035	OZ18SMG08035	200
M8×40mm	OZ18SM08040	OZ18SMG08040	200
M8×50mm	OZ18SM08050	OZ18SMG08050	200
M8×55mm	OZ18SM08055	OZ18SMG08055	200
M8×60mm	OZ18SM08060	OZ18SMG08060	150
M8×65mm	OZ18SM08065	OZ18SMG08065	150
M8×75mm	OZ18SM08075	OZ18SMG08075	150
M10			
M10×16mm	OZ18SM10016	OZ18SMG10016	150
M10×20mm	OZ18SM10020	OZ18SMG10020	150
M10×25mm	OZ18SM10025	OZ18SMG10025	150
M10×30mm	OZ18SM10030	OZ18SMG10030	150
M10×35mm	OZ18SM10035	OZ18SMG10035	150
M10×40mm	OZ18SM10040	OZ18SMG10040	150
M10×45mm	OZ18SM10045	OZ18SMG10045	75
M10×50mm	OZ18SM10050	OZ18SMG10050	75
M10×55mm	OZ18SM10055	OZ18SMG10055	75
M10×65mm	OZ18SM10065	OZ18SMG10065	75
M10×75mm	OZ18SM10075	OZ18SMG10075	75
M10×100mm	OZ18SM10100	OZ18SMG10100	50
M12			
M12×20mm	OZ18SM12020	OZ18SMG12020	100
M12×25mm	OZ18SM12025	OZ18SMG12025	100
M12×30mm	OZ18SM12030	OZ18SMG12030	100
M12×35mm	OZ18SM12035	OZ18SMG12035	100
M12×40mm	OZ18SM12040	OZ18SMG12040	100
M12×50mm	OZ18SM12050	OZ18SMG12050	75
M12×60mm	OZ18SM12060	OZ18SMG12060	75
M12×75mm	OZ18SM12075	OZ18SMG12075	75
M12×80mm	OZ18SM12080	OZ18SMG12080	25
M12×90mm	OZ18SM12090	OZ18SMG12090	25
M12×100mm	OZ18SM12100	OZ18SMG12100	25

SIZE	Zinc Plated	Galvanised	Qty
M16			
M16×25mm	OZ18SM16025	OZ18SMG16025	50
M16×30mm	OZ18SM16030	OZ18SMG16030	50
M16×35mm	OZ18SM16035	OZ18SMG16035	50
M16×40mm	OZ18SM16040	OZ18SMG16040	50
M16×45mm	OZ18SM16045	OZ18SMG16045	50
M16×50mm	OZ18SM16050	OZ18SMG16050	50
M16×60mm	OZ18SM16060	OZ18SMG16060	50
M16×65mm	OZ18SM16065	OZ18SMG16065	50
M16×70mm	OZ18SM16070	OZ18SMG16070	25
M16×75mm	OZ18SM16075	OZ18SMG16075	25
M16×80mm	OZ18SM16080	OZ18SMG16080	25
M16×90mm	OZ18SM16090	OZ18SMG16090	25
M16×100mm	OZ18SM16100	OZ18SMG16100	25
M16×110mm	OZ18SM16110	OZ18SMG16110	25
M16×130mm	OZ18SM16130	OZ18SMG16130	25
M16×150mm	OZ18SM16150	OZ18SMG16150	25
M20			
M20×30mm	-	OZ18SMG20030	25
M20×35mm	OZ18SM20035	OZ18SMG20035	25
M20×40mm	OZ18SM20040	OZ18SMG20040	25
M20×45mm	OZ18SM20045	OZ18SMG20045	25
M20×50mm	OZ18SM20050	OZ18SMG20050	25
M20×55mm	OZ18SM20055	OZ18SMG20055	20
M20×60mm	OZ18SM20060	OZ18SMG20060	20
M20×65mm	OZ18SM20065	OZ18SMG20065	20
M20×75mm	OZ18SM20075	OZ18SMG20075	20
M20×80mm	OZ18SM20080	OZ18SMG20080	20
M20×90mm	OZ18SM20090	OZ18SMG20090	20
M20×100mm	OZ18SM20100	OZ18SMG20100	20
M20×110mm	OZ18SM20110	OZ18SMG20110	10
M20×120mm	OZ18SM20120	OZ18SMG20120	10
M20×130mm	OZ18SM20130	OZ18SMG20130	10
M20×140mm	OZ18SM20140	OZ18SMG20140	10
M20×150mm	OZ18SM20150	OZ18SMG20150	10

Set Screw

• Fully threaded bolt • 6-sided hex head

SIZE	Stainless Steel 304	Qty
M6		
M6×16mm	OZ18SMSS06016	100
M6×20mm	OZ18SMSS06020	100
M6×25mm	OZ18SMSS06025	100
M6×30mm	OZ18SMSS06030	100
M6×40mm	OZ18SMSS06040	100
M6×45mm	OZ18SMSS06045	100
M6×50mm	OZ18SMSS06050	100
M8		
M8×16mm	OZ18SMSS08016	100
M8×20mm	OZ18SMSS08020	100
M8×25mm	OZ18SMSS08025	100
M8×30mm	OZ18SMSS08030	100
M8×35mm	OZ18SMSS08035	100
M8×40mm	OZ18SMSS08040	100
M8×50mm	OZ18SMSS08050	100
M8×55mm	OZ18SMSS08055	50
M8×60mm	OZ18SMSS08060	50
M8×65mm	OZ18SMSS08065	50
M8×75mm	OZ18SMSS08075	50
M10		
M10×16mm	OZ18SMSS10016	100
M10×20mm	OZ18SMSS10020	100
M10×25mm	OZ18SMSS10025	100
M10×30mm	OZ18SMSS10030	100
M10×35mm	OZ18SMSS10035	100
M10×40mm	OZ18SMSS10040	100
M10×45mm	OZ18SMSS10045	100
M10×50mm	OZ18SMSS10050	100
M10×55mm	OZ18SMSS10055	50
M10×65mm	OZ18SMSS10065	50
M10×75mm	OZ18SMSS10075	50
M10×100mm	OZ18SMSS10100	50
M12		
M12×20mm	OZ18SMSS12020	100
M12×25mm	OZ18SMSS12025	100
M12×30mm	OZ18SMSS12030	100
M12×35mm	OZ18SMSS12035	100
M12×40mm	OZ18SMSS12040	50
M12×50mm	OZ18SMSS12050	50
M12×60mm	OZ18SMSS12060	25
M12×75mm	OZ18SMSS12075	25
M12×80mm	OZ18SMSS12080	25
M12×90mm	OZ18SMSS12090	25
M12×100mm	OZ18SMSS12100	25

SIZE	Stainless Steel 304	Qty
M16		
M16×25mm	OZ18SMSS16025	25
M16×30mm	OZ18SMSS16030	25
M16×35mm	OZ18SMSS16035	25
M16×40mm	OZ18SMSS16040	25
M16×45mm	OZ18SMSS16045	25
M16×50mm	OZ18SMSS16050	25
M16×60mm	OZ18SMSS16060	25
M16×65mm	OZ18SMSS16065	25
M16×70mm	OZ18SMSS16070	25
M16×75mm	OZ18SMSS16075	25
M16×80mm	OZ18SMSS16080	25
M16×90mm	OZ18SMSS16090	25
M16×100mm	OZ18SMSS16100	25
M16×110mm	OZ18SMSS16110	25
M16×130mm	OZ18SMSS16130	20
M16×150mm	OZ18SMSS16150	20
M20		
M20×30mm	OZ18SMSS20030	25
M20×40mm	OZ18SMSS20040	25
M20×45mm	OZ18SMSS20045	25
M20×50mm	OZ18SMSS20050	25
M20×55mm	OZ18SMSS20055	25
M20×60mm	OZ18SMSS20060	25
M20×65mm	OZ18SMSS20065	25
M20×75mm	OZ18SMSS20075	20
M20×80mm	OZ18SMSS20080	20
M20×90mm	OZ18SMSS20090	10
M20×100mm	OZ18SMSS20100	10
M20×110mm	OZ18SMSS20110	10
M20×120mm	OZ18SMSS20120	10
M20×130mm	OZ18SMSS20130	10
M20×140mm	OZ18SMSS20140	10
M20×150mm	OZ18SMSS20150	10

NYLON					
SIZE	CODE	Qty	SIZE	CODE	Qty
M8×20mm	OZ18SM08020NY	50	M10×20mm	OZ18SM10020NY	25
M8×25mm	OZ18SM08025NY	50	M10×25mm	OZ18SM10025NY	25
M8×30mm	OZ18SM08030NY	50	M10×30mm	OZ18SM10030NY	25
M8×35mm	OZ18SM08035NY	50	M10×35mm	OZ18SM10035NY	25
M8×40mm	OZ18SM08040NY	50	M10×40mm	OZ18SM10040NY	25
M8×45mm	OZ18SM08045NY	50	M10×45mm	OZ18SM10045NY	25
M8×50mm	OZ18SM08050NY	50	M10×50mm	OZ18SM10050NY	25

OZSTRUT OZSTRUT

Hex Bolts + Nuts

- Partially threaded bolt • 6-sided hex head
- Comes with hex nut • Structural bolt, nut + washer assemblies also available

SIZE	Zinc Plated	Galvanised	Qty
M6			
M6×20mm	OZ18BNM06020	OZ18BNMG06020	200
M6×25mm	OZ18BNM06025	OZ18BNMG06025	200
M6×30mm	OZ18BNM06030	OZ18BNMG06030	200
M6×40mm	OZ18BNM06040	OZ18BNMG06040	200
M6×50mm	OZ18BNM06050	OZ18BNMG06050	200
M8			
M8×20mm	OZ18BNM08020	OZ18BNMG08020	200
M8×25mm	OZ18BNM08025	OZ18BNMG08025	200
M8×30mm	OZ18BNM08030	OZ18BNMG08030	200
M8×40mm	OZ18BNM08040	OZ18BNMG08040	200
M8×50mm	OZ18BNM08050	OZ18BNMG08050	150
M8×60mm	OZ18BNM08060	OZ18BNMG08060	150
M8×65mm	OZ18BNM08065	OZ18BNMG08065	150
M8×75mm	OZ18BNM08075	OZ18BNMG08075	100
M8×100mm	OZ18BNM08100	OZ18BNMG08100	100
M10			
M10×20mm	OZ18BNM10020	OZ18BNMG10020	200
M10×25mm	OZ18BNM10025	OZ18BNMG10025	200
M10×30mm	OZ18BNM10030	OZ18BNMG10030	200
M10×35mm	OZ18BNM10035	OZ18BNMG10035	200
M10×40mm	OZ18BNM10040	OZ18BNMG10040	150
M10×45mm	OZ18BNM10045	OZ18BNMG10045	150
M10×50mm	OZ18BNM10050	OZ18BNMG10050	100
M10×55mm	OZ18BNM10055	OZ18BNMG10055	100
M10×60mm	OZ18BNM10060	OZ18BNMG10060	100
M10×65mm	OZ18BNM10065	OZ18BNMG10065	100
M10×70mm	OZ18BNM10070	OZ18BNMG10070	100
M10×75mm	OZ18BNM10075	OZ18BNMG10075	100
M10×80mm	OZ18BNM10080	OZ18BNMG10080	100
M10×100mm	OZ18BNM10100	OZ18BNMG10100	50
M12			
M12×25mm	OZ18BNM12025	OZ18BNMG1225	250
M12×30mm	OZ18BNM12030	OZ18BNMG12030	250
M12×35mm	OZ18BNM12035	OZ18BNMG12035	200
M12×40mm	OZ18BNM12040	OZ18BNMG12040	200
M12×45mm	OZ18BNM12045	OZ18BNMG12045	200
M12×50mm	OZ18BNM12050	OZ18BNMG12050	150
M12×55mm	OZ18BNM12055	OZ18BNMG12055	150
M12×60mm	OZ18BNM12060	OZ18BNMG12060	150
M12×65mm	OZ18BNM12065	OZ18BNMG12065	150
M12×75mm	OZ18BNM12075	OZ18BNMG12075	150
M12×80mm	OZ18BNM12080	OZ18BNMG12080	100
M12×100mm	OZ18BNM12100	OZ18BNMG12100	100

SIZE	Zinc Plated	Galvanised	Qty
M16			
M16×40mm	OZ18BNM16040	OZ18BNMG16040	100
M16×45mm	OZ18BNM16045	OZ18BNMG16045	100
M16×50mm	OZ18BNM16050	OZ18BNMG16050	100
M16×55mm	OZ18BNM16055	OZ18BNMG16055	75
M16×60mm	OZ18BNM160060	OZ18BNMG16060	75
M16×65mm	OZ18BNM16065	OZ18BNMG16065	75
M16×70mm	OZ18BNM16070	OZ18BNMG16070	75
M16×75mm	OZ18BNM16075	OZ18BNMG16075	75
M16×80mm	OZ18BNM16080	OZ18BNMG16080	75
M16×90mm	OZ18BNM16090	OZ18BNMG16090	75
M16×100mm	OZ18BNM16100	OZ18BNMG16100	50
M16×110mm	OZ18BNM16110	OZ18BNMG16110	50
M16×120mm	OZ18BNM16120	OZ18BNMG16120	50
M16×130mm	OZ18BNM16130	OZ18BNMG16130	50
M16×140mm	OZ18BNM16140	OZ18BNMG16140	40
M16×150mm	OZ18BNM16150	OZ18BNMG16150	40
M20			
M20×40mm	OZ18BNM20040	OZ18BNMG20040	50
M20×45mm	OZ18BNM20045	OZ18BNMG20045	50
M20×50mm	OZ18BNM20050	OZ18BNMG20050	50
M20×55mm	OZ18BNM20055	OZ18BNMG20055	50
M20×60mm	OZ18BNM20060	OZ18BNMG20060	50
M20×65mm	OZ18BNM20065	OZ18BNMG20065	50
M20×70mm	OZ18BNM20070	OZ18BNMG20070	50
M20×75mm	OZ18BNM20075	OZ18BNMG20075	50
M20×80mm	OZ18BNM20080	OZ18BNMG20080	50
M20×85mm	OZ18BNM20085	OZ18BNMG20085	30
M20×90mm	OZ18BNM20090	OZ18BNMG20090	30
M20×100mm	OZ18BNM20100	OZ18BNMG20100	30
M20×110mm	OZ18BNM20110	OZ18BNMG20110	30
M20×120mm	OZ18BNM20120	OZ18BNMG20120	30
M20×130mm	OZ18BNM20130	OZ18BNMG20130	30
M20×140mm	OZ18BNM20140	OZ18BNMG20140	25
M20×150mm	OZ18BNM20150	OZ18BNMG20150	25

Cuphead Bolt + Nut

- Fully threaded bolt
- Domed head with squared underside • Comes with hex nut

SIZE	Zinc Plated	Galvanised	Qty
M6			
M6×20mm	OZ18CBNM06020	OZ18CBNMG06020	200
M6×25mm	OZ18CBNM06025	OZ18CBNMG06025	200
M6×30mm	OZ18CBNM06030	OZ18CBNMG06030	200
M6×40mm	OZ18CBNM06040	OZ18CBNMG06040	200
M6×50mm	OZ18CBNM06050	OZ18CBNMG06050	200
M6×65mm	OZ18CBNM06065	OZ18CBNMG06065	150
M6×75mm	OZ18CBNM06075	OZ18CBNMG06075	150
M6×90mm	OZ18CBNM06090	OZ18CBNMG06090	150
M6×100mm	OZ18CBNM06100	OZ18CBNMG06100	150
M8			
M8×20mm	OZ18CBNM08020	OZ18CBNMG08020	200
M8×25mm	OZ18CBNM08025	OZ18CBNMG08025	200
M8×30mm	OZ18CBNM08030	OZ18CBNMG08030	200
M8×40mm	OZ18CBNM08040	OZ18CBNMG08040	200
M8×50mm	OZ18CBNM08050	OZ18CBNMG08050	150
M8×60mm	OZ18CBNM08060	OZ18CBNMG08060	150
M8×65mm	OZ18CBNM08065	OZ18CBNMG08065	150
M8×75mm	OZ18CBNM08075	OZ18CBNMG08075	100
M8×90mm	OZ18CBNM08090	OZ18CBNMG08090	100
M8×100mm	OZ18CBNM08100	OZ18CBNMG08100	100

SIZE	Zinc Plated	Galvanised	Qty
M10			
M10×20mm	OZ18CBNM10020	OZ18CBNMG10020	200
M10×25mm	OZ18CBNM10025	OZ18CBNMG10025	200
M10×30mm	OZ18CBNM10030	OZ18CBNMG10030	200
M10×40mm	OZ18CBNM10040	OZ18CBNMG10040	150
M10×50mm	OZ18CBNM10050	OZ18CBNMG10050	100
M10×65mm	OZ18CBNM10065	OZ18CBNMG10065	100
M10×75mm	OZ18CBNM10075	OZ18CBNMG10075	100
M10×90mm	OZ18CBNM10090	OZ18CBNMG10090	50
M10×100mm	OZ18CBNM10100	OZ18CBNMG10100	50
M10×110mm	OZ18CBNM10110	OZ18CBNMG10110	50
M10×120mm	OZ18CBNM10120	OZ18CBNMG10120	50
M10×130mm	OZ18CBNM10130	OZ18CBNMG10130	50
M10×140mm	OZ18CBNM10140	OZ18CBNMG10140	50
M10×150mm	OZ18CBNM10150	OZ18CBNMG10150	50
M12			
M12×30mm	OZ18CBNM12030	OZ18CBNMG12030	200
M12×40mm	OZ18CBNM12040	OZ18CBNMG12040	200
M12×50mm	OZ18CBNM12050	OZ18CBNMG12050	150
M12×65mm	OZ18CBNM12065	OZ18CBNMG12065	150
M12×75mm	OZ18CBNM12075	OZ18CBNMG12075	150
M12×90mm	OZ18CBNM12090	OZ18CBNMG12090	100
M12×100mm	OZ18CBNM12100	OZ18CBNMG12100	100
M12×110mm	OZ18CBNM12110	OZ18CBNMG12110	100
M12×120mm	OZ18CBNM12120	OZ18CBNMG12120	100
M12×130mm	OZ18CBNM12130	OZ18CBNMG12130	75
M12×140mm	OZ18CBNM12140	OZ18CBNMG12140	75
M12×150mm	OZ18CBNM12150	OZ18CBNMG12150	75

SIZE	Bolt Only - Stainless Steel 316	Qty
M6×20mm	OZ18CBMS06020	100
M6×25mm	OZ18CBMS06025	100
M6×30mm	OZ18CBMS06030	100
M6×40mm	OZ18CBMS06040	100
M8×20mm	OZ18CBMS08020	100
M8×25mm	OZ18CBMS08025	50
M8×30mm	OZ18CBMS08030	50
M8×40mm	OZ18CBMS08040	50
M10×25mm	OZ18CBMS10025	50
M10×30mm	OZ18CBMS10030	50
M10×40mm	OZ18CBMS10040	50
M10×50mm	OZ18CBMS10050	50

- Stainless Steel Cuphead Bolt and Nut sold separately

SIZE	Hex Nut - Stainless Steel 304	Qty
M6	OZ18NM06SS304	100
M8	OZ18NM08SS304	100
M10	OZ18NM10SS304	100
M12	OZ18NM12SS304	100
M16	OZ18NM16SS304	100
M20	OZ18NM20SS304	50
Hex Nut - Stainless Steel 316		
M6	OZ18NM06SS316	100
M8	OZ18NM08SS316	100
M10	OZ18NM10SS316	100
M12	OZ18NM12SS316	100
M16	OZ18NM16SS316	100
M20	OZ18NM20SS316	50

Hex Nuts

• Six sided • Internally threaded

Zinc Plated



SIZE	CODE	Qty
M6	OZ18NM06	1000
M8	OZ18NM08	500
M10	OZ18NM10	500
M12	OZ18NM12	200
M16	OZ18NM16	200
M20	OZ18NM20	100

Galvanised

SIZE	CODE	Qty
M6	OZ18NGM06	1000
M8	OZ18NGM08	500
M10	OZ18NGM10	200
M12	OZ18NGM12	200
M16	OZ18NGM16	200
M20	OZ18NGM20	100

Stainless Steel 304

SIZE	CODE	Qty
M6	OZ18N304M06	100
M8	OZ18N304M08	100
M10	OZ18N304M10	100
M12	OZ18N304M12	100
M16	OZ18N304M16	50
M20	OZ18N304M20	50

Stainless Steel 316

SIZE	CODE	Qty
M6	OZ18N316M06	100
M8	OZ18N316M08	100
M10	OZ18N316M10	100
M12	OZ18N316M12	100
M16	OZ18N316M16	50
M20	OZ18N316M20	50

Nyloc

• Internal 'Nyloc' washer to prevent loosening

SIZE	Zinc Plated	Stainless Steel 304	Qty
M6	OZ18NNC06	OZ18NNCS06	200
M8	OZ18NNC08	OZ18NNCS08	200
M10	OZ18NNC10	OZ18NNCS10	200
M12	OZ18NNC12	OZ18NNCS12	100
M16	OZ18NNC16	OZ18NNCS16	100
M20	OZ18NNC20	OZ18NNCS20	50

Nylon

SIZE	CODE	Qty
M6	OZ18NNM06	100
M8	OZ18NNM08	100
M10	OZ18NNM10	50
M12	OZ18NNM12	50
M16	OZ18NNM16	25

Speciality Nuts

• Internally threaded

Serrated Flange Nut - Zinc Plated

• Serrated washer with locking underside

SIZE	CODE	Qty
M6	OZ18FNM06	500
M8	OZ18FNM08	500
M10	OZ18FNM10	200
M12	OZ18FNM12	100
M16	OZ18FNM16	100

Dome

• Domed head, used as a finishing cap over exposed threaded components

SIZE	Zinc Plated	Stainless Steel 304	Qty
M6	OZ18DNM06	OZ18DN04M06	200
M8	OZ18DNM08	OZ18DN04M08	200
M10	OZ18DNM10	OZ18DN04M10	100
M12	OZ18DNM12	OZ18DN04M12	100
M16	OZ18DNM16	OZ18DN04M16	25

Wedge Nut - Zinc Plated

• For use with Bondek decking and ceiling systems

SIZE	CODE	Qty
M6	OZ18WNM06	100
M8	OZ18WNM08	100
M10	OZ18WNM10	100

SN Series Nut - Zinc Plated

• Side mount retrofit onto pre-installed threaded components

SIZE	CODE	Qty
M10	OZ18SNM10	100
M12	OZ18SNM12	100

Hex Coupler

Hex Coupler

• Used to connect and extended threaded components • Internal female thread • External six sided hex

SIZE	Zinc Plated	Galvanised	Stainless Steel 316	Qty
M6 × 18mm	OZ18RCM06	-	OZ18RCM06SS	100
M8 × 24mm	OZ18RCM08	-	OZ18RCM08SS	100
M10 × 30mm	OZ18RCM10	OZ18RCM10H	OZ18RCM10SS	100
M12 × 36mm	OZ18RCM12	OZ18RCM12H	OZ18RCM12SS	100
M16 × 50mm	OZ18RCM16	OZ18RCM16H	OZ18RCM16SS	50
M20 × 60mm	OZ18RCM20	OZ18RCM20H	OZ18RCM20SS	25
M24 × 72mm	OZ18RCM24	OZ18RCM24H	OZ18RCM24SS	20

Flat Washers

• Increases bearing surface with even load distribution • Reduces scratching

Zinc Plated

SIZE	CODE	Qty
M6	OZ18WF-M06	1000
M8	OZ18WF-M08	500
M10	OZ18WF-M10	500
M12	OZ18WF-M12	200
M16	OZ18WF-M16	200
M20	OZ18WF-M20	100
M24	OZ18WF-M24	100

Galvanised

SIZE	CODE	Qty
M6	OZ18WFG-M06	1000
M8	OZ18WFG-M08	500
M10	OZ18WFG-M10	200
M12	OZ18WFG-M12	200
M16	OZ18WFG-M16	200
M20	OZ18WFG-M20	100
M24	OZ18WFG-M24	100

Stainless Steel 304

SIZE	CODE	Qty
M6	OZ18WFSS304-M06	100
M8	OZ18WFSS304-M08	100
M10	OZ18WFSS304-M10	100
M12	OZ18WFSS304-M12	100
M16	OZ18WFSS304-M16	100
M20	OZ18WFSS304-M20	50
M24	OZ18WFSS304-M24	25

Stainless Steel 316

SIZE	CODE	Qty
M6	OZ18WFSS316-M06	100
M8	OZ18WFSS316-M08	100
M10	OZ18WFSS316-M10	100
M12	OZ18WFSS316-M12	100
M16	OZ18WFSS316-M16	100
M20	OZ18WFSS316-M20	50
M24	OZ18WFSS316-M24	25

Spring Washers

• Added tension prevents loosening of assemblies

Zinc Plated

SIZE	CODE	Qty
M6	OZ18WSPR-M06	200
M8	OZ18WSPR-M08	200
M10	OZ18WSPR-M10	200
M12	OZ18WSPR-M12	200
M16	OZ18WSPR-M16	200
M20	OZ18WSPR-M20	200

Galvanised

SIZE	CODE	Qty
M6	OZ18WSPRG-M06	200
M8	OZ18WSPRG-M08	200
M10	OZ18WSPRG-M10	200
M12	OZ18WSPRG-M12	200
M16	OZ18WSPRG-M16	200
M20	OZ18WSPRG-M20	100

Stainless Steel 304

SIZE	CODE	Qty
M6	OZ18WSPRSS-M06	100
M8	OZ18WSPRSS-M08	100
M10	OZ18WSPRSS-M10	100
M12	OZ18WSPRSS-M12	100
M16	OZ18WSPRSS-M16	100
M20	OZ18WSPRSS-M20	100

Mudguard Washers

• When a greater bearing surface is required

Mudguard

SIZE	Zinc Plated	Qty	Stainless Steel 304	Qty
5 × 25mm	OZ18WG-0525	200	OZ18WG-0525SS	100
6 × 25mm	OZ18WG-0625	200	OZ18WG-0625SS	100
6 × 30mm	OZ18WG-0630	200	OZ18WG-0630SS	100
8 × 25mm	OZ18WG-0825	200	OZ18WG-0825SS	100
8 × 30mm	OZ18WG-0830	200	OZ18WG-0830SS	100
8 × 40mm	OZ18WG-0840	200	-	-
10 × 25mm	OZ18WG-1025	200	OZ18WG-1025SS	100
10 × 30mm	OZ18WG-1030	200	OZ18WG-1030SS	100
10 × 40mm	OZ18WG-1040	200	OZ18WG-1040SS	100
10 × 50mm	OZ18WG-1050	200	-	-
12 × 30mm	OZ18WG-1230	100	OZ18WG-1230SS	100
12 × 40mm	OZ18WG-1240	100	-	-
12 × 50mm	OZ18WG-1250	100	OZ18WG-1250SS	50

Nylon Shoulder + Square Washer

Nylon Shoulder Washer

• Used as a spacer to prevent conduction and electrolysis

SIZE	Nylon	Qty
M6 × 8mm	OZ18WNSM0608	50
M6 × 10mm	OZ18WNSM0610	50
M6 × 13mm	OZ18WNSM0613	50
M6 × 18mm	OZ18WNSM0618	50
M8 × 8mm	OZ18WNSM0808	50
M8 × 13mm	OZ18WNSM0813	50
M8 × 18mm	OZ18WNSM0818	50
M10 × 8mm	OZ18WNSM1008	50
M10 × 13mm	OZ18WNSM1013	50
M10 × 18mm	OZ18WNSM1018	50
M12 × 8mm	OZ18WNSM1208	50
M12 × 13mm	OZ18WNSM1213	50
M12 × 18mm	OZ18WNSM1218	50

Square Washer

• When a stronger and greater bearing surface is required

SIZE	Galvanised	Qty
M10 - 38 × 38 × 3mm	OZ18WSQG-M10	200
M12 - 50 × 50 × 3mm	OZ18WSQG-M12	200
M16 - 50 × 50 × 3mm	OZ18WSQG-M16	100
M20 - 50 × 50 × 5mm	OZ18WSQG-M20	100
M24 - 75 × 75 × 6mm	OZ18WSQG-M24	50
SIZE	**Stainless Steel 316**	**Qty**
M10 - 50 × 50 × 3mm	OZ18WSQSS-M10	200
M12 - 50 × 50 × 3mm	OZ18WSQSS-M12	200
M16 - 50 × 50 × 3mm	OZ18WSQSS-M16	100
M20 - 50 × 50 × 5mm	OZ18WSQGSS-M20	100
M24 - 75 × 75 × 6mm	OZ18WSQGSS-M24	50

ETA Approved Anchoring

OZSTRUT have partnered with leading brands and global manufacturers to offer a range of ETA code compliant anchors and fasteners for all critical applications. European Technical Approvals/Assessments (ETA'S) are the benchmark for Fasteners and Anchors in Australia.

Logos Explained

ETA Approved: An independent document providing technical information about the performance of a fastening product.
An ETA is a mark of assurance confirming that a product will perform to specific performance characteristics in relation to stated parameters, taking into account its intended use. An ETA is awarded on the basis of a product being favourably assessed for a given Option number which outlines the scope of product's intended use. Options 1 – 6 are valid for cracked and non-cracked concrete, whereas Options 7 – 12 are valid for non-cracked concrete only

Cracked Concrete: cracked concrete is any concrete whose tensile strength may be exceeded at any time after the fastener has been installed, resulting in a crack that may pass through the plane of the fastener. Cracked concrete does not refer to the state of the concrete at the time of installation and post-installed anchors are not currently designed for installation in existing cracks

Fire Rated: The fastener has been tested in accordance with specific guidelines and has been awarded a fire rating

C1 Seismic: Used for attachment of non-structural elements
Tests fasteners under pulsating tension load and alternating shear load while taking into account the effect of concrete cracking, for C1 a maximum crack width of 0.5mm is considered in the test program

C2 Seismic: Used for connection between structural elements of primary and / or secondary seismic members
considers fastener reference tests to failure as well as tests under pulsating tension load and alternating shear load while taking into account the effect of concrete cracking, for C2 a maximum crack width of 0.8mm is considered and cycled from 0.1 to 0.8mm width of 0.5mm is considered in the test program

ETA Approved Concrete Screw Hanger + Coupler

ETA Approved Concrete Screw Hangers are used to hang and suspend threaded components vertically from overhead concrete and solid brick base materials. Typically used to suspend pipework, cable trays, ducting, fire protection systems, mechanical equipment and conduit. Two piece design is immediately load bearing upon installation.

SIZE	CODE	RATING	FINISH	Qty
Screw Hanger 6×55mm (M8 External Thread)	OZ99TSMB06055Z	C1 | F120 | Opt 1	Zinc Plated	100
Hex Coupler M8 to M12 Stepped	OZ99TSMCPLRM8-12Z	C1 | F120 | Opt 1	Zinc Plated	100
Screw Hanger 6×55mm M8 to M10 Internal Thread	OZ99TSMIM06055Z	C1 | F120 | Opt 1	Zinc Plated	100

ETA Approved Lipped Drop In Anchor

ETA Approved Drop In Anchors are used to hang and suspend threaded components vertically from overhead concrete and solid brick base materials. Internally threaded, all metal construction, two piece, expansion anchor with lip for flush surface setting. For use with OZ09AB Drop In Anchor – SDS Plus Accu Bit for correct drilling depth and diametre. OZ58ST Drop In Anchor Setting Tool or OZ58STA1030 Drop In Anchor Attachment Tool for correct anchor setting.

SIZE	CODE	RATING	FINISH	Qty
M6 × 25mm	OZ99LDM0625	Opt 7 | Part 6	Zinc Plated	100
M8 × 30mm	OZ99LDM0830	Opt 7 | Part 6 | F120	Zinc Plated	100
M10 × 30mm	OZ99LDM1030	Opt 7 | Part 6 | F120	Zinc Plated	50
M10 × 40mm	OZ99LDM1040	Opt 7 | Part 6 | F120	Zinc Plated	50
M12 × 50mm	OZ99LDM1250	Opt 7 | Part 6 | F120	Zinc Plated	50
M16 × 65mm	OZ99LDM1665	Opt 7 | Part 6 | F120	Zinc Plated	25
Bucket - Includes x2 SDS Drill bits and x1 hand setting tool				
M10 × 30mm - 500pce	OZ99LDM1030	Opt 7 | Part 6 | F120	Zinc Plated	1
M12 × 50mm - 200pce	OZ99LDM1250	Opt 7 | Part 6 | F120	Zinc Plated	1

ETA Approved Splice Anchor

ETA Approved Splice Anchors or otherwise known as PBZ or DBZ wedge anchors are used fast and easy anchoring in concrete, brick and masonry. Commonly used with metal strapping, through fixings and fire collars.

SIZE	CODE	RATING	FINISH	Qty
6 × 35mm	OZ99PBZ0635	Opt 1 | Part 6 | F120	Zinc	100
6 × 65mm	OZ99PBZ0665	Opt 1 | Part 6 | F120	Zinc	100

ETA Approved Through Bolt

ETA Approved Through Bolts are a heavy duty pre-assembled, torque-controlled, expansion through anchor. Suitable for concrete, concrete block, solid brick, rock, and stone base materials. Designed to expand when the cone is tightened, locking the sleeve against the wall of the predrilled hole. Fully threaded Bolt diametre equals drill size allowing for quick installation.

SIZE	CODE	RATING	FINISH	Qty
M8 × 80mm	OZ99TB08080	Opt 1 | F120	Zinc	100
M8 × 95mm	OZ99TB08095	Opt 1 | F120	Zinc	100
M8 × 115mm	OZ99TB08115	Opt 1 | F120	Zinc	50
M8 × 130mm	OZ99TB08130	Opt 1 | F120	Zinc	50
M10 × 90mm	OZ99TB10090	C1 | Opt 1 | F120	Zinc	50
M10 × 105mm	OZ99TB10105	C1 | Opt 1 | F120	Zinc	50
M10 × 120mm	OZ99TB10120	C1 | Opt 1 | F120	Zinc	50
M10 × 140mm	OZ99TB10140	C1 | Opt 1 | F120	Zinc	50
M10 × 185mm	OZ99TB10185	C1 | Opt 1 | F120	Zinc	50
M12 × 110mm	OZ99TB12110	C1 | C2 | Opt 1 | F120	Zinc	25
M12 × 120mm	OZ99TB12120	C1 | C2 | Opt 1 | F120	Zinc	25
M12 × 150mm	OZ99TB12150	C1 | C2 | Opt 1 | F120	Zinc	25
M12 × 180mm	OZ99TB12180	C1 | C2 | Opt 1 | F120	Zinc	25
M12 × 200mm	OZ99TB12200	C1 | C2 | Opt 1 | F120	Zinc	25
M16 × 125mm	OZ99TB16125	C1 | Opt 1 | F120	Zinc	25
M16 × 145mm	OZ99TB16145	C1 | Opt 1 | F120	Zinc	20
M 16 × 175mm	OZ99TB16175	C1 | Opt 1 | F120	Zinc	20
M16 × 220mm	OZ99TB16220	C1 | Opt 1 | F120	Zinc	10
M20 × 170mm	OZ99TB20170	C1 | C2 | Opt 1 | F120	Zinc	10

SIZE	CODE	RATING	FINISH	Qty
8 × 68mm	OZ99TB08068SS	C1 | C2 | Opt 1 | F120	SS 316	100
8 × 75mm	OZ99TB08075SS	C1 | C2 | Opt 1 | F120	SS 316	100
8 × 90mm	OZ99TB08090SS	C1 | C2 | Opt 1 | F120	SS 316	100
8 × 115mm	OZ99TB08115SS	C1 | C2 | Opt 1 | F120	SS 316	50
8 × 135mm	OZ99TB08135SS	C1 | C2 | Opt 1 | F120	SS 316	50
8 × 165mm	OZ99TB08165SS	C1 | C2 | Opt 1 | F120	SS 316	50
10 × 90mm	OZ99TB10090SS	C1 | C2 | Opt 1 | F120	SS 316	50
10 × 105mm	OZ99TB10105SS	C1 | C2 | Opt 1 | F120	SS 316	50
10 × 115mm	OZ99TB10115SS	C1 | C2 | Opt 1 | F120	SS 316	50
10 × 135mm	OZ99TB10135SS	C1 | C2 | Opt 1 | F120	SS 316	50
10 × 155mm	OZ99TB10155SS	C1 | C2 | Opt 1 | F120	SS 316	50
10 × 185mm	OZ99TB10185SS	C1 | C2 | Opt 1 | F120	SS 316	50
12 × 110mm	OZ99TB12110SS	C1 | C2 | Opt 1 | F120	SS 316	25
12 × 120mm	OZ99TB12120SS	C1 | C2 | Opt 1 | F120	SS 316	25
12 × 145mm	OZ99TB12145SS	C1 | C2 | Opt 1 | F120	SS 316	25
12 × 170mm	OZ99TB12170SS	C1 | C2 | Opt 1 | F120	SS 316	25
12 × 200mm	OZ99TB12200SS	C1 | C2 | Opt 1 | F120	SS 316	25
16 × 130mm	OZ99TB16130SS	C1 | C2 | Opt 1 | F120	SS 316	25
16 × 150mm	OZ99TB16150SS	C1 | C2 | Opt 1 | F120	SS 316	20
16 × 185mm	OZ99TB16185SS	C1 | C2 | Opt 1 | F120	SS 316	20
16 × 220mm	OZ99TB16220SS	C1 | C2 | Opt 1 | F120	SS 316	20

ETA Approved Screw Bolt

ETA Approved Hex Head Screw Bolts are used to anchor timber or steel fixtures to solid brick, concrete and masonry. Suitable for heavy applications. The unique design is thread forming for quick and easy installation. Countersunk, Pan head and SS variants also available.

SIZE	CODE	RATING	FINISH	Qty
6 × 40mm	OZ99TSM06040Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	100
6 × 50mm	OZ99TSM06050Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	100
6 × 80mm	OZ99TSM06080Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	100
6 × 100mm	OZ99TSM06100Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	100
8 × 50mm	OZ99TSM08050Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
8 × 60mm	OZ99TSM08060Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
8 × 80mm	OZ99TSM08080Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
8 × 100mm	OZ99TSM08100Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
8 × 120mm	OZ99TSM08120Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
10 × 60mm	OZ99TSM10060Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
10 × 80mm	OZ99TSM10080Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
10 × 100mm	OZ99TSM10100Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
10 × 120mm	OZ99TSM10120Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
10 × 150mm	OZ99TSM10150Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	50
12 × 80mm	OZ99TSM12080Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	25
12 × 110mm	OZ99TSM12110Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	25
12 × 130mm	OZ99TSM12130Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	25
12 × 150mm	OZ99TSM12150Z	C1 | Opt 1 | Part 6 | F120	Zinc Flake	25



Countersunk Internal Drive					
SIZE	CODE	RATING	DRIVER	FINISH	Qty
6 × 50mm	OZ99TSCSM06050SS	C1 | Opt 1 | Part 6 | F120	TX30	SS 316	100
6 × 65mm	OZ99TSCSM06065SS	C1 | Opt 1 | Part 6 | F120	TX30	SS 316	100
6 × 85mm	OZ99TSCSM06085SS	C1 | Opt 1 | Part 6 | F120	TX30	SS 316	100
6 × 105mm	OZ99TSCSM06105SS	C1 | Opt 1 | Part 6 | F120	TX30	SS 316	100
8 × 80mm	OZ99TSCSM08080SS	C1 | C2 | Opt 1 | Part 6 | F120	TX40	SS 316	50
10 × 90mm	OZ99TSCSM10090SS	C1 | C2 | Opt 1 | Part 6 | F120	TX50	SS 316	50
Pan Head Internal Drive					
6 × 50mm	OZ99TSPHM06050SS	C1 | Opt 1 | Part 6 | F120	TX30	SS 316	100
6 × 60mm	OZ99TSPHM06060SS	C1 | Opt 1 | Part 6 | F120	TX30	SS 316	100
6 × 80mm	OZ99TSPHM06080SS	C1 | Opt 1 | Part 6 | F120	TX30	SS 316	100
6 × 100mm	OZ99TSPHM06100SS	C1 | Opt 1 | Part 6 | F120	TX30	SS 316	100

Drop In Anchor

- Internally threaded, all metal construction, two piece, expansion anchor with lip for flush surface setting
- Used to hang threaded components from overhead masonry base materials

SIZE	Zinc Plated	Stainless 316	Hole Size	Qty
M6×25mm	OZ58LDM0625 - Lip	OZ58DM0625SS - Plain	8mm	100
M8×30mm	OZ58LDM0830 - Lip	OZ58DM0830SS - Plain	10mm	100
M10×30mm	OZ58LDM1030 - Lip	-	12mm	50
M10×40mm	OZ58LDM1040 - Lip	OZ58DM1040 - Plain	12mm	50
M12×25mm	OZ58LDM1225 - Lip	-	15mm	50
M12×50mm	OZ58LDM1250 - Lip	OZ58DM1250 - Plain	15mm	50
M16×65mm	OZ58DM1665 - Plain	OZ58DM1665 - Plain	20mm	25
M20×80mm	OZ58DM2080 - Plain	-	25mm	25

Drop In Anchor Kit Zinc Plated - Bucket		
SIZE	Code	Includes
M10×30mm (Lip)	OZ58DM1030BT	x500 M10×30mm Drop In Anchors, x2 12×35mm SDS Plus Drill Bits, x1 Soft Grip Setting Tool
M12×50mm (Plain)	OZ68DM1250BT	x300 M12×50mm Drop In Anchors, x2 16×60mm SDS Plus Drill Bits, x1 Soft Grip Setting Tool

SDS Plus Accu Drill Bit			
CODE	SIZE	SUITS	Qty
OZ09AB1235	12×35mm	M10×30mm	1
OZ09AB1245	12×45mm	M10×40mm	1
OZ09AB1560	15×60mm	M12×50mm	1
OZ09AB1660	16×60mm	M12×50 (Powers)	1

- For use with Drop In Anchors
- Specifically designed stop collar prevents over drilling

Soft Grip Setting Tool

- For the correct setting of Drop In Anchors
- Soft grip handle with hand guard

CODE	SUITS
OZ58ST1030SG	M10×30mm
OZ58ST1040SG	M10×40mm
OZ58ST1250SG	M12×50mm

Setting Tool

- For the correct setting of Drop In Anchors

CODE	SUITS
OZ58ST0625	M6×25mm
OZ58ST0830	M8×30mm
OZ58ST1665	M16×65mm

Hammer Drill Attachment

- Slides over SDS Accu Bit whilst installed in a rotary hammer drill
- Quick Drop In Anchor Setting

CODE	SUITS
OZ58STA1030	M10×30mm

Banger Hangers

- Used to hang threaded components from overhead base materials

Blue Banger Hanger - Timber Form

- Installed in wood deck formwork before concrete is poured
- When the wood form-work is removed the blue base of the 'Pour In Place' banger is easily located



SIZE	CODE	Qty
M8 / M10 / M12	OZ58BT0812	100
M16 / M20	OZ58BT1620	100

Blue Banger Hanger - Metal Form

- Installed in metal deck formwork before concrete is poured
- When the metal form-work is removed the blue base of the 'Pour In Place' banger is easily located



SIZE	CODE	Qty
M8 / M10 / M12	OZ58BM0812	100

Vertigo Hanger + Driver

- Used to hang threaded components from overhead base materials
- No pre-drilling required for Timber + Metal hangers

Timber Vertical

SIZE	CODE	Qty
M6	OZ24VHTM06	100
M8	OZ24VHTM08	100
M10×25mm	OZ24VHTM1025	100
M10×50mm	OZ24VHTM1050	100

Metal Vertical

- Comes with backing nut

SIZE	CODE	Qty
M6	OZ24VHSM06	100
M8	OZ24VHSM08	100
M10	OZ24VHSM10	100

Metal Side

- Comes with backing nut

SIZE	CODE	Qty
M6	OZ24SHSM06	100
M8	OZ24SHSM08	100
M10×25mm	OZ24SHSM10	100

Concrete Vertical

- Pre-drilling required

SIZE	CODE	Qty
M6	OZ30CV-M06	100
M10	OZ30CV-M10	100

Socket Driver

- Specifically designed for the correct setting of Vertigo Hangers

CODE	SUITS
OZ24SVD-16 **Size:** 16mm	Timber / Metal Vertigo
OZ30SVD-13 **Size:** 13mm	Concrete Vertigo

Sleeve Anchor

- Torque controlled expansion anchor • Suitable for timber or steel fixtures into masonry base materials
- Flush Head offers a lower profile

Zinc Yellow Passivate		
Size	Code	Qty
6.5mm		
6.5 × 25mm	OZ33SAH06525	100
6.5 × 35mm	OZ33SAH06535	100
6.5 × 55mm	OZ33SAH06555	100
8mm		
8 × 40mm	OZ33SAH0840	100
8 × 60mm	OZ33SAH0860	50
8 × 80mm	OZ33SAH0880	50
10mm		
10 × 40mm	OZ33SAH1040	50
10 × 50mm	OZ33SAH1050	50
10 × 60mm	OZ33SAH1060	50
10 × 75mm	OZ33SAH1075	50
10 × 100mm	OZ33SAH10100	25
10 × 120mm	OZ33SAH10120	25
12mm		
12 × 60mm	OZ33SAH1260	25
12 × 80mm	OZ33SAH1280	25
12 × 100mm	OZ33SAH12100	20
12 × 120mm	OZ33SAH12120	20
16mm		
16 × 65mm	OZ33SAH1665	20
16 × 105mm	OZ33SAH16105	10
16 × 145mm	OZ33SAH16145	10
20mm		
20 × 75mm	OZ33SAH2075	10
20 × 100mm	OZ33SAH20100	5
20 × 160mm	OZ33SAH20160	5

Flush Head - Zinc Yellow Passivate		
8 × 45mm	OZ33YP0845	100
8 × 90mm	OZ33YP0890	50
10 × 45mm	OZ33YP1045	50
10 × 55mm	OZ33YP1055	50
10 × 80mm	OZ33YP1080	50
10 × 100mm	OZ33YP10100	25
12 × 80mm	OZ33YP1280	25
16× 75mm	OZ33YP1675	20

Galvanised		
SIZE	Code	Qty
8mm		
8 × 40mm	OZ33SAH0840-G	100
8 × 60mm	OZ33SAH0860-G	50
8 × 80mm	OZ33SAH0880-G	50
10mm		
10 × 40mm	OZ33SAH1040-G	50
10 × 50mm	OZ33SAH1050-G	50
10 × 60mm	OZ33SAH1060-G	50
10 × 75mm	OZ33SAH1075-G	50
10 × 100mm	OZ33SAH10100-G	25
12mm		
12 × 60mm	OZ33SAH1260-G	25
12 × 80mm	OZ33SAH1280-G	25
12 × 100mm	OZ33SAH12100-G	20
12 × 120mm	OZ33SAH12120-G	20
16mm		
16 × 65mm	OZ33SAH1665-G	20
16 × 105mm	OZ33SAH16105-G	10
16 × 145mm	OZ33SAH16145-G	10
20mm		
20 × 75mm	OZ33SAH2075-G	10
20 × 100mm	OZ33SAH20100-G	5
20 × 160mm	OZ33SAH20160-G	5

Stainless Steel 316		
6.5mm		
6.5 × 35mm	OZ33SAH06535-SS	100
6.5 × 55mm	OZ33SAH06555-SS	100
8mm		
8 × 40mm	OZ33SAH0840-SS	100
8 × 60mm	OZ33SAH0860-SS	50
8 × 80mm	OZ33SAH0880-SS	50
10mm		
10 × 50mm	OZ33SAH1050-SS	50
10 × 75mm	OZ33SAH1075-SS	50
10 × 100mm	OZ33SAH10100-SS	25
12mm		
12 × 60mm	OZ33SAH1260-SS	25
12 × 80mm	OZ33SAH1280-SS	25
12 × 100mm	OZ33SAH12100-SS	20

Through Bolt

- Heavy duty pre-assembled, torque-controlled, mechanical expansion through anchor

Zinc Yellow Passivate		
Size	Code	Qty
M6		
M6 × 55mm	OZ35TB06055	100
M6 × 85mm	OZ35TB06085	100
M6 × 100mm	OZ35TB06100	50
M6 × 120mm	OZ35TB06120	50
M6 × 150mm	OZ35TB06150	50
M8		
M8 × 50mm	OZ35TB08050	50
M8 × 80mm	OZ35TB08080	50
M8 × 100mm	OZ35TB08100	50
M8 × 120mm	OZ35TB08120	50
M10		
M10 × 65mm	OZ35TB10065	25
M10 × 75mm	OZ35TB10075	25
M10 × 90mm	OZ35TB10090	25
M10 × 120mm	OZ35TB10120	25
M12		
M12 × 80mm	OZ35TB12080	20
M12 × 100mm	OZ35TB12100	20
M12 × 140mm	OZ35TB12140	20
M12 × 180mm	OZ35TB12180	20
M16		
M16 × 105mm	OZ35TB16105	20
M16 × 125mm	OZ35TB16125	20
M16 × 140mm	OZ35TB16140	20
M16 × 190mm	OZ35TB16190	20

Galvanised		
Size	Code	Qty
M8		
M8 × 80mm	OZ35TBG08080	50
M8 × 100mm	OZ35TBG08100	50
M8 × 120mm	OZ35TBG08120	50
M10		
M10 × 65mm	OZ35TBG10065	25
M10 × 75mm	OZ35TBG10075	25
M10 × 90mm	OZ35TBG10090	25
M10 × 120mm	OZ35TBG10120	25
M12		
M12 × 80mm	OZ35TBG12080	20
M12 × 100mm	OZ35TBG12100	20
M12 × 140mm	OZ35TBG12140	20
M12 × 180mm	OZ35TBG12180	20
M16		
M16 × 105mm	OZ35TBG16105	20
M16 × 125mm	OZ35TBG16125	20
M16 × 140mm	OZ35TBG16140	20
M16 × 190mm	OZ35TBG16190	20

Stainless Steel 316		
Size	Code	Qty
M10		
M10 × 90mm	OZ35TBS10090	25
M10 × 120mm	OZ35TBS10120	25
M12		
M12 × 80mm	OZ35TBS12080	20
M12 × 100mm	OZ35TBS12100	20
M12 × 140mm	OZ35TBS12140	20
M12 × 180mm	OZ35TBS12180	20
M16		
M16 × 105mm	OZ35TBS16105	20
M16 × 125mm	OZ35TBS16125	20
M16 × 140mm	OZ35TBS16140	20
M16 × 190mm	OZ35TBS16190	20

Eye Bolt Sleeve Anchor

- Pre-assembled torque-controlled expansion through anchor with 8mm eyelet tie point.

SIZE	CODE	FINISH	Qty
8 × 45mm	OZ33EBA0845	ZYP	100

Tie Wire Through Bolt

- Used with support wires or as an anchor point for cable ties
- Pre-assembled torque controlled mechanical expansion anchor

SIZE	CODE	FINISH	Qty
6 × 60mm	OZ33TWA06060	ZYP	100
6 × 90mm	OZ33TWA06090	ZYP	100
6 × 120mm	OZ33TWA06120	ZYP	50

Screw Bolt

• For anchoring timber or steel fixtures to solid brick, concrete and masonry
• Suitable for heavy duty applications • Thread forming design • Stainless steel also available

Size	Zinc Plated	Galvanised	Qty
M6			
M6 × 30mm	OZ35SB06030	OZ35SB06030G	100
M6 × 50mm	OZ35SB06050	OZ35SB06050G	100
M6 × 75mm	OZ35SB06075	OZ35SB06075G	50
M6 × 100m	OZ35SB06100	OZ35SB06100G	50
M8			
M8 × 50mm	OZ35SB08050	OZ35SB08050G	50
M8 × 60mm	OZ35SB08060	OZ35SB08060G	50
M8 × 75mm	OZ35SB08075	OZ35SB08075G	50
M8 × 100mm	OZ35SB08100	OZ35SB08100G	50
M10			
M10 × 60mm	OZ35SB10060	OZ35SB10060G	50
M10 × 75mm	OZ35SB10075	OZ35SB10075G	50
M10 × 100mm	OZ35SB10100	OZ35SB10100G	50
M10 × 120mm	OZ35SB10120	OZ35SB10120G	50
M10 × 150mm	OZ35SB10150	OZ35SB10150G	50
M12			
M12 × 75mm	OZ35SB12075	OZ35SB12075G	50
M12 × 100mm	OZ35SB12100	OZ35SB12100G	50
M12 × 150mm	OZ35SB12150	OZ35SB12150G	50
M16			
M16 × 100mm	OZ35SB16100	OZ35SB16100G	15
M16 × 150mm	OZ35SB16150	OZ35SB16150G	15



Chemical Anchor

MIT SP Polyester Mortar

• For Use in Masonry Applications • Fast Cure • ETA Option 7 Non-Cracked Concrete • Styrene Free • VOC Free

CODE	SIZE	Qty
OZ35POLY300	300ml	12

Pure Epoxy - 2 Part

• For Use with Concrete + Natural Stone • VOC Free • Slow Cure
• ETA Option 1 Non-Cracked Concrete • ETA Option 7 Cracked Concrete • C1 + C2

CODE	SIZE	Qty
OZ35PFPPRO	385ml	12

Cartridge Gun - 2 Part

• For Use with Pure Epoxy

CODE	SIZE	Qty
OZ35CGPRO	385 + 585ml	1

Rivet

• Permanent mechanical fixture • Painted rivets also available

Rivet - Open Dome Head

Aluminium / Steel				Stainless Steel 304			
SIZE	CODE	GRIP RANGE	Qty	SIZE	CODE	GRIP RANGE	Qty
1/8 4-1	OZ17RA4-1	0.5-1.6mm	1000	1/8 4-2	OZ17RS4-2	1.7-3.2mm	1000
1/8 4-2	OZ17RA4-2	1.7-3.2mm	1000	1/8 4-3	OZ17RS4-3	3.3-4.8mm	1000
1/8 4-3	OZ17RA4-3	3.3-4.8mm	1000	1/8 4-4	OZ17RS4-4	4.9-6.4mm	1000
1/8 4-4	OZ17RA4-4	4.9-6.4mm	1000	1/8 4-5	OZ17RS4-5	6.5-7.9mm	1000
1/8 4-5	OZ17RA4-5	6.5-7.9mm	1000	1/8 4-6	OZ17RS4-6	8.0-9.5mm	1000
1/8 4-6	OZ17RA4-6	8.0-9.5mm	1000	5/32 5-2	OZ17RS5-2	0.5-3.2mm	1000
1/8 4-8	OZ17RA4-8	9.6-12.7mm	1000	5/32 5-3	OZ17RS5-3	3.3-4.8mm	1000
5/32 5-2	OZ17RA5-2	0.5-3.2mm	1000	5/32 5-4	OZ17RS5-4	4.9-6.4mm	1000
5/32 5-3	OZ17RA5-3	3.3-4.8mm	1000	5/32 5-5	OZ17RS5-5	6.5-7.9mm	500
5/32 5-4	OZ17RA5-4	4.9-6.4mm	1000	5/32 5-6	OZ17RS5-6	8.0-9.5mm	500
5/32 5-5	OZ17RA5-5	6.5-7.9mm	500	3/16 6-2	OZ17RS6-2	0.5-3.2mm	500
5/32 5-6	OZ17RA5-6	8.0-9.5mm	500	3/16 6-3	OZ17RS6-3	3.3-4.8mm	500
3/16 6-2	OZ17RA6-2	0.5-3.2mm	500	3/16 6-4	OZ17RS6-4	4.9-6.4mm	500
3/16 6-3	OZ17RA6-3	3.3-4.8mm	500	3/16 6-6	OZ17RS6-6	8.0-9.5mm	500
3/16 6-4	OZ17RA6-4	4.9-6.4mm	500				
3/16 6-5	OZ17RA6-5	6.5-7.9mm	500				
3/16 6-6	OZ17RA6-6	8.0-9.5mm	500				

Button Head Socket Screw + Headless Screw

Button Head Socket Screw Zinc - Internal Hex

• Blunt point • Domed head internal hex drive • Light duty

SIZE	CODE	FINISH	Qty
M6 × 25mm	OZ18BHSSZP06025	Zinc Plated	100
M6 × 30mm	OZ18BHSSZP06030	Zinc Plated	100
M6 × 35mm	OZ18BHSSZP06035	Zinc Plated	100
M6 × 40mm	OZ18BHSSZP06040	Zinc Plated	100
M8 × 12mm	OZ18BHSSZP08012	Zinc Plated	100
M8 × 16mm	OZ18BHSSZP08016	Zinc Plated	100
M8 × 20mm	OZ18BHSSZP08020	Zinc Plated	100
M10 × 16mm	OZ18BHSSZP10016	Zinc Plated	100
M10 × 20mm	OZ18BHSSZP10020	Zinc Plated	100
M12 × 20mm	OZ18BHSSZP12020	Zinc Plated	100
M12 × 25mm	OZ18BHSSZP12025	Zinc Plated	100

Headless Screw - Zinc Plated

• Coarse timber thread to metric stud

SIZE	CODE	FINISH	Qty
M8 × 100mm	OZ03HLS08100	Zinc Plated	25
M8 × 160mm	OZ03HLS08160	Zinc Plated	25
M10 × 80mm	OZ03HLS10080	Zinc Plated	25
M10 × 100mm	OZ03HLS10100	Zinc Plated	25
M10 × 120mm	OZ03HLS10120	Zinc Plated	25

Machine Screw

• Blunt point • Round pan head Phillips drive • Light duty

SIZE	Zinc Plated	Stainless Steel 304	Qty
M5 × 12mm	OZ18M0512	OZ18MS0512	200
M5 × 16mm	OZ18M0516	OZ18MS0516	200
M5 × 20mm	OZ18M0520	OZ18MS0520	200
M5 × 25mm	OZ18M0525	OZ18MS0525	200
M5 × 30mm	OZ18M0530	OZ18MS0530	200
M5 × 40mm	OZ18M0540	OZ18MS0540	200
M5 × 50mm	OZ18M0550	OZ18MS0550	200
M5 × 60mm	OZ18M0560	OZ18MS0560	200
M5 × 75mm	OZ18M0575	OZ18MS0575	200
M6 × 12mm	OZ18M0612	OZ18MS0612	200
M6 × 16mm	OZ18M0616	OZ18MS0616	200
M6 × 20mm	OZ18M0620	OZ18MS0620	200
M6 × 25mm	OZ18M0625	OZ18MS0625	200
M6 × 35mm	OZ18M0635	OZ18MS0635	200
M6 × 40mm	OZ18M0640	OZ18MS0640	200
M6 × 50mm	OZ18M0650	OZ18MS0650	200
M6 × 60mm	OZ18M0660	OZ18MS0660	200
M6 × 75mm	OZ18M0675	OZ18MS0675	200
M8 × 20mm	OZ18M0820	OZ18MS0820	100
M8 × 25mm	OZ18M0825	OZ18MS0825	100
M8 × 30mm	OZ18M0830	OZ18MS0830	100
M8 × 40mm	OZ18M0840	OZ18MS0840	100
M8 × 50mm	OZ18M0850	OZ18MS0850	100
M8 × 60mm	OZ18M0860	OZ18MS0860	100
M8 × 75mm	OZ18M0875	OZ18MS0875	100

Self Tapping Screw

• For use with thin gauge sheet metal, soft timber, plywood, MDF, laminates and some plastics
• Stainless Steel for external applications

Countersunk Head Ph2

SIZE	Zinc Plated	Stainless Steel 304	Qty
6g x 12mm	OZ21CSK0612	OZ21CSKS0612	200
6g x 20mm	OZ21CSK0620	OZ21CSKS0620	200
6g x 25mm	OZ21CSK0625	OZ21CSKS0625	200
6g x 40mm	OZ21CSK0640	OZ21CSKS0640	200
6g x 50mm	OZ21CSK0650	OZ21CSKS0650	200
8g x 12mm	OZ21CSK0812	OZ21CSKS0812	200
8g x 20mm	OZ21CSK0820	OZ21CSKS0820	200
8g x 25mm	OZ21CSK0825	OZ21CSKS0825	200
8g x 30mm	OZ21CSK0830	OZ21CSKS0830	200
8g x 40mm	OZ21CSK0840	OZ21CSKS0840	200
8g x 50mm	OZ21CSK0850	OZ21CSKS0850	200
10g x 12mm	OZ21CSK1012	OZ21CSKS1012	100
10g x 20mm	OZ21CSK1020	OZ21CSKS1020	100
10g x 25mm	OZ21CSK1025	OZ21CSKS1025	100
10g x 30mm	OZ21CSK1030	OZ21CSKS1030	100
10g x 40mm	OZ21CSK1040	OZ21CSKS1040	100
10g x 50mm	OZ21CSK1050	OZ21CSKS1050	100

Pan Head Ph2

SIZE	Zinc Plated	Stainless Steel 304	Qty
6g x 12mm	OZ21PH0612	OZ21PHS0612	200
6g x 20mm	OZ21PH0620	OZ21PHS0620	200
6g x 25mm	OZ21PH0625	OZ21PHS0625	200
6g x 40mm	OZ21PH0640	OZ21PHS0640	200
6g x 50mm	OZ21PH0650	OZ21PHS0650	200
8g x 12mm	OZ21PH0812	OZ21PHS0812	200
8g x 20mm	OZ21PH0820	OZ21PHS0820	200
8g x 25mm	OZ21PH0825	OZ21PHS0825	200
8g x 30mm	OZ21PH0830	OZ21PHS0830	200
8g x 40mm	OZ21PH0840	OZ21PHS0840	200
8g x 50mm	OZ21PH0850	OZ21PHS0850	200
10g x 12mm	OZ21PH1012	OZ21PHS1012	100
10g x 20mm	OZ21PH1020	OZ21PHS1020	100
10g x 25mm	OZ21PH1025	OZ21PHS1025	100
10g x 30mm	OZ21PH1030	OZ21PHS1030	100
10g x 40mm	OZ21PH1040	OZ21PHS1040	100
10g x 50mm	OZ21PH1050	OZ21PHS1050	100

Coach Screw

• Coarse timber thread • Predrilling recommended for hard woods
• Six sided hex head • Can be used with OZ03MKD anchors for hollow masonry substrates

SIZE	Zinc Plated	Galvanised	Stainless Steel 316	Qty
M6				
M6 × 25mm	OZ18CSM06025	OZ18CSMG06025	OZ18CSMS06025	100
M6 × 30mm	OZ18CSM06030	OZ18CSMG06030	OZ18CSMS06030	100
M6 × 40mm	OZ18CSM06040	OZ18CSMG06040	OZ18CSMS06040	100
M6 × 50mm	OZ18CSM06050	OZ18CSMG06050	OZ18CSMS06050	100
M6 × 65mm	OZ18CSM06065	OZ18CSMG06065	OZ18CSMS06065	100
M8				
M8 × 30mm	OZ18CSM08030	OZ18CSMG08030	OZ18CSMS08030	100
M8 × 40mm	OZ18CSM08040	OZ18CSMG08040	OZ18CSMS08040	100
M8 × 50mm	OZ18CSM08050	OZ18CSMG08050	OZ18CSMS08050	100
M8 × 65mm	OZ18CSM08065	OZ18CSMG08065	OZ18CSMS08065	100
M10				
M10 × 40mm	OZ18CSM10040	OZ18CSMG10040	OZ18CSMS10040	100
M10 × 50mm	OZ18CSM10050	OZ18CSMG10050	OZ18CSMS10050	100
M10 × 65mm	OZ18CSM10065	OZ18CSMG10065	OZ18CSMS10065	100
M10 × 75mm	OZ18CSM10075	OZ18CSMG10075	OZ18CSMS10075	100
M10 × 90mm	OZ18CSM10090	OZ18CSMG10090	OZ18CSMS10090	100
M10 × 100mm	OZ18CSM10100	OZ18CSMG10100	OZ18CSMS10100	50
M12				
M12 × 50mm	OZ18CSM12050	OZ18CSMG12050	OZ18CSMS12050	25
M12 × 65mm	OZ18CSM12065	OZ18CSMG12065	OZ18CSMS12065	25
M12 × 75mm	OZ18CSM12075	OZ18CSMG12075	OZ18CSMS12075	25
M12 × 90mm	OZ18CSM12090	OZ18CSMG12090	OZ18CSMS12090	25
M12 × 100mm	OZ18CSM12100	OZ18CSMG12100	OZ18CSSM1100	25

PBZ Wedge Anchor - Fire Rated

• PBZ or DBZ wedge anchor • Suitable for concrete, brick and masonry

SIZE	CODE	Qty
6 × 35mm	OZ03PBZ0635	100
6 × 65mm	OZ03PBZ0665	100

Wall Dog

• Suitable for concrete, stone, brick, plasterboard and timber • No pre-drilling is required when screwing into wallboard or wood • 3mm pilot hole for Hebel, 5mm for concrete, hollow or grout filled block, and brick • C4 Galvanised for external use

SIZE	CODE	Qty
5 × 32mm Zinc Plated (Ph2 Drive)	OZ0202316	100
5 × 32mm Galvanised (SQ Drive)	OZ0202317	100

Hollow Set Drop In Anchor

• Used with threaded components in masonry • Designed for anchoring in hollow and solid base materials such as hollow concrete block, extruded wire cut brick, and hollow core pre-cast concrete

SIZE	CODE	Qty
M10	OZ58HB-M10	100

Clout - Galvanised

• Large round head • Thick gauge

SIZE	CODE	Qty
30 × 2.8mm (5kg Tub)	OZ41C3028-G	2400
40 × 2.8mm (5kgTub)	OZ41C4025-G	1800

Anchors

Metal Pin Anchor

• Suitable for concrete, brick and masonry • Non-removable and vandal proof

SIZE	CODE	Qty
5 × 22mm	OZ03MPA0522	100
6.5 × 25mm	OZ03MPA6525	100
6.5 × 32mm	OZ03MPA6532	100
6.5 × 38mm	OZ03MPA6538	100
6.5 × 50mm	OZ03MPA6550	100

Nylon Pin Anchor

• Suitable for concrete, brick and masonry • Screw pin allows for removal after installation

SIZE	CODE	Qty
5 × 25mm	OZ03NPAM0525	100
5 × 40mm	OZ03NPAM0540	100
6.5 × 25mm	OZ03NPAM6525	100
6.5 × 40mm	OZ03NPAM6540	100
6.5 × 50mm	OZ03NPAM6550	100
6.5 × 75mm	OZ03NPAM6575	100

MSL Anchor

• Torque controlled expansion through anchor • Suitable for timber or steel fixtures to masonry • High load capacity in solid, hollow and aerated concrete, brick, besser block and Hebel • Heavy duty, metal 4-way expansion body with UV stable nylon plastic sleeve • Suitable for internal and external applications

SIZE	CODE	Qty
12 × 60mm	OZ03HBTF1260	25
12 × 80mm	OZ03HBTF1280	25

MKD Claw Anchor

• Steel expansion plug for use in aerated concrete and Hebel block • Hammer driven direct into Hebel blocks without predrilling • Can be used with OZ18CS Coach Screws, OZ17CBS Chipboard Screws and OZ03HLS Headless Screws

SIZE	CODE	Qty
6 × 32mm	OZ03MKD632	100
8 × 38mm	OZ03MKD838	100
8 × 60mm	OZ03MKD860	50
10 × 60mm	OZ03MKD1060	50

Hollow Wall Anchor

• Pre-assembled, all metal construction • Anti-rotational barbs • Easily removable

SIZE	CODE	Qty
M4 × 6 × 41mm (4-9mm)	OZ02HA4S	100
M4 × 11 × 47mm (9-15mm)	OZ02HWA4SL	100
M4 × 17 × 53mm (15-21mm	OZ02HWA4L	100
M5 × 5 × 46mm (5-13mm)	OZ02HA6S	100
M6 × 5 × 46mm (5-13mm)	OZ02HWA8S	100

Hollow Wall Anchor Tool

• Ratchet action is used to pull the screw head and expand the body simultaneously with quick release trigger

SIZE	CODE	Qty
M4 - M6	OZ02HWAST-200	1

Toggles

Spring Toggle - Round Head

• Use with plasterboard walls, plywood, hollow brick and other thin board materials in light-medium duty applications • Preinstalled spring allows for quick and easy installation while the toggle evenly spreads the load over a greater surface area behind the sheet

SIZE	CODE	Qty
1/8 x 3”	OZ02ST183	100
3/16 x 2”	OZ02ST3162	100
3/16 x 3”	OZ02ST3163	100

Cavity Toggle

• Use with plasterboard walls and chipboard in medium-heavy duty applications • Large toggle head evenly spreads the load over a greater surface area behind the sheet • Metrically threaded

SIZE	CODE	Qty
M5	OZ02CTM5	50

Wall Mates

• Use with hollow gypsum wallboard in light-medium duty applications • One piece drill point design requires no predrilling and is easily installed or removed with a OZ78PH2 Phillips head driver • Low profile head • Suits 6-8g screws.

Metal Wall Mate

SIZE	CODE	Qty
8g x 40mm	OZ02ZIP-ITM	100

Nylon Wall Mate

SIZE	CODE	Qty
8g x 40mm	OZ02ZIP-ITNY	100

Plastic Plugs

Green Wall Plug

• Use with light duty fixings into concrete, solid brick, solid block and stone • Tapered end for easy insertion with outer fins to stop rotation while allowing for expansion.

SIZE	CODE	Qty
6.5 × 25mm 6-8g	OZ03WPG25	1000
6.5 × 30mm 6-8g	OZ03WPG30	1000
6.5 × 40mm 6-8g	OZ03WPG40	500
6.5 × 50mm 6-8g	OZ03WPG50	500

Nylon Multi Purpose Plug

• Universal plug used for perforated brick, Heble, masonry, chipboard and plaster-board • Suitable for indoor and outdoor applications • Can be used in conjunction with OZ18CS Coach Screws, OZ17CBS Chipboard Screws and OZ03HLS Headless Screws.

SIZE	CODE	Qty
8 × 50mm	OZ03MU0850	50
10 × 60mm	OZ03MU1060	25
12 × 70mm	OZ03MU1270	25

Chipboard Screw

• Fastening into chipboard, cement sheeting, MDF and soft timbers • Suitable for low, medium and high-density chipboard
• Self-embedding head with self-piercing needle point requires no pre-drilling
• Zinc finish suited for indoor applications • For use with OZ78PH2 Ph2 Phillips Head drivers
• 20mm – 25mm full thread / 32 – 100mm 2/3 thread

	Zinc Yellow Passivate		C3 Galvanised			
Size	Quick Code	Code	Quick Code	Code	Driver	Qty
8-9 × 20mm	002	OZ17CBSZY08020	002	OZ17CBSC308020	Ph2	1000
8-9 × 25mm	004	OZ17CBSZY08025	004	OZ17CBSC308025	Ph2	1000
8-9 × 32mm	008	OZ17CBSZY08032	008	OZ17CBSC308032	Ph2	1000
8-9 × 40mm	012	OZ17CBSZY08040	012	OZ17CBSC308040	Ph2	1000
8-9 × 45mm	014	OZ17CBSZY08045	014	OZ17CBSC308045	Ph2	1000
8-9 × 50mm	016	OZ17CBSZY08050	016	OZ17CBSC308050	Ph2	1000
10-8 × 65mm	020	OZ17CBSZY10065	020	OZ17CBSC310065	Ph2	500
10-8 × 75mm	022	OZ17CBSZY10075	022	OZ17CBSC310075	Ph2	500
10-8 × 100mm	024	OZ17CBSZY10100	024	OZ17CBSC310100	Ph2	500

Bugle Head Needle Point - Fine Thread

• Fastening plasterboard to light gauge 0.55 – 1.2mm thick metal materials
• Self-embedding head with self-piercing needle point, requires no pre-drilling
• Zinc finish is suited for indoor applications • For use with OZ78PH2 Ph2 Phillips Head drivers

	Zinc Yellow Passivate			
Size	Quick Code	Code	Driver	Qty
6-18 × 20mm	080	OZ17NPSBUZY0620	Ph2	1000
6-18 × 25mm	082	OZ17NPSBUZY0625	Ph2	1000
6-18 × 32mm	086	OZ17NPSBUZY0632	Ph2	1000
6-18 × 40mm	092	OZ17NPSBUZY0640	Ph2	1000
7-16 × 25mm	096	OZ17NPSBUZY0725	Ph2	1000
7-16 × 30mm	098	OZ17NPSBUZY0730	Ph2	1000
7-16 × 45mm	100	OZ17NPSBUZY0745	Ph2	1000
7-16 × 50mm	102	OZ17NPSBUZY0750	Ph2	1000
8-15 × 65mm	106	OZ17NPSBUZY0865	Ph2	1000

Bugle Head Needle Point - Coarse Thread

• 'Laminating Screws' are used to fasten plasterboard to plasterboard, soft wood or as a light duty anchor into aerated concrete
• Self-embedding head with self-piercing needle point, requires no pre-drilling
• Zinc finish suited for indoor applications • For use with OZ78PH2 Ph2 Phillips Head drivers

	Zinc Yellow Passivate			
Size	Quick Code	Code	Driver	Qty
7-9 × 20mm	112	OZ17NPSBUZYC0720	Ph2	1000
7-9 × 32mm	116	OZ17NPSBUZYC0732	Ph2	1000
10-8 × 38mm	130	OZ17NPSBUZYC1038	Ph2	1000
10-8 × 50mm	132	OZ17NPSBUZYC1050	Ph2	500
8-9 × 75mm	128	OZ17NPSBUZYC0875	Ph2	250

Button Head Needle Point

• Used to stitch together light gauge 0.55 – 1.2mm thick metal materials or for use in timber
• Large button head for even clamping with self-piercing needle point, requires no pre-drilling
• Zinc finish suited for indoor applications • C3 Galvanised finish suited for external applications
• For use with OZ78PH2 Ph2 Phillips Head drivers
• Corresponding Colorbond colours also available upon request

	Zinc Yellow Passivate		C3 Galvanised			
Size	Quick Code	Code	Quick Code	Code	Driver	Qty
8-15 × 12mm	138	OZ17NPSBHZY812	A02	OZ17NPSBHC3812	Ph2	1000
8-15 × 16mm	140	OZ17NPSBHZY816	141	OZ17NPSBHC3816	Ph2	1000
8-15 × 20mm	142	OZ17NPSBHZY820	143	OZ17NPSBHC3820	Ph2	1000
8-15 × 25mm	144	OZ17NPSBHZY825	145	OZ17NPSBHC3825	Ph2	1000
8-15 × 32mm	146	OZ17NPSBHZY832	147	OZ17NPSBHC3832	Ph2	1000
8-15 × 40mm	A03	OZ17NPSBHZY840	A04	OZ17NPSBHC3840	Ph2	1000

Bugle Head SDS - Fine Thread

• Used to fasten plywood, MDF, OSB and plasterboard to 0.75mm-2.5mm thick steel framework
• Ph2 Phillips Bugle shaped self embedding head with self drilling and tapping tip
• No predrilling required. Zinc finish suited for indoor applications
• For use with OZ78PH2 Ph2 Phillips Head drivers

	Zinc Yellow Passivate			
Size	Quick Code	Code	Driver	Qty
6-20 × 25mm	440	OZ17SDSBU0625	Ph2	1000
6-20 × 30mm	442	OZ17SDSBU0630	Ph2	1000
6-20 × 45mm	444	OZ17SDSBU0645	Ph2	1000
8-18 × 75mm	445	OZ17SDSBU0875	Ph2	1000
10-24 × 50mm	464	OZ17SDSBU1050	Ph2	1000
10-24 × 65mm	466	OZ17SDSBU1065	Ph2	1000

Button Head SDS - Coarse Thread

• Used to fasten light gauge metal sheeting or cladding 0.75mm-2.5mm thick
• Ph2 Phillips Button shaped head for even clamping with self drilling and tapping tip
• No predrilling required. Zinc finish suited for indoor applications • C3 Galvanised finish suited for external applications
• For use with OZ78PH2 Ph2 Phillips Head drivers. Corresponding Colorbond colours also available upon request

	Zinc Yellow Passivate		C3 Galvanised			
Size	Quick Code	Code	Quick Code	Code	Driver	Qty
8-18 × 12mm	430	OZ17SDSBHZY0812	431	OZ17SDSBHC30812	Ph2	1000
8-18 × 16mm	432	OZ17SDSBHZY0816	433	OZ17SDSBHC30816	Ph2	1000
8-18 × 20mm	434	OZ17SDSBHZY0820	435	OZ17SDSBHC30820	Ph2	1000
8-18 × 25mm	436	OZ17SDSBHZY0825	437	OZ17SDSBHC30825	Ph2	1000
8-18 × 32mm	438	OZ17SDSBHZY0832	439	OZ17SDSBHC30832	Ph2	1000

Wafer Head SDS

• Used to fasten light gauge metal sheeting or cladding 0.75mm-2.5mm thick
• Ph2 Phillips Wafer shaped head for even clamping with self drilling and tapping tip
• No predrilling required. Zinc finish suited for indoor applications • C3 Galvanised finish suited for external applications
• For use with OZ78PH2 Ph2 Phillips Head drivers. Corresponding Colorbond colours also available upon request

	Zinc Yellow Passivate		C3 Galvanised			
Size	Quick Code	Code	Quick Code	Code	Driver	Qty
10-16 × 22mm	390	OZ17SDSWH1022	202	OZ17SDSWHC31022	Ph2	1000
10-16 × 30mm	214	OZ17SDSWH1030	204	OZ17SDSWHC31030	Ph2	500
10-16 × 40mm	394	OZ17SDSWH1040	386	OZ17SDSWHC31040	Ph2	500

Hex Head Type 17 - Coarse Thread

• Fastener for fixings to timber, thin gauge metal, cladding or sheeting to soft or hard timbers
• Imperial hex head with washer, coarse thread and sharp point with cutting slot reduces splitting of timber
• No predrilling required • Zinc finish suited for internal applications • C4 Galvanised finish suited for external applications
• For use with OZ78NS Nut Setters • Corresponding Colorbond colours also available upon request

	Zinc Yellow Passivate		C4 Galvanised			
Size	Quick Code	Code	Quick Code	Code	Driver	Qty
12-11 × 25mm	740	OZ17T17HZY1225	525	OZ17T17HC412025	5 / 16 Hex	500
10-12 × 30mm	-	-	523	OZ17T17HC412030	5 / 16 Hex	1000
12-11 × 35mm	742	OZ17T17HZY1235	531	OZ17T17HC412035	5 / 16 Hex	1000
12-11 × 40mm	-	-	530	OZ17T17HC412040	5 / 16 Hex	1000
12-11 × 50mm	760	OZ17T17HZY1250	540	OZ17T17HC412050	5 / 16 Hex	1000
12-11 × 65mm	-	-	543	OZ17T17HC412065	5 / 16 Hex	500
14-10 × 65mm	764	OZ17T17HZY1265	-	-	3/8 Hex	500
14-10 × 75mm	766	OZ17T17HZY1475	565	OZ17T17HC414075	3/8 Hex	500
14-10 × 90mm	769	OZ17T17HZY1490	570	OZ17T17HC414090	3/8 Hex	250
14-10 × 100mm	-	-	575	OZ17T17HC414100	3/8 Hex	250

Hex Head SDS

•'Tech Screws' are used as a general purpose fastener for fixings to steel sections, mild steel, metal components and brackets
•Imperial hex head with washer, coarse thread with self-drilling and tapping tip • No predrilling required
• Zinc finish suited for indoor applications • C4 Galvanised finish suited for external applications
• For use with OZ78NS Nut Setters • Corresponding Colorbond colours also available upon request
• SS Variants also available

	Zinc Yellow Passivate		C3 Galvanised			
Size	Quick Code	Code	Quick Code	Code	Driver	Qty
10-16 × 16mm	512 (Zinc Clear)	OZ17SDSZC1016	180	OZ17SDSHCC41016	5 / 16 Hex	1000
10-16 × 25mm	149 (Zinc Clear)	OZ17SDSZC1025	185	OZ17SDSHCC41025	5 / 16 Hex	1000
10-16 × 25mm	507	OZ17SDSZY1025	-	-	-	-
12-14 × 20mm	508	OZ17SDSZY1220	190	OZ17SDSHCC41220	5 / 16 Hex	1000
12-14 × 25mm	-	-	509	OZ17SDSHCC41225	5 / 16 Hex	1000
12-14 × 35mm	511	OZ17SDSZY1235	194	OZ17SDSHCC41235	5 / 16 Hex	1000
12-14 × 45mm	-	-	200	OZ17SDSHCC41245	5 / 16 Hex	1000
12-14 × 65mm	-	-	210	OZ17SDSHCC41265	5 / 16 Hex	1000
12-14 × 75mm	-	-	215	OZ17SDSHCC41275	5 / 16 Hex	500
14-10 × 45mm	-	-	225	OZ17SDSHCC41445	3/8 Hex	1000
14-10 × 50mm	-	-	205	OZ17SDSHCC41050	3/8 Hex	1000
14-14 × 22mm	-	-	220	OZ17SDSHCC41425	3/8 Hex	1000

Flat Top SDS

•Used to fasten fixings to thin gauge steel sections, mild steel, metal components and brackets
• Commonly used with steel framing components as the flat head will not interfere with plasterboard installation or appearance
• Flat Ph2 Phillips head and coarse thread with self drilling and tapping tip • No predrilling required
• Zinc finish suited for indoor applications • C4 Galvanised finish suited for external applications
• For use with OZ78PH2 Ph2 Phillips Head drivers

	Zinc Yellow Passivate		C4 Galvanised			
Size	Quick Code	Code	Quick Code	Code	Driver	Qty
10-16 × 16mm	420	OZ17SDSFTZY1016	422	OZ17SDSFTC41016	Ph2	1000

Hex Head Type 17 - Neo Rubber

• Fastener for fixings to timber, thin gauge metal, cladding or sheeting to soft or hard timbers
• Imperial hex head with washer, coarse thread and sharp point with cutting slot reduces splitting of timber
• EPDM Neoprene Sealing Washer (NEO) for compatibility with zinc and Colorbond coated roofing sheets for a watertight seal
• No predrilling required • Zinc finish suited for internal applications • C4 Galvanised finish suited for external applications
• For use with OZ78NS Nut Setters • Corresponding Colorbond colours also available upon request

	C4 Galvanised			
Size	Quick Code	Code	Driver	Qty
12-11 × 25mm	600	OZ17T17HNC41225	5 / 16 Hex	1000
12-11 × 35mm	602	OZ17T17HNC41235	5 / 16 Hex	1000
12-11 × 40mm	603	OZ17T17HNC41240	5 / 16 Hex	1000
12-11 × 50mm	610	OZ17T17HNC41250	5 / 16 Hex	1000
12-11 × 65mm	613	OZ17T17HNC41265	5 / 16 Hex	1000

Hex Head SDS - Neo Rubber

•'Tech Screws' are used as a general purpose fastener for fixings to steel sections, mild steel, metal components and brackets
•Imperial hex head with washer, coarse thread with self-drilling and tapping tip • No predrilling required
• EPDM Neoprene Sealing Washer (NEO) for compatibility with zinc and Colorbond coated roofing sheets for a watertight seal
• Zinc finish suited for indoor applications • C4 Galvanised finish suited for external applications
• For use with OZ78NS Nut Setters • Corresponding Colorbond colours also available upon request

	C4 Galvanised			
Size	Quick Code	Code	Driver	Qty
10-16 × 25mm	280	OZ17SDSHNCC41025	5 / 16 Hex	1000
12-14 × 35mm	290	OZ17SDSHNCC41235	5 / 16 Hex	1000
12-14 × 45mm	300	OZ17SDSHNCC41245	5 / 16 Hex	1000
12-14 × 55mm	310	OZ17SDSHNCC41255	5 / 16 Hex	500
12-14 × 65mm	315	OZ17SDSHNCC41265	5 / 16 Hex	500
12-14 × 75mm	320	OZ17SDSHNCC41275	5 / 16 Hex	500
14-14 × 115mm	260	OZ17SDSHNCC414115	3 / 8 Hex	250

Hex Head SDS S500

• Used as a fastener for fixings to steel sections, mild steel, metal components and brackets up to 12mm thick
• Imperial hex head with washer, fine thread with hardened steel self drilling and tapping tip
• No predrilling required. C4 Galvanised finish suited for external applications
• For use with OZ78NS Nut Setters. Corresponding Colorbond colours also available upon request

	C4 Galvanised			
Size	Quick Code	Code	Driver	Qty
12-14 × 32mm	480	OZ17SDS1232	5 / 16 Hex	1000
12-14 × 50mm	480	OZ17SDS1250	5 / 16 Hex	1000
12-14 × 65mm	484	OZ17SDS1265	5 / 16 Hex	1000
12-14 × 85mm	487	OZ17SDS1285	5 / 16 Hex	500

SILICONES + CONSUMABLES

Sanitary Silicone	7:1
Plumbing Silicone	7:1
Polyurethane Sealant	7:1
Speciality Sealants	7:2
Fire Rated Sealants	7:3
Application Guns + Consumables	7:4
Duct Sealer	7:4
Tapes + Markers	7:5
Marking Paint	7:6
Technical Aerosols	7:6

Cable Ties + Tensioner	7:7
Consumables	7:7-7:8

Sanitary Silicone

• Mould Resistant • Neutral Cure • Non-Corrosive • Seals + Waterproofs • Permanently Flexible
• Use With: Glass, Tiles, Ceramic, Aluminium, S/s

Sanitary Clear

CODE	SIZE	Qty
OZ12SS300C	300ml	12

Sanitary White

CODE	SIZE	Qty
OZ12SS300W	300ml	12

Sanitary Grey

CODE	SIZE	Qty
OZ12SS300G	300ml	12

Plumbing Silicone

• Neutral Cure • Non-Corrosive • Seals + Waterproofs • Permanently Flexible • UV Resistant
• Use With: Roofing + Guttering, AC Duct Work, Aluminium, PVC

Plumbing Clear

CODE	SIZE	Qty
OZ12SRG300C	300ml	20

Plumbing Grey

CODE	SIZE	Qty
OZ12SRG300G	300ml	20

Plumbing Aluminium

CODE	SIZE	Qty
OZ12SRG300A	300ml	20

Polyurethane Sealant

• One Component • Permanently Elastic + Flexible • Sandable + Paintable
• Suitable for Internal + External Applications
• Use With: Concrete Expansion Joints, Lap Joints, AC Ductwork

Polyurethane Cartridge

COLOUR	CODE	SIZE	Qty
Grey	OZ12SFC300-G	310ml	12
White	OZ12SFC300-W	310ml	12
Black	OZ12SFC300-B	310ml	12

Polyurethane Sausage

COLOUR	CODE	SIZE	Qty
Grey	OZ12SFC600-G	600ml	20
White	OZ12SFC600-W	600ml	20
Black	OZ12SFC600-B	600ml	20

Speciality Sealants

Paintable Hybrid Silicone White

• Interior + Exterior Applications
• Paintable

CODE	SIZE	Qty
OZ12SP400W	400ml	12

Acrylic Gap Filler White

• Interior Applications • Paintable

CODE	SIZE	Qty
OZ12GFA450W	450ml	20

Construction Adhesive

• Multi Purpose • Strong Bond

CODE	SIZE	Qty
OZ12NN	300ml	20

T-Rex Fast Grab Crystal

• Bonds Almost Anything • Sanitary + Food Safe • 100% Transparent
• Mould Resistant

CODE	SIZE	Qty
OZ12TREXC	290ml	12

T-Rex Fast Grab Bright White

• Fast Cure • Permanently Elastic • 1 Part • Water Potable • Paintable
• Odour Free

CODE	SIZE	Qty
OZ12TREXW	290ml	12

Glazing + Industrial

• Neutral Cure • Flexible • UV + Weather Resistant
• Fast Skinning• 100% Industrial Grade

COLOUR	CODE	SIZE	Qty
Clear	OZ12SGI300C	300ml	20
White	OZ12SGI300W	300ml	20
Grey	OZ12SGI300G	300ml	20
Black	OZ12SGI300B	300ml	20

Expanding Foam

• Can Be Cut, Sanded, Painted, Plastered • Fills + Insulates

CODE	SIZE	Qty
OZ12PF750	750ml	12

Fire Rated Sealants

Fireban One™

• Up to 4Hr Fire Resistance AS1530.4 • Internal + External Applications • 1 Part Polyurethane
• UV Resistant • Paintable

CODE	COLOUR	SIZE	Qty
OZ28FMONE	Limestone	600ml	20

Firesound™ Sausage

• Up to 4Hr Fire Resistance AS1530.4 For Gaps up to 50mm • Intumescent over 90°C
• Excellent Acoustic Properties (STC 65) • Internal + External Applications • Paintable • Water Based

CODE	COLOUR	SIZE	Qty
OZ28FM600	Grey	600ml	15

Firesound™ Cartridge

• Up to 4Hr Fire Resistance AS1530.4 For Gaps up to 50mm • Water Based
• Intumescent over 90°C • Paintable • Internal + External Applications
• Excellent Acoustic Properties (STC 65)

CODE	COLOUR	SIZE	Qty
OZ28FM300	Grey	450ml	20

Expanding Foam - Fire Rated

• Up to 3.5Hr Fire Resistance AS1530.4
• High Acoustical insulation
• For Use with: Concrete, Wood, Plasterboard, Fibreglass, Steel, Aluminium

CODE	SIZE	Qty
OZ12PFF750	750ml	12

High Temperature Silicone

• Heat Resistant up to 312°C • Continuous Temperatures of 260°C
• Rapid Acetic Cure • High Tensile Strength

CODE	COLOUR	SIZE	Qty
OZ12BHSR	Red	300ml	6

Application Guns + Consumables

Caulking Gun

• Heavy Duty • 18:1 Compression

CODE	SIZE	Qty
OZ12CG300HD	300ml	1

Sausage Gun

• Heavy Duty • Aluminium Body

CODE	SIZE	Qty
OZ12CG600	500 - 600ml	1

MIT SP Polyester Mortar

• For Use in Masonry Applications • Fast Cure
• Styrene Free • VOC Free

CODE	SIZE	Qty
OZ35POLY300	300ml	12

Pure Epoxy - 2 Part

• For Use with Concrete + Natural Stone • VOC Free • Slow Cure

CODE	SIZE	Qty
OZ35PFPPRO	385ml	12

Cartridge Gun - 2 Part

• For Use with Pure Epoxy

CODE	SIZE	Qty
OZ35CGPRO	385 + 585ml	1

MR Duct Sealer - Standard

• 2.2m Coverage per 4L • Water Based Non Toxic
• Chemical + UV Resistant • Grey

SIZE	CODE	Qty
4L	OZ12DS4L	Each

MR Duct Sealer - Fire Rated

• Fire Rated • Complies to AS4254 • Water Based
• Grey

SIZE	CODE	Qty
4L	OZ12DS4L-FR	Each

Fosters Duct Sealer

• Fire Rated • Low VOC • Interior + Exterior Applications
• Water Based • Suitable for High Velocity Ductwork
• Grey

SIZE	CODE	Qty
4L	OZ12DS4LF	Each

Nozzles - Sausage Gun

CODE	Qty
OZ12CGN02	10

Paint Brush

CODE	SIZE
OZ34PB025	25mm

Tapes + Markers

Duct Tape

• General purpose

COLOUR	CODE	SIZE	Qty
Grey	OZ16DTG	48mm x 30m	36
Black	OZ16DTB	48mm x 30m	60

Reinforced Foil Tape

• High Tensile • Low VOC Green Star
• CETEC Certified • AS4254.2 Compliant



SIZE	CODE	Qty
48mm x 50m	OZ12AFT48-R	24
72mm x 50m	OZ12AFT72-R	16
96mm x 50m	OZ12AFT96-R	12

Linerless Foam Tape

• Single Side Adhesive • Low VOC Green Star
• AS4254.2 Compliant



SIZE	CODE	Qty
5 × 18mm x 15m	OZ16PET518	20
5 × 35mm x 15m	OZ16PET535	10

Danger Tape

• High Visibility black lettering on white and red
• Non Adhesive

CODE	SIZE	Qty
OZ34WT100	75mm x 100m	1 Roll

Backing Rod

• For Use in Expansion Joints • Chemical Resistant • Flexible • Non Absorbent

CODE	SIZE	Qty
OZ12BR20200	20mm x 200m	200m - 1m Lengths
OZ12BR25100	25mm x 100m	100m - 1m Lengths

Permanent Markers

• Quick Drying • Waterproof • Xylene-Free
• General purpose

COLOUR - POINT	CODE	Qty
Black - Chisel	OZ34i90	12
Blue - Bullet	OZ34i70	12

Lumber Crayons

• For Marking Timber, Tyres, Cartons
• General purpose

COLOUR	CODE	Qty
White	OZ34CRAYW	12
Red	OZ34CRAYR	12
Yellow	OZ34CRAYY	12
Blue	OZ34CRAYB	12

Builders Pencils

• General purpose

CODE	Qty
OZ34MP	12

Marking Paint

Spot Marking Paint 350g

• High Opacity • Long Lasting

CODE	COLOUR	Qty
OZ34SMBK	Black	12
OZ34SMB	Blue	12
OZ34SMG	Green	12
OZ34SMO	Orange	12
OZ34SMP	Pink	12
OZ34SMR	Red	12
OZ34SMY	Yellow	12
OZ34SMW	White	12

Paint Marker

• Quick Drying • Xylene-Free

CODE	COLOUR	Qty
OZ34PM20	White	12
OZ34PM20Y	Yellow	12

Technical Aerosols

Cutting Oil

• Cools Whilst Cutting • Reduces Wear on Tools

CODE	SIZE	Qty
OZ34CUTOIL	300g	1

Silicone Spray

• Rust + Corrosion Resistant • Repels Water
• Insulates Electricals • Long Lasting Lubricant

CODE	SIZE	Qty
OZ12SS300	300g	1

Multi Spray

• Rust + Corrosion Resistant • Repels Water
• Long Lasting Lubricant • Dissolves Rust

CODE	SIZE	Qty
OZ12MS400	300g	1

Cold Galvanising

• Galvanic Corrosion Inhibitor • Zinc Rich

CODE	SIZE	Qty
OZ34CG	400g	12

Silver Zinc

• Anti Corrosive • Rust Preventative • Bright Silver

CODE	SIZE	Qty
OZ34SG	400g	12

Spray Paint - Flat Black

• General purpose

CODE	SIZE	Qty
OZ34SPNT-BK	250g	12

Cable Tie + Tensioner

SIZE	CODE	Max Bundle Dia.	QTY
Nylon - Black			
200 × 4.8mm	OZ20TIE020048	49.5mm	100
300 × 4.8mm	OZ20TIE030048	81mm	100
300 × 7.6mm	OZ20TIE030076	81mm	100
370 × 7.6mm	OZ20TIE037076	103.5mm	100
550 × 7.6mm	OZ20TIE055076	162.5mm	100
810 × 9.0mm	OZ20TIE081090	245mm	100
920 × 9.0mm	OZ20TIE092090	280mm	100
1168 × 9.0mm	OZ20TIE116890	340mm	100
1220 × 9.0mm	OZ20TIE122090	375mm	100
Stainless Steel			
200 × 4.5mm	OZ20CTSS20045	49.5mm	50
300 × 8.0mm	OZ20CTSS30080	81mm	50
360 × 4.6mm	OZ20CTSS36046	100mm	50
521 × 12.0mm	OZ20CTSS52112	150mm	25
Tensioner Tool	OZ20TIE-TOOL	4.8 - 9mm	1
Wall Plug Mount	OZ20PM6	4.0 - 9.0mm	100

• Multi-Purpose • UV Resistant Black Nylon • High Tensile Stainless Steel

Consumables

Oxide

• High UV Stability • Non Water Soluble

CODE	COLOUR	Qty
OZ34CR1L-R	Brick Red	1L

String Line

• High Visibility • 8 Strand Nylon • Semi Elastic

CODE	SIZE	Qty
OZ34SLINE	100m	Each

Batteries

• General Purpose

CODE	SIZE	Qty
OZ31BATAA30	AA	30 Pack
OZ31BATAAA24	AAA	24 Pack

Rags

• Mixed Colours

CODE	SIZE	Qty
OZ05BRGS	10kg	Each

Tape Measure

• Double Sided Measurements • Magnetic Tip
• Comes with Belt Hook

CODE	SIZE	Qty
OZ78TM-8M	25mm x 8m	Each

Nickel Anti Seize Paste - Brush Top

• Resists Galling + Minimises Corrosion
• Non-Hardening and Non-Dripping
• -100°C to +1200°C Temperature Range

CODE	SIZE	Qty
OZ34ANTI-250G	250g	Each

• Product data sheets can be found at ozstrut.com.au

Consumables

Hose Clamp - Worm Drive

• Smooth Band with Rolled Edges for Maximum Hose Protection • General purpose

SIZE	CODE	Qty
16 - 27mm	OZ15HC1627W12	10
20 - 23mm	OZ15HC2032W12	10
25 - 40mm	OZ15HC2540W12	10
30 - 45mm	OZ15HC3045W12	10
60 - 80mm	OZ15HC6080W12	10
140 - 160mm	OZ15HC140160W12	10
230 - 250mm	OZ12HC230250W12	10
Stainless Steel Also Available		

Window Paka

• For the use of Spacing: Cladding, Door Jambs, Window Frames, Cabinets

SIZE	CODE	Qty
1.5 × 75mm White	OZ24WP01575	100
3.2 × 75mm Blue	OZ24WP03275	100
5.0 × 75mm Red	OZ24WP05075	100
6.4 × 75mm Green	OZ24WP06475	100
10.0 × 75mm Black	OZ24WP10075	100
Mix - 400pce	OZ24WP-MIXTUB	1

Spray Bottle

• General Purpose

CODE	SIZE	Qty
OZ05SPRAY1L	1 Litre	Each

Non-Shrink Grout

• Non-Shrink Class C • Pre-Mixed, Ready to Use • Can be Pumped, Trowelled, Rammed or Flowed
• Suitable for Steel, Concrete, Plastic

CODE	SIZE	Qty
OZ12TG20	20kg	Each

Lead Hook

• Takes 4 Power Leads + 2 Air Hoses • Insulated Polypropylene

CODE	Qty
OZ45LH	20

Personal Protective Equipment

Head Protection	8:1
Eye Protection	8:1
Respiratory + Ear Protection	8:2
Hand Protection	8:2
Accessories	8:2

Head Protection

Hard Hat - Sliplock

• AS/NZS 1801:1997 Certified • 6 Point Harness + Cradle • Vented

CODE	COLOUR	Qty
OZ45HH230	White	Each

Hard Hat Brim

CODE	Qty
OZ45HH250	Each

Face Shield

• AS/NZS 1337 Certified • Ratchet Adjustment • High Impact Resistant Polycarbonate

CODE	Qty
OZ45FS200	Each

Hard Hat Sweat Band

• Made from Cotton with Velco Fastener

CODE	Qty
OZ45HH300	Each

Eye Protection

Safety Glasses - Clear

• AS/NZS 1337.1:2010 Certified • UV Rating: 400
• Medium Impact Rated Polycarbonate
• Anti Scratch + Fog

CODE	Qty
OZ45SGC	12

Safety Glasses - Tinted

• AS/NZS 1337.1:2010 Certified • UV Rating: 400
• Medium Impact Rated Polycarbonate
• Anti Scratch + Fog

CODE	Qty
OZ45SGT	12

Goggles

• AS/NZS 1337.1:2010 Certified • Anti Scratch + Fog
• Medium Impact Rated Polycarbonate • Foam Bound

CODE	Qty
OZ45SGOG300	Each

Respiratory + Ear Protection

Dust Mask P2 Valve

• Protects Against Dust + Particulates • Disposable
• AS/NZ21716 Compliant

CODE	Qty
OZ45DM150	10

Ear Plug Uncorded

•AS/NZ1270:2002 Compliance • Soft Tapered Foam
• Individually Packaged • Class 5 SLC80 Rating of 27dB

CODE	Qty
OZ45EP200	200 Pair (box)

Earmuff

• Class 5 SLC80 Rating of 28dB • Light Weight
•AS/NZ1270:2002 Compliant • Shock Resistant
• Foam Ear Cushion

CODE	Qty
OZ45EM200	Each

Hand Protection

Safety Gloves - Nitrile Coated

• Double Dipped High Grip Nitrile
• For use in Oily / Wet / Dry Applications

SIZE	CODE	Qty
Small	OZ45GL07	12
Medium	OZ45GL08	12
Large	OZ45GL09	12
X Large	OZ45GL10	12
XX Large	OZ45GL11	12

Safety Gloves - Cut 5

• Made with 13g HDPAI Cut Resistant Yarn
• Double Dipped High Grip Nitrile

SIZE	CODE	Qty
Medium	OZ45GLC508	12
Large	OZ45GLC509	12
X Large	OZ45GLC510	12

Rigger Gloves

• Double Stitched Premium Cowgrain Leather
• Elastic Back

SIZE	CODE	Qty
Large	OZ45GLHD10	12
X Large	OZ45GLHD11	12

Accessories

Glove Belt Clip

CODE	Qty
OZ45GBC	Each

High Visibility Vest

CODE	SIZE	COLOUR	Qty
OZ45SW400	X Large	Yellow	Each

Disposable Coveralls

• Light Weight • Two Way Zipper

SIZE	CODE	Qty
Large	OZ45DCL	10
X Large	OZ45DCXL	10

Tools + Accessories

SDS Plus Masonry Drill Bit	9:1
Zentro SDS Plus Masonry Drill Bit	9:1
SDS Plus Chisel	9:2
HSS Drill Bit	9:2
Glass + Tile Drill Bit	9:2
Hole Saw + Accessories	9:3
Step Drill	9:3
Hole Cutter	9:3
Spade Bit	9:4
Drivers	9:4
Circular Cutting Blades	9:5
Reciprocating Blades	9:5
Consumables	9:6
HKD Accessories	9:6
Threaded Rod Cutter	9:7
Stud Punch	9:7
Gas Gun	9:7
Application Guns	9:8
Hollow Wall Anchor Setting Tool	9:8
Cable Tie Tensioner	9:8
Ladders	9:8

SDS Plus Masonry Drill Bit - 2 Cutter

• Chisel Shaped 2 Cutter Self-Centring Tip

CODE	SIZE	FLUTE LENGTH	Qty
OZ09SPMD05110	5.0 × 110mm	50mm	1
OZ09SPMD05160	5.0 × 160mm	100mm	1
OZ09SPMD05210	5.0 × 210mm	160mm	1
OZ09SPMD055110	5.5 × 110mm	50mm	1
OZ09SPMD055160	5.5 × 160mm	100mm	1
OZ09SPMD055210	5.5 × 210mm	160mm	1
OZ09SPMD06110	6.0 × 110mm	50mm	1
OZ09SPMD066160	6.0 × 160mm	100mm	1
OZ09SPMD06210	6.0 × 210mm	160mm	1
OZ09SPMD065110	6.5 × 110mm	50mm	1
OZ09SPMD065210	6.5 × 160mm	100mm	1
OZ09SPMD065210	6.5 × 210mm	160mm	1
OZ09SPMD08110	8.0 × 110mm	50mm	1
OZ09SPMD08160	8.0 × 160mm	100mm	1
OZ09SPMD08260	8.0 × 260mm	200mm	1
OZ09SPMD10110	10.0 × 110mm	50mm	1
OZ09SPMD10160	10.0 x 160mm	100mm	1
OZ09SPMD10210	10.0 x 210mm	160mm	1
OZ09SPMD10260	10.0 x 260mm	200mm	1
OZ09SPMD10450	10.0 x 450mm	400mm	1
OZ09SPMD10600	10.0 x 600mm	550mm	1
OZ09SPMD101000	10.0 × 1000mm	950mm	1

CODE	SIZE	FLUTE LENGTH	Qty
OZ09SPMD12160	12.0 × 160mm	100mm	1
OZ09SPMD12210	12.0 × 210mm	160mm	1
OZ09SPMD12450	12.0 × 450mm	400mm	1
OZ09SPMD14160	14.0 × 160mm	100mm	1
OZ09SPMD14210	14.0 × 210mm	160mm	1
OZ09SPMD15160	15.0 × 160mm	100mm	1
OZ09SPMD15250	15.0 × 250mm	190mm	1
OZ09SPMD15450	15.0 × 450mm	400mm	1
OZ09SPMD16160	16.0 × 160mm	100mm	1
OZ09SPMD16210	16.0 × 210mm	160mm	1
OZ09SPMD16450	16.0 × 450mm	400mm	1
OZ09SPMD16600	16.0 × 600mm	550mm	1
OZ09SPMD18200	18.0 × 200mm	140mm	1
OZ09SPMD18450	18.0 × 450mm	400mm	1
OZ09SPMD20200	20.0 × 200mm	140mm	1
OZ09SPMD20450	20.0 × 450mm	400mm	1
OZ09SPMD22250	22.0 × 250mm	190mm	1
OZ09SPMD22600	22.0 × 600mm	550mm	1
OZ09SPMD24250	24.0 × 250mm	190mm	1
OZ09SPMD24450	24.0 × 450mm	400mm	1
OZ09SPMD25450	25.0 × 450mm	400mm	1
OZ09SPMD25600	25.0 × 600mm	550mm	1

Zentro SDS Plus Masonry Drill Bit - 4 Cutter

• Chisel Shaped 4 Cutter Self-Centring Tip

CODE	SIZE	FLUTE LENGTH	Qty
OZ09ZSD050110	5.0 × 110mm	50mm	1
OZ09ZSD050160	5.0 × 160mm	100mm	1
OZ09ZSD0550110	5.5 × 110mm	50mm	1
OZ09ZSD0550160	5.5 × 160mm	100mm	1
OZ09ZSD060110	6.0 × 110mm	50mm	1
OZ09ZSD060160	6.0 × 160mm	100mm	1
OZ09ZSD060210	6.0 × 210mm	160mm	1
OZ09ZSD0650210	6.5 × 160mm	100mm	1
OZ09ZSD0650210	6.5 × 210mm	160mm	1
OZ09ZSD080160	8.0 × 160mm	100mm	1
OZ09ZSD080260	8.0 × 260mm	200mm	1
OZ09ZSD100160	10.0 × 160mm	100mm	1
OZ09ZSD100210	10.0 x 210mm	160mm	1
OZ09ZSD120210	12.0 × 210mm	160mm	1
OZ09ZSD120450	12.0 × 450mm	400mm	1
OZ09ZSD280250	28.0 × 250mm	190mm	1
OZ09ZSD320450	32.0 × 450mm	400mm	1

SDS Plus Chisels

• Chisels: Masonry, Concrete, Stonework
• General Purpose

SDS Plus Flat Chisel

CODE	SIZE	Qty
OZ09SPFC20250	20 × 250mm	1

SDS Plus Point Chisel

CODE	SIZE	Qty
OZ09PPC250	20 × 250mm	1

SDS Plus Wide Chisel

CODE	SIZE	Qty
OZ09SPSC40250	40 × 250mm	1

HSS Drill Bits

• Drills: Metal, Wood, Fibreglass, Plastics • Straight Shank

CODE	SIZE	Qty
OZ78LM010	1.0mm	10
OZ78LM015	1.5mm	10
OZ78LM020	2.0mm	10
OZ78LM025	2.5mm	10
OZ78LM030	3.0mm	10
OZ78LM035	3.5mm	10
OZ78LM040	4.0mm	10
OZ78LM045	4.5mm	10
OZ78LM050	5.0mm	10
OZ78LM055	5.5mm	10
OZ78LM060	6.0mm	5
OZ78LM065	6.5mm	5
OZ78LM070	7.0mm	5
OZ78LM075	7.5mm	5
OZ78LM080	8.0mm	5
OZ78LM085	8.5mm	5

CODE	SIZE	Qty
OZ78LM090	9.0mm	5
OZ78LM095	9.5mm	5
OZ78LM100	10.0mm	5
OZ78LM105	10.5mm	5
OZ78LM110	11.0mm	5
OZ78LM115	11.5mm	5
OZ78LM120	12.0mm	5
OZ78LM130	13.0mm	5
Reduced Shank		
OZ78LM140R	14.0mm	1
OZ78LM160R	16.0mm	1
OZ78LM180R	18.0mm	1
Double Ended		
OZ78DE11	4.85mm 3/16 #11	10
OZ78DE20	4.09mm 5/32 #20	10
OZ78DE30	3.18mm 1/8 #30	10

Glass + Tile Drill Bits

Cera High Speed Tile Bit

• Drills: Tile, Stone, Roof Tile• M14 Spindle For Angle Grinder

CODE	SIZE	Qty
OZ09HCEHS06	6.0mm	1
OZ09HCEHS08	8.0mm	1
OZ09HCEHS10	10.0mm	1
OZ09HCEHS12	12.0mm	1
OZ09HCEHS14	14.0mm	1
OZ09HCEHS20	20.0mm	1
OZ09HCEHS25	25.0mm	1

Diamond Core Bit - Wax Filled

Drills: Porcelain, Ceramic, Granite, Terracotta, Marble, Fibreglass • Hex Shank • Wax Filled
• Self Cooling

CODE	SIZE	Qty
OZ09GTD050	5.0mm	1
OZ09GTD060	6.0mm	1
OZ09GTD065	6.5mm	1
OZ09GTD080	8.0mm	1
OZ09GTD100	10.0mm	1
OZ09GTD120	12.0mm	1
OZ09GTD150	15.0mm	1

Spear Point

• Straight Shank • Drills: Glass, Tile

CODE	SIZE	Qty
OZ09GT050	5.0mm	1
OZ09GT060	6.0mm	1
OZ09GT065	6.5mm	1
OZ09GT080	8.0mm	1
OZ09GT100	10.0mm	1
OZ09GT120	12.0mm	1

Bi-Metal Hole Saw

CODE	SIZE
OZ57LS014	14mm
OZ57LS016	16mm
OZ57LS019	19mm
OZ57LS020	20mm
OZ57LS022	22mm
OZ57LS025	25mm
OZ57LS032	32mm
OZ57LS035	35mm
OZ57LS038	38mm
OZ57LS040	40mm
OZ57LS041	41mm
OZ57LS044	44mm
OZ57LS046	46mm
OZ57LS048	48mm
OZ57LS050	50mm
OZ57LS051	51mm
OZ57LS054	54mm
OZ57LS057	57mm
OZ57LS060	60mm
OZ57LS064	64mm

CODE	SIZE
OZ57LS067	67mm
OZ57LS070	70mm
OZ57LS073	73mm
OZ57LS076	76mm
OZ57LS083	83mm
OZ57LS086	86mm
OZ57LS089	89mm
OZ57LS092	92mm
OZ57LS102	102mm
OZ57LS105	105mm
OZ57LS114	114mm
OZ57LS121	121mm
OZ57LS125	125mm
OZ57LS127	127mm
OZ57LS140	140mm
OZ57LS152	152mm
OZ57LS160	160mm
OZ57LS168	168mm
OZ57LS170	170mm

- Cuts: Steel, Aluminium, Brass, Cast Iron, Plastics, Wood
- Variable Tooth • Bi-Metal HSS

11 Piece Plumbers Hole Saw Kit	
Code	Includes
OZ57HSKPL11	19, 22, 30, 35, 44, 51 + 57mm Hole Saws x1 Spade Bit 16mm x1 Small arbor x1 Large arbor x2 Pilot Drills + Adaptor

Arbor - Small

- Comes with Pilot Drill Bit

CODE	SUITS	Qty
OZ57LSS	14-30mm Hole Saw	1

Arbor - Large

- Comes with Pilot Drill Bit

CODE	SUITS	Qty
OZ57LSS2	32-250mm Hole Saw	1

Pilot Drill

- Suits all Arbors

CODE	SIZE	Qty
OZ78PLD-2	6.5 × 114mm	1

Step Drill + Hole Cutter

HSS Step Drill

- Cuts: Steel, S/s, Copper, Brass, Aluminium, Plastics, Plexiglass, Laminates
- Automatic De-burring • No Pilot Hole Required

CODE	SIZE	Qty
OZ78SD4-20	4-20mm	1
OZ78SD6-30	6-30mm	1
OZ78SD6-39	6-39mm	1

HSS Hole Cutter

- Cuts: Sheet Metal, Steel Pipe, S/s, Aluminium, Fibreglass, Plastics
- Comes with Arbor + Allen Key • 2mm Cutting Depth

CODE	SIZE	Qty
OZ58HC020	20mm	1
OZ58HC025	25mm	1
OZ58HC032	32mm	1
OZ58HC035	35mm	1
OZ58HC060	60mm	1

Spade Bit

- Hex Shank
- No Pilot Hole Needed
- Easy Drilling into Timber

CODE	SIZE	Qty
OZ78SPADE08	8mm	1
OZ78SPADE10	10mm	1
OZ78SPADE12	12mm	1
OZ78SPADE20	20mm	1
OZ78SPADE22	22mm	1
OZ78SPADE25	25mm	1
OZ78SPADE28	28mm	1
OZ78SPADE30	30mm	1
OZ78SPADE32	32mm	1
OZ78SPADE35	35mm	1
OZ78SPADE40	40mm	1

Drivers

Phillips Driver - Ph2

CODE	LENGTH	Qty
OZ78PH2025S	25mm	5
OZ78PH2050S	50mm	5
OZ78PH2100S	100mm	5
OZ78PH2150S	150mm	5
OZ78STB150 (Square)	150mm	5

Magnetic Nut Setter - Imperial

CODE	SIZE	Qty
OZ78NS1465	1/4 × 65mm	5
OZ78NS1665	5/16 × 65mm	5
OZ78NS3865	3/8 × 65mm	5

Hex - Square Drive Adapter Set



CODE	SIZE	Qty
OZ7842191	1/4 + 3/8 + 1/2”	1 Set (3 Piece)

Magnetic Bit Holder

CODE	LENGTH	Qty
OZ78MBH150	150mm	5

Socket Drivers

- Suits Vertigo Hangers

CODE	SIZE	Qty
OZ30SVD-13	13mm	1
OZ24SVD-16	16mm	1

Blades

Ultrathin Metal Cutting Disc

• Ultrathin Blade • Cuts: Most Metals, S/s, PVC, Plastics

CODE	SIZE	Qty
OZ40CBU10016	100×1.0×16mm	25
OZ40CBU11522	115×1.0×22.2mm	25
OZ40CBU12522	125×1.0×22.2mm	25

Diamond Blade - Cured Concrete

• Cuts: Cured Concrete, Reinforced Concrete, Terracotta, Granite, Roof Tiles, Hebel

CODE	SIZE	Qty
OZ40PTR100	100×16/20/22.2mm	1
OZ40PTR115	115×22.2mm	1
OZ40PTR125	125×22.2mm	1

Drop Saw Blade

• Cuts: Most Metals, Mild Steel

CODE	SIZE	Qty
OZ40CBU35025	350×2.8×25.4mm	10

Circular Saw Blade - Timber

• Thin Kerf • Cuts: Most Timbers

CODE	SIZE	Qty
OZ40TCB165	165mm x 24T x 20mm	1

Ceramic Cutting Disc

• Ultrathin Blade • Cuts: Ceramic, Porcelain, Terracotta, Granite, Limestone, Marble

CODE	SIZE	Qty
OZ40PCR125	125×1.0×22.2mm	1

Hacksaw Blades

• Bi-Metal • Flexible • Ground Tooth

CODE	SIZE	Qty
OZ78300-18A	18 TPI x 300mm	10
OZ78300-24A	24 TPI x 300mm	10
OZ78300-32A	32 TPI x 300mm	10

Reciprocating Blade

Reciprocating Blade Kit

CODE	SIZE
OZ78RBK13P	x3 10 TPI x 150mm - Gen Purpose x3 10/14 TPI x 150mm - Gen Purpose x2 10/14 TPI x 200mm - Fire + Rescue x3 18 TPI x 200mm - Metal x2 6 TPI x 225mm - Demo + Hard Case
INCLUDES:	

• Shatter Proof
• Flexible
• Bi-Metal

Metal		
CODE	SIZE	Qty
OZ78R4401-5	18 TPI x 150mm	5
OZ78R4405-5	24 TPI x 150mm	5
OZ78R4429-5	18 TPI x 230mm	5
OZ78R4420-5	18 TPI x 300mm	5

Timber		
CODE	SIZE	Qty
OZ78R4016-5	6 TPI x 150mm	5
OZ78R4017-5	6 TPI x 225mm	5
OZ78R4015-5	6 TPI x 300mm	5

General Purpose		
CODE	SIZE	Qty
OZ78R4430-5	10 TPI x 150mm	5
OZ78R4431-5	10 TPI x 200mm	5
OZ78R4432-5	10 TPI x 300mm	5

Consumables

Trap Drill

• For the use of Drilling Inlets in Trap Drains
• Stepped to Ensure Correct Drilling Depth

CODE	Qty
OZ78TD	1

Internal Pipe Cutter - Diamond Blade

• Cuts PVC and Most Plastics Internally

CODE	SIZE	Qty
OZ78IPC	40 up to 150mm	1

Sport + Trimming Knife

CODE	Qty
OZ78SPK2	1

HSS Threaded Rod Chamfer Tool

• Removes Burrs + Ridges from Threaded Components • Hex Shank
• For Use with Most Metals, Timbers + Plastics

CODE	SIZE	Qty
OZ78TRCT	8-22mm - 5/16-7/8"	1

Nail Punch

• For Hard to Reach Nailing Locations
• Internal Nail Holder • Soft Grip

CODE	Qty
OZ78GNP	1

Stanley Blade

CODE	Qty
OZ78TB921-AD	10

Soft Grip Setting Tool

• Stepped for Correct Cone Setting Depth
• Built in Hand Guard

CODE	SUITS	Qty
OZ58ST1030SG	M10×30mm DIA	1
OZ58ST1040SG	M10×40mm DIA	1
OZ58ST1250SG	M12×50mm DIA	1

Setting Tool

• Stepped for Correct Cone Setting Depth

CODE	SUITS	Qty
OZ58ST0625	M6×25mm DIA	1
OZ58ST0830	M8×30mm DIA	1
OZ58ST1665	M16×65mm DIA	1

Hammer Drill Attachment

• Slips over SDS Accu Drill Bit • Stepped for Correct Cone Setting Depth • Quick + Easy HKD Setting

CODE	SUITS	Qty
OZ58STA1030	M10×30mm DIA	1

Drop in Anchor SDS Plus Accu Drill Bit

CODE	SIZE	SUITS	Qty
OZ09AB1235	12×35mm	M10×30mm	1
OZ09AB1245	12×45mm	M10×40mm	1
OZ09AB1560	15×60mm	M12×50mm	1
OZ09AB1660	16×60mm	M12×50 (Powers)	1

Threaded Rod Cutter

Threaded Rod Cutter

• Fast Clean Cuts • No De-burring Needed • Heavy Duty

CODE	SIZE	Qty
OZ10NKM10	M10	1
OZ10NKM12	M12	1

Threaded Rod Cutter Replacement Dies

CODE	SIZE	Qty
OZ10TRCB10-HIT	M10 (HIT)	1
OZ10TRCB10-MCC	M10 (MCC)	1
OZ10TRCB1	M12	1

Stud Punch

Stud Punch + Grommets

• Used to Punch Circular Holes Through Metal Stud Work
• Comes with 22 + 34mm Blades in a Hardened Plastic Carry Case
• Encloses Raw Metal Edges cut with Stud Punch
• Prevents Damage + Conduction from Vibrations and disturbances • Easy Clip Installation

ITEM	CODE	SIZE	Qty
Stud Punch	OZ57SP2234	22mm + 34mm	1
Grommets	OZ57SPG	34mm	100

Stud Punch Replacement Blades

CODE	SIZE	Qty
OZ57SPT	34mm	1 Set

Gas Gun

Gas Gun Kit

• Gas Actuated Nail Gun for Hard Concrete • Comes with batteries, charger and PPE

CODE	DESCRIPTION	Qty
OZ2355002	GT6 Gas Gun Kit	1 Kit

Pin + Gas

CODE	DESCRIPTION	Qty
OZ2355017HC	GT3/6 Pin + Gas 17mm	1000 + 1
OZ2355010	GT3/6 Gas Only	1
OZ2355317HC	C5 Pin + Gas 17mm	800 + 1
OZ2355301	C5 Gas Only	1
OZ23GTP1	Trade Pack: GT3/6 Gas x1 + 17mm Pin x1000 + Cable Mount x 1000 + 200×4.8mm Cable Tie x1000	

• Product data sheets can be found at ozstrut.com.au

Tools + Accessories

Application Guns

Caulking Gun

• Heavy Duty • 18:1 Compression

CODE	SIZE	Qty
OZ12CG300HD	300 - 450ml	1

Sausage Gun

• Heavy Duty • Aluminium Body

CODE	SIZE	Qty
OZ12CG600	500 - 600ml	1

HWA Tool + Cable Tie Tensioner

Hollow Wall Anchor Tool

• Heavy Duty • Ratchet Style

CODE	SIZE	Qty
OZ02HWAST-200	M4 - M6	1

Cable Tie Tensioner

• Heavy Duty • Tensions + Cuts Nylon Cable Tie

CODE	SIZE	Qty
OZ20TIE-TOOL	4.8 - 9mm	1

Platform Step Ladder

• 900mm Handrail Height
• Anti Slip Platform + Treads
• Rubber Feet
• All Size Variants Rated up to 150kg
• Wheel Accessories Available

Aluminium		
CODE	SIZE	STEPS
OZ13LA1021	0.9m	3
OZ13LA1031	1.2m	4
OZ13LA1041	1.5m	5
OZ13LA1051	1.8m	6
OZ13LA1061	2.1m	7

• 900mm Handrail Height
• Anti Slip Platform + Treads
• Rubber Feet
• All Size Variants Rated up to 150kg
• 10Kv Insulation Capacity
• Wheel Accessories Available

Fiberglass		
CODE	SIZE	STEPS
OZ13LF1021	0.9m	3
OZ13LF1031	1.2m	4
OZ13LF1041	1.5m	5
OZ13LF1051	1.8m	6
OZ13LF1061	2.1m	7

A

Abel Flex 5:2
Abel Flex - Sticky Back 5:2
Adapter - Square To Hex 9:4
Aerosol - Cold Galvanizing 7:6
Aerosol - Cutting Oil 7:6
Aerosol - Flat Black Spray Paint 7:6
Aerosol - Multi Spray 7:6
Aerosol - Silicone Spray 7:6
Aerosol - Silver Zinc 7:6
Aerosol - Spot Marking Paint 7:6
All Thread Clip - PVC White 2:5
Angle Bracket 45° - Brace 1:8
Angle Bracket 45° - External 1:8
Angle Bracket 45° - Internal 1:8
Angle Bracket 90° - 2 Hole 1:7
Angle Bracket 90° - 3 Hole 1:7
Angle Bracket 90° - 4 Hole 1:7
Angle Bracket 90° - 4 Hole Braced 1:7
Angle Bracket 90° - Wide Tee 1:8
Anti-Seize - Brush Top 7:7
Apolo Channel - Metal 2:10
Apolo Channel - PVC 2:10
Application Gun - Cartridge 7:4
Application Gun - Nozzels 7:4
Application Gun - Sausage 7:4

B

Backing Rod 7:5
Base Plate - 100mm 1:9
Base Plate - 150mm 1:9
Base Plate - 150mm Back To Back 1:9
Battery 7:7
Beam Clamp - End 1:10
Beam Clamp - Internal I Beam 1:10
Beam Clamp - Locking 1:10
Beam Clamp - Threaded 1:11
Beam Hanger - Cleat 1:11
Beam Hanger - Clevis 1:11
Beam Hanger - D Purlin 1:11
Beam Hanger - Purlin 1:11
Beam Hanger - V Purlin 1:11
Bit Holder - Magnetic 9:4
Blue Banger Hanger - Metal Form 6:14
Blue Banger Hanger - Timber Form 6:14
Builders Pencils 7:4
Butterfly Nut 1:4

C

Cable Gland 3:6
Cable Tie - Nylon ..... 4:1 / 7:7
Cable Tie - Stainless Steel ..... 4:1 / 7:7
Cable Tie - Tensioner 7:7
Cable Tie Mount 2:10
Cable Tray - Bolt 3:1-3:3
Cable Tray - Economic Barrier Strip Segregation 3:1
Cable Tray - Economic Hold Down Bracket 3:1
Cable Tray - Economic Radius Plate 3:1
Cable Tray - Economic Riser Link 3:1
Cable Tray - Economic Splice Plate 3:1
Cable Tray - Economic Tray 3:1
Cable Tray - Economic TX Bracket 3:1
Cable Tray - LT3 Barrier Strip Segregation 3:2
Cable Tray - LT3 Hold Down Bracket 3:2
Cable Tray - LT3 Radius Plate 3:2
Cable Tray - LT3 Riser Link 3:2
Cable Tray - LT3 Splice Plate 3:2
Cable Tray - LT3 Tray 3:2
Cable Tray - LT3 TX Bracket 3:2
Cable Tray - LT5 Barrier Strip Segregation 3:3
Cable Tray - LT5 Hold Down Bracket 3:3
Cable Tray - LT5 Radius Plate 3:3
Cable Tray - LT5 Riser Link 3:3
Cable Tray - LT5 Splice Plate 3:3
Cable Tray - LT5 Tray 3:3
Cable Tray - LT5 TX Bracket 3:3
Cable Tray - Nut 3:1-3:3
Cable Tray - Perforated 3:4
Cable Tray Cover - Economic Flat 3:4
Cable Tray Cover - LT3 / LT5 Flat 3:4
Cable Tray Cover - LT3 / LT5 Peaked 3:4
Cantilever Bracket - Braced 1:3
Cantilever Bracket - Unbraced 1:3
Cavity Toggle 6:22
Chemical Anchor - Application Gun ..... 6:17 / 7:4
Chemical Anchor - MIT Polyester ..... 6:17 / 7:4
Chemical Anchor - Pure Epoxy ..... 6:17 / 7:4
Chisel - SDS Plus Flat 9:2
Chisel - Sds Plus Wide 9:2
Clip Head - Copper 2:7
Clip Head - HDPE 2:7
Clip Head - Pressure PVC 2:7
Clip Head - PVC 2:7
Closure Strip 1:4
Clout 6:20
Coach Screw - Galvanized 6:20
Coach Screw - Stainless Steel 316 ..... 6:20
Coach Screw - Zinc Plated 6:20
Conduit - Corrugated 3:5
Conduit - Coupling 3:5
Conduit - Elbow 90° 3:5
Conduit - Half Saddle 3:6
Conduit - Inspection Fitting 3:5
Conduit - Locating Flange 3:6
Conduit - Rigid 3:5
Conduit - Screw Adaptor Plain 3:6
Conduit - Screw Adaptor To Corrugated 3:6
Conduit - Solid Elbow 3:5
Conduit - Sweep Bend 3:5
Construction Adhesive - Cartridge 7:2
Coveralls - Disposable 8:2
Crayon 7:5
Cuphead Bolt - Stainless Steel 316 ..... 6:4
Cuphead Bolt + Nut - Zinc Plated 6:4
Cuphead Bolt + Nut - Galvanised 6:4
Cutting Blade - Ceramic 9:5
Cutting Blade - Circular Saw 9:5
Cutting Blade - Diamond 9:5
Cutting Blade - Drop Saw 9:5
Cutting Blade - Hacksaw 9:5
Cutting Blade - Reciprocating 9:5
Cutting Blade - Reciprocating Kit 9:5
Cutting Blade - Ultrathin 9:5

D

Double Bolted Clamp 2:8
Double Shot Rod Hanger 2:10
Drill Bit - SDS Plus 2 Cutter 9:1
Drill Bit - SDS Plus 4 Cutter 9:1
Drill Bit - Step 9:3
Drill Bit - Trap 9:6
Drop In Anchor 6:13
Drop In Anchor - Attachment Tool ..... 6:13 / 9:6
Drop In Anchor - Bucket 6:13
Drop In Anchor - SDS Accu Bit ..... 6:13 / 9:6
Drop In Anchor - Setting Tool ..... 6:13 / 9:6
Drop In Anchor - Setting Tool Soft Grip ..... 6:13 / 9:6
Duct Hanger - Duct Nut 4:2
Duct Hanger - Ear Bracket 4:2
Duct Hanger - Z Bracket 4:2
Duct Saddle 4:1
Duct Sealer - Fosters ..... 4:2 / 7:4
Duct Sealer - MR Fire Rated ..... 4:2 / 7:4
Duct Sealer - MR Standard ..... 4:2 / 7:4
Duct Strap 4:1
Dust Mask - P2 ..... 8:2

E

Ear Muff 8:2
Ear Plug - Uncorded 8:2
ETA Approved - Drop In Anchor Zinc Plated 6:10
ETA Approved - Screw Bolt Zinc Plated 6:12
ETA Approved - Screw Hanger Zinc Plated 6:10
ETA Approved - Splice Anchor Zinc Plated 6:10
ETA Approved - Through Bolt Stainless Steel 316 ..... 6:11
ETA Approved - Through Bolt Zinc Plated 6:11
Expanding Foam 7:2
Expanding Foam - Fire Rated 7:3

F

Face Shield 8:1
Fire Sound - Cartridge 7:3
Fire Sound - Sausage 7:3
Fireban One - Sausage 7:3
Flat Strap 2:9

G

Gas Gun 2:10
Gas Gun - Gas Only ..... 2:10 / 9:7
Gas Gun - Pin + Gas ..... 2:10 / 9:7
Gloves - Belt Clip 8:2
Gloves - Cut 5 ..... 8:2
Gloves - Nitrile Coated 8:2
Gloves - Rigger 8:2
Green Wall Plug 6:22
Grommet ..... 2:9 / 3:6 / 9:7
Grout - Non Shrink 7:8

H

Hanger Box + Rubber Mount 4:3
Hanger Box + Spring 4:3
Hanger Rubber Element 4:3
Hanger Spring Mount 4:3
Hanging Strap 2:9
Hard Hat 8:1
Hard Hat - Brim 8:1
Hard Hat - Sweat Band 8:1
Headless Screw - Zinc Plated 6:18
Hex Bolt + Nut - Galvanized 6:3
Hex Bolt + Nut - Zinc Plated 6:3
Hex Coupler 6:6
Hex Nut - Dome 6:6
Hex Nut - Galvanized 6:5
Hex Nut - Nyloc 6:5
Hex Nut - Nylon 6:5
Hex Nut - Serrated Flange 6:6
Hex Nut - SN Series 6:6
Hex Nut - Stainless Steel 304 ..... 6:5
Hex Nut - Stainless Steel 316 ..... 6:5
Hex Nut - Zinc Plated 6:5
High Visibility Vest 8:2
Hole Saw - Arbor 9:3
Hole Saw - Bimetal 9:3
Hole Saw - Kit 9:3
Hole Saw - Pilot Drill Bit 9:3
Hollow Set Drop In Anchor 6:20
Hollow Wall Anchor - Setting Tool ..... 6:21 / 9:8
Hollow Wall Anchor - Zinc Plated 6:21
Hose Clamp ..... 4:2 / 7:8
HSS Drill Bit 9:2
HSS Drill Bit - Double Ended 9:2
HSS Drill Bit - Reduced Shank 9:2
HSS Hole Cutter 9:3
HVAC Screw 4:2

I

Internal Pipe Cutter 9:6

K

Knife - Sport and Trimming 9:6

L

Lagging - Acoustic 5:1
Lagging - Foam Sleeve 5:1
Lagging - Fyre Wrap 5:1
Lagging - Polylagging ..... 2:13 / 5:1
Lead Hook 7:8

M

Machine Screw - Stainless Steel 304 ..... 6:19
Machine Screw - Zinc Plated 6:19
Metal Noggin 2:9
Metal Strap - Structural Punched ..... 2:9 / 4:4
Metal Strap - Structural Plain ..... 2:9 / 4:4
MKD Anchor 6:21
Mount Foot 4:3
Mount Stud 4:3
Mounting Plate - Centre 1:11
Mounting Plate - Horizontal 1:11
Mounting Plate - Vertical 1:1
MSL Anchor 6:21

N

Nail Punch 9:6
No7 Bracket 2:7
Nutsetter - Magnetic 9:4
Nylon Multi Purpose Plug 6:22

O

Off Tee Bracket 1:10
Oxide 7:7
Oz Strut - Back To Back 40×80 ..... 1:2
Oz Strut - External Joiner 1:9
Oz Strut - Internal Joiner 1:9
Oz Strut - Slotted 40×20 ..... 1:1
Oz Strut - Slotted 40×40 ..... 1:1
Oz Strut - Slotted 40×60 ..... 1:1
Oz Strut - Solid 40×20 ..... 1:2
Oz Strut - Solid 40×40 ..... 1:2
Oz Strut - Solid 40×60 ..... 1:2

P

Paint Bush 7:4
Paint Marker 7:6
PBZ Wedge Anchor 6:20
Pear Band - PVC 2:8
Pear Band - Steel 2:8
Permanent Marker 7:5
Pex Clip - Masonry 2:9
Pex Clip - Metal SDS 2:9
Phillips Driver 9:4
Pin Anchor - Metal 6:21
Pin Anchor - Nylon 6:21
Pipe Identification Markers 2:14
Plate Fitting - 1 Hole 1:5
Plate Fitting - 2 Hole 1:5
Plate Fitting - 3 Hole 1:5
Plate Fitting - 4 Hole 1:5
Plate Fitting - Adjustable 1:6
Plate Fitting - Right Angle 1:6
Plate Fitting - Tee 1:6
Plate Fitting - Wide Tee 1:6
Platform Ladder - Aluminum 9:8
Platform Ladder - Fiberglass 9:8
Poly Block 2:13
Poly Ferrule - 25mm Wall Copper 2:13
Poly Ferrule - 25mm Wall Refrigeration Pipe 2:13
Polyurethane Sealant - Cartridge 7:1
Polyurethane Sealant - Sausage 7:1

R

Rags 7:7
Register Spring - Plated 4:2
Register Spring - Unplated 4:2
Rivet - Dome Stainless Steel 304 ..... 6:18
Rivet - Dome Zinc Plated 6:18
Rockwool 5:2
Roof Flashing 2:14
Roof Flashing - Retro-Fit Clips 2:14
Rubber Floor Mount 4:3

S

Saddle - Copper 2:6
Saddle - Pressure PVC 2:6
Saddle - PVC 2:6
Saddle - Steel 2:6
Safety Glasses - Clear 8:1
Safety Glasses - Tinted 8:1
Safety Goggles 8:1
Screw - Chipboard 6:23
Screw - Needle Point Button Head 6:24
Screw - Needle Point Coarse Bugle Head 6:23
Screw - Needle Point Fine Bugle Head 6:23
Screw - SDS Bugle Head 6:24
Screw - SDS Button Head 6:24
Screw - SDS Flat Top 6:25
Screw - SDS Hex Head 6:25
Screw - SDS Neo Hex Head 2:26
Screw - SDS S500 ..... 2:26
Screw - SDS Wafer Head 6:24
Screw - T17 Hex Head 6:25
Screw - T17 Neo Hex Head 6:26

S cont.

Screw Bolt - Galvanized 6:17
Screw Bolt - Zinc Plated 6:17
Self-Locking Pipe Clamps 2:10
Self-Tapping Screw - CSK Stainless Steel 304 ....6:19
Self-Tapping Screw - CSK Zinc Plated 6:19
Self-Tapping Screw - Pan Head Stainless Steel 304 ....6:19
Self-Tapping Screw - Pan Head Zinc Plated 6:19
Set Screw - Galvanized 6:1
Set Screw - Nylon 6:1
Set Screw - Stainless Steel 304 ....6:1
Set Screw - Zinc Plated 6:1
Silicone - Acrylic Gap Filler Cartridge 7:2
Silicone - Glazing + Industrial Cartridge 7:2
Silicone - High Temperature Cartridge 7:3
Silicone - Paintable Hybrid Cartridge 7:2
Silicone - Plumbing Cartridge 7:1
Silicone - Sanitary Cartridge 7:1
Sleeve Anchor - Eye Bolt Zinc Plated 6:16
Sleeve Anchor - Flush Zinc Plated 6:15
Sleeve Anchor - Galvanized 6:15
Sleeve Anchor - Hook Zinc Plated 6:16
Sleeve Anchor - Stainless Steel 316 ....6:15
Sleeve Anchor - Zinc Plated 6:15
Slotted Angle - 30×30 ....1:3
Slotted Angle - 50×50 ....1:3
Socket Screw - Button Head Zinc Plated 6:18
Spade Bit 9:4
Spray Bottle 7:8
Spring Toggle 6:22
Stand Off - Bracket PVC White 2:5
Stand Off - Saddle PVC White 2:5
Stand Off Tee 2:7
Stand Off Tee - Adjustable 2:7
Stanley Blade 9:6
String Line 7:7
Strut Clip - Barrier Strip 2:2
Strut Clip - Copper Brown 2:1
Strut Clip - Copper Zinc Plated 2:1
Strut Clip - Flat Isolation Rubber 2:2
Strut Clip - Insulated 2:2
Strut Clip - Oz Strut Lip Rubber 2:2
Strut Clip - PVC White 2:1
Strut Clip - PVC Zinc Plated 2:1
Strut Clip - Steel HDG 2:2
Strut Clip - Steel Zinc Plated 2:2
Strut End Cap - 40×20 ....1:4
Strut End Cap - 40×40 ....1:4
Strut Nut - Long Spring 1:4
Strut Nut - No Spring 1:4
Strut Nut - Quick 1:4
Strut Nut - Short Spring 1:4
Stud Nut - No Spring 1:4
Stud Nut - W/ Nut + Washer 1:4
Stud Nut - W/ Spring 1:4
Stud Punch ....2:9 / 3:6 / 9:7
Stud Punch - Replacement Blades ....2:9 / 3:6 / 9:7
Support Base - Fixed 4:4
Support Base - H-Frame 4:4
Support Base - Universal 4:4

T

Tape - Danger 7:5
Tape - Duct ....4:1 / 5:2 / 7:5
Tape - Linerless Foam Tape ....4:1 / 5:2 / 7:5
Tape - Reinforced Foil Tape ....4:1 / 5:2 / 7:5
Tape Measure 7:7
Threaded Rod - Chamfer Tool 9:6
Threaded Rod - Cutter 9:7
Threaded Rod - Cutter Replacement Blades 9:7
Threaded Rod - Galvanized 1:3
Threaded Rod - Stainless Steel 304 ....1:3
Threaded Rod - Stainless Steel 316 ....1:3
Threaded Rod - Zinc Plated 1:3
Through Bolt - Galvanized 6:16
Through Bolt - Stainless Steel 316 ....6:16
Through Bolt - Tie Wire Zinc Plated 6:16
Through Bolt - Zinc Plated 6:16

T

Tile Drill Bit - Diamond Core 9:2
Tile Drill Bit - High Speed 9:2
Tile Drill Bit - Spear Point 9:2
T-Rex - Crystal Cartridge 7:2
T-Rex - White Cartridge 7:2

U

U-Bolt 2:8

V

Vertigo Hanger - Concrete Vertical 6:14
Vertigo Hanger - Driver 6:14
Vertigo Hanger - Steel Side 6:14
Vertigo Hanger - Steel Vertical 6:14
Vertigo Hanger - Timber Side 6:14
Vertigo Hanger - Timber Vertical 6:14

W

Waffle Pad 4:3
Wall Dog 6:20
Wall Mate - Metal 6:22
Wall Mate - Nylon 6:22
Washer - Flat Galvanized 6:7
Washer - Flat Stainless Steel 304 ....6:7
Washer - Flat Stainless Steel 316 ....6:7
Washer - Flat Zinc Plated 6:7
Washer - Mudguard Stainless Steel 304 ....6:8
Washer - Mudguard Zinc 6:8
Washer - Nylon Shoulder 6:8
Washer - Spring Galvanized 6:7
Washer - Spring Stainless Steel 304 ....6:7
Washer - Spring Zinc Plated 6:7
Washer - Square Galvanized 6:8
Washer - Square Stainless Steel 316 ....6:8
Wedge Nut 6:6
Welded Nut Clip - Copper Brown 2:3
Welded Nut Clip - HDPE Black 2:3
Welded Nut Clip - PVC White 2:3
Welded Nut Clip - Rubber Lined Double Bolted 2:3
Welded Nut Clip - Rubber Lined Hinged 2:4
Welded Nut Clip - Steel HDG 2:4
Welded Nut Clip - Steel Zinc Plated 2:4
Window Bracket 1:10
Window Bracket - U Bolt 1:10
Window Paka 7:8
Wing Fitting - 2 Way 180° 1:9
Wing Fitting - 2 Way 90° 1:9
Wing Fitting - 3 Way 1:9
Wood Ferrule - 25mm Wall Copper 2:11
Wood Ferrule - 38mm Wall Copper 2:12
Wood Ferrule - 50mm Wall Copper 2:12
Wood Ferrule - Strut Clip 2:11
Wood Ferrule - Welded Nut Clip 2:11

Y

Yoke Clamp - PVC White 2:5
Yoke Clamp - Steel HDG 2:5

Z

Z Bracket 1:10

Inside Diameter (ID)	Outside Diameter (OD)			
Nominal Size (mm)	Copper (mm)	PVC (mm)	GWIR Steel (mm)	Pressure PVC (mm)
15	12.7	-	21.3	21
20	19.1	-	26.9	27
25	25.4	-	33.7	34
32	31.8	-	42.4	42
40	38.1	42.8	48.3	48
50	50.8	55.8	60.3	60
65	63.5	68.7	76.1	75
80	76.2	82.3	88.9	89
100	101.6	110	114.3	114
125	127	-	139.7	140
150	152.4	160	165.1	160
175	178	-	-	-
200	203.2	-	219.1	225
225	228	250	-	250
250	254	-	273	280
300	303	315	323.6	315
350	-	356	355.6	-
375	-	400	-	400
400	-	-	406.2	-
450	-	-	457	-
500	-	-	508	-
600	-	-	610	-

HDPE	
ID mm	OD mm
26	32
34	40
44	50
50	56
57	63
69	75
83	90
101	110
115	125
147	160
186	200
234	250
295	315

Stainless Steel Tube	
OD - MM	OD - Inch
6	1/4
9.53	3/8
12.7	1/2
15.87	5/8
19.5	3/4
22.22	7/8
25	1
28.57	1-1/8
34.93	1-3/8
41.27	1-5/8
53.97	2-1/8
66.5	2-5/8
79.37	3-1/8

Imperial - Metric	
INCH	MM
1/16	1.59
3/32	2.38
1/8	3.18
5/32	3.97
3/16	4.76
1/4	6.35
5/16	7.94
3/8	9.53
7/16	11.11
1/2	12.7
5/8	15.88
3/4	19.05
7/8	22.23
1	25.4

GAUGE	MM
4g	2.9
6g	3.5
8g	4.2
10g	4.8
12g	5.5
14g	6.3

OZSTRUT

This catalogue, images, information and specifications remain the sole property of Ozstrut Pty Ltd and must not be copied or used without prior written permission from Ozstrut Pty Ltd.

All information is correct and true at the time of issue. All information is subject to change with out prior notice. This product guide is to be used as a guide only.

Copyright © Ozstrut Pty Ltd® 2020

OZSTRUT

Delivering Solutions

P. 02 9620 9999
F. 02 9674 6560
E. sales@ozstrut.com.au
W. www.ozstrut.com.au